




In this space, show facsimile of

AB-41 2016-01

## STATUTORY DECLARATION Registration of Fittings

1		as it will appear on the fitting.		
I, <u>Ol</u>	(name of applicant)  (name of applicant)  (name of applicant)  (position title) (must be in a position of authority)			
of PA	PKER HANNIFIN CORPORATION /TUBE FITTING DIVISION (name of manufacturer)			
located	dat 3885 GATEWAY BLVD, COLUMBUS, OH 43228 (plant address)	u , <u>u ,</u>		
do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)				
	comply with the requirements of which s (title of recognized North American Standard)	specifies the dimensions,		
	materials of construction, pressure/temperature ratings and identification mar	king of the fittings, or		
X	are not covered by the provisions of a recognized North American standard an	d are therefore manufactured		
	to comply with J514 + J1453 (SAE) as (title of code of construction or other applicable document)	s supported by the attached		
	data which identifies the dimensions, materials of construction, pressure/temperature	erature ratings and the basis		
	for such ratings, and the marking of the fittings for identification.			
I further declare that the manufacture of these fittings is controlled by a quality control program which has been				
verified by the following authority, DNV GL /TUY as being suitable for the manufacture of these				
fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are				
SEAL-LOK/TRIPLE-LOK/FERULOK/PIPE FITTINGS + ADAPTERS; CATALOG 4300 DECEMBER 2011				
(brief description of fittings)  SECTION A, B, C + F In support of this application, the following information, calculations and/or test data are attached:				
CATALOE, MATERIAL SPECIFICATIONS DATA, CALCULATIONS, IN-HOUSE TEST DATA				
DECLA	RED before me at <u>Dublin</u> in the <u>State</u> of	Ohio MANDLER-NO		
this	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	province or state)		
(print)_	(a Commissioner of Oaths or Notary Public)			
(sign) _	(a Commissioner of Oaths or Notary Public)  (signature of Oaths or Notary Public)	of applicant)		
For ABSA Office Use Only:				
NOTES	:			
To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category				
Registra	ation Number: 0A 0 9 9 4 1 . 5 2 Gionature of the	he Administrator/SCO)		
Date Re	egistered: JAN 11 2017 Expiry Date: $202$	6 Nay 4.		
The inform Pressure I	nation you provide is necessary only for the administration of the programs as required by the Alberta Safet Equipment Discipline.	ty Codes Act and Regulations in the		



CHINA MEXICO TAIWAN INDIA

## **Plant Locations**

Division Headquarters 3885 Gateway Boulevard Columbus, OH 43228 USA

725 North Beech Street Eaton, OH 45320 USA

700 West Cumberland Street Lewisburg, OH 45338 USA

704 West Cumberland Street Lewisburg, OH 45338 USA

Am Metallwerk 9 33659 Bielefeld Germany

Bahndamm 31 - 33 33758 SchloB Holte-Stukenbrock Germany

Sp.z o.o. ul. E. Kwiatkowskiego 16 55-011 Siechnice Poland

Antiguo Camino a San Lorenzo No. 338 50010 Toluca, Mexico

No. 233 Yuejin Road Lane 655 Baoan Highway Shanghai 201906, P. R. China Shanghai, China Fitting series: Triple-Lok 37° Flare SAE J514, catalog section B Material: steel, brass and stainless steel when available

Part Number	Size Range	Comparable Fittings	Mating Components
BTX	2 TO 32	F5OX	TX, TUBE
TX	2 TO 32	BTX	BTX, TUBE
HTX	2 TO 32	F5OX	FNTX
LHTX	4 TO 32	F5OX	FNTX
WTX	3 TO 32	HTX	FNTX
WFTX	4 TO 16	FTX	FNTX, HPC
WF5OX	4 TO 16	F5OX	FNTX, G5LO
WGTX	4 TO 24	GTX	FNTX, HP
XHX6	4 TO 20-16	F65OX, C6X	FNTX, PNTX
TRTX/TRTXN	4-2 TO 32-24	F65OX, C6X	FNTX, PNTX
F5OX	2 TO 32		FNTX, G5LO
FF5OX	4 TO 20	F5OX	FNTX, G5LO
XHB3	4 TO 32	HTX	FNTX, TUBE
FTX	2 TO 40		FNTX, HPC
FFTX	2 to 12	FTX	FNTX, HPC
GTX	2 TO 32		FNTX, PNTX
HX6	4 TO 16	F65OX	PNTX
F65OX	4 TO 20	6-20/2007	PNTX, G5LO
G6X	4 TO 32	F65OX	PNTX, HP
F6X	4 TO 32	FTX, F65OX	PNTX, HPC
WNTX	4 TO 20	ETX	FNTX
V5OX	4 TO 32	F5OX	FNTX, G5LO
V6X	4 TO 32	C6X	FNTX, PNTX
VTX	2 TO 32	CTX	FNTX, HPC
ETX	2 TO 32	FTY	FNTX FNTX
WETX	3 TO 20	ETX C5OX, C6X	PNTX, G5LO
AOEX6	4 TO 16	C30A, C6A	FNTX, PNTX
C6X	3 TO 32 4 TO 16	CTX, C6X	PNTX, HPC
X6EF CC5OX	4 TO 16	C5X	FNTX, G5LO
CSOX	2 TO 32	CSA	FNTX, G5LO
CTX	2 TO 40		FNTX, HPC
CCTX	4 TO 20	CTX	FNTX, HPC
CCCTX	4 TO 20	CTX	FNTX, HPC
DTX	4 TO 24		FNTX, HP
JTX	2 TO 32	ETX	FNTX
WJTX	4 TO 20	ETX	FNTX
WJJTX	4 TO 20	ETX	FNTX
J6X	4 TO 16	C6X	PNTX
R6X	4 TO 24	C6X	FNTX, PNTX
S6X	4 TO 24	C6X	FNTX, PNTX
S5OX	4 TO 32	C5OX	FNTX, G5LO
R5OX	4 TO 32	C5OX	FNTX, G5LO
STX	3 TO 24	CTX	FNTX, HPC
OTX	4 TO 24	GTX	FNTX, HP
RTX	3 TO 24	CTX	FNTX, HPC
MTX	4 TO 24	GTX	FNTX, HP
KTX	4 TO 16	ETX	FNTX
F870MX	4M10 TO 24M48	F5OX	FNTX
F42EDMX	4 TO 24-20	F5OX	FNTX
V87OMX	4M12 TO 16M33	CSOX	FNTX FNTX
V4OMX	4 TO 16	CSOX	FNTX
C87OMX	4M10 TO 16M33	CSOX	FNTX
C4OMX	4 TO 24	CSOX	FNTX
S4OMX	4 TO 20	C5OX C5OX	FNTX
R4OMX	4 TO 20 2 TO 32	BTX	INIA
FNTX PNTX	2 TO 32 2 TO 32	HTX	0)
T22X	4-6-8	TX	
1221	4 0-0	120	

## NOTE:

Stainless steel straights, uses a factor of 1.2 times rated pressure for steel Unless otherwise indicated in Parker catalog 4300, stainless steel shape fittings have same pressure ratings as carbon steel