UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NOVA SCOTIA

NEW BRUNSWICK

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR		
MANUFACTURERS NAME:	Parker Hannifin Corpora	ation Instrumentation Products Division			
MANUFACTURERS ADDRESS:					
PLANT LOCATIONS:					
		D. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION		
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conne E Strainers, filters, separators, ar F Measuring devices, including pressure transmitters	ections, and hose assemb	blies: all types	Manufactured to comply with ASME B31.3		
	g and fusible plugs	le as primary over pressure protection on			
		, (Meeting CNSC or ASME requirements)			
		GO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION		
1961	see at		FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER		
LIST OF SUPPORTING DOCUME	NTATION AND IDENTIF	ICATION OF THE ACTUAL ITEMS TO BE RE	GISTERED		
Scope of Registration Renewal 0A	11716.5, Design Report,	Material Specification ES-22, Catalog 4234 - A	April 2015		
ry knowledge represents the pro imperature ratings, and identific anufacture of these fittings is re in part and has been verified b	e end product do solen duct for which registra ation markings are in a gulated by a Quality C y DNV - GL ring it to be true and k	anly declare that the information containeration is sought. The dimensions, materials accordance with the herein named standar ontrol Program which extends to each play as being suitable for the nowing that it is of the same force and effections.	s of construction, pressure rds. I further declare that the ant where fabrication occurs in whole		
ommissioner of Oaths	AD	OFF1	CIAL SEAL AND AND A		
Notary Public: (sign)	ori Com		5/5.		
Autory 1 dollo. (digit)	and and				
This		pace for Regulatory Authority use			
		dated after ten (10) years from the date of	acceptance.		
CRN: 0A11716.5 Rev	. 2		16.73		
ID#: 1937 lotes: All fittings shall be registered in the Each category shall be supported orms and one copy of supporting do The declaration shall be made by esponsibility for the quality of the en	with two Statutory Decla currentation. the person having full aud product.	ration DATE 8 OUER	11716.5 REV2 1/25/2017		
Quality control programs shall be	resubmitted for validation	Ĩ			
a maximum interval of five (5) year	ъ.		Sect. 1.0 - Fittings Rev. 1 06/2003		



Parker Engineering Manual

Parker Hannifin Corporation
Instrumentation Connectors Division

Issued	Section
6-25-79	IDENTIFICATION
Revised	Standard No.
1-15-98	ES-703
Ecn No.	Page
ICD97055	1 OF 6
Parker Symbol	

Subject:					
	Sı	ıh	ie	cf	

PRODUCT LOGO MARKING REQUIREMENTS

ID-3

GENERAL:

The following information is adapted from Parker's Corporation Communications and Identification Manual.

PRODUCT IDENTIFICATION:

It is important that Parker identification appear on the millions of components sold into the market place each year. For this reason, special versions of the Corporate Signature have been designed to accommodate difficult product marking situations. The three key variables which will govern the selection of proper identification techniques are the material on which the marking is to be applied, the surface contour, and identification area size. The order of preference for product marking usage is shown. When possible, the solid Signature should be used down to a minimum of 5/8 inch. For smaller applications, the solid Open Signature, with slightly more open space within the letterforms, should be used. The Linear Signature and the Helvetica Light Parker are approved only for especially difficult marking conditions and hard material surfaces. When the marking surface, contour or area size makes it impractical to use the complete Parker identification, a "P" may be used in order of preference shown. Critical dimensions for product identification only are provided in this section.



Parker Engineering Manual Parker Hannifin Corporation

Parker Hannifin Corporation Instrumentation Connectors Division

Issued	Section	
6-25-79	IDENTIFICATION	
Revised	Standard No.	
1-15-98	ES-703	
Ecn No.	Page	
ICD97055	2 OF 6	

Subject:

PRODUCT LOGO MARKING REQUIREMENTS

Parker Symbol

ID-3

1 Primary
Corporate Signature
Minimum Size 5/8"



2 Small Size Corporate Signature Maximum Size %"



3 Linear Corporate Signature



4 Straight Type Identification— Helvetica Light Parker

5 Small Size "P" Maximum Size 3/16"



6 Linear "P"



7 Straight Type "P" Identification—
Helvetica Light

Р

altana a a a a a a a a