

Inspection and Technical Services Manitoba

500 - 401 York Avenue Winnipeg Manitoba R3C 0P8 T (204) 945-3373 F (204) 948-2309

www.firecomm.gov.mb.ca/codes_steam_pressure.html

August 12, 2015

ABSA 9410-20 Ave. NW Edmonton, AB T6N 0A4

Attn: Cynthia Formaniuk

REGISTRATION OF VALVES AND FITTINGS

Manufacturer: Parker Hannifin Corp., Instrumentation Products Division

The design(s) for the following Valves/Fittings has been received by us and has been examined and accepted for registration in the Province of Manitoba as follows.

DRAWING / CATALOGUE	CRN	FILE
CAT: 4135-CV DEC 2010	0C02206.24	35445

An invoice covering survey and registration fees is enclosed.

NOTE: CRN registered under reciprocal agreement & is conditional based on compliance with the notes set by the original issuing Jurisdiction: **ABSA**. See attached stamped "this is part of CRN" for scope of registration. This registration expires **April 7**, 2025.

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

The registration of this design does not relieve the manufacturer, the owner or his agent of the responsibility for the design or construction of a fitting in accordance with the applicable Acts, Codes and Standards. Inspection and Technical Services assumes no responsibility by registering designs, examining plans and/or inspecting equipment or facility.

Yours truly,

Rabie Harb, E.I.T.

Design Surveyor

Office of the Fire Commissioner

Inspection and Technical Services Manitoba

500 - 401 York Avenue

Winnipeg, Manitoba, R3C 0P8

Phone: 204-945-3373

Email: rabie.harb@gov.mb.ca





STATUTORY DECLARATION Registration of Fittings

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.

	Date: August 12,200	See Attached
I, To	ony Wyszkowski ,	
G	eneral Manager	
(company	title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)	
of Pa	rker Hannifin Corporation, Instrumentation Products Division	
-	(name of manufacturer)	
located a	1005 A Cleaner Way, Huntsville, AL, with addt'l manufacturing at 2651 Al Hwy 2	1 North, Jacksonville, AL
2 2	(plant address)	
do solem (check or	nly declare that the fittings listed hereunder, which are subject to the Safety Codes Act ne)	
□ c		ies the dimensions,
	(title of recognized North American Standard)	Cu:
	naterials of construction, pressure/temperature ratings and identification marking of the	NOTE AS
	re not covered by the provisions of a recognized North American standard and are there	
	omply with B31.1 as supported by the attached data which	
n	naterials of construction, pressure/temperature ratings and the basis for such ratings, and	I the marking of the fittings
f	or identification.	
I further	declare that the manufacture of these fittings is controlled by a quality control program	which has been verified by the
following	authority, Det Norske Veritas as being suitable for the manufa	acture of these fittings to the
stated sta	ndard. The fittings covered by this declaration, for which I seek registration, are COS	Series Check Valves
In suppor	t of this application, the following information, calculations and/or test data are attache	d:
Catalog 4	135-CV, Check Valves Filters & Relief Valves, Dated December 2010, ISO QA Certif	īcate
Scope of	Registration Renewal 0C2206.2	
DECL AT	RED before me at Huntsville in the state of Alal	bama
	- Wh	
this	day of May , 2015 (Year)	
(print)_	Sheri Coggan	
(sign)	A Commissioner for Oaths) (Signature of April 1997)	oplicant)
-	20 CV AVS 100P	
	the Use Only	1 4 4 1 6 6 4 6 4 4 4
	st of my knowledge and belief, the application meets the requirements of the Safety Co use 4.2, and is accepted for registration in Category	des Act and CSA Standard
Registrat	on Number: OCO 2206.24 Ratie	Harl
Data Pag		chief Inspector of Alberta)



Parker Engineering Manual

Parker Hannifin Corporation Instrumentation Connectors Division

indard No.
ES-703
ge 1 OF 6
1

Subject:
PRODUCT LOGO MARKING REQUIREMENTS

ID-3

GENERAL:

The following information is adapted from Parker's Corporation Communications and Identification Manual.

PRODUCT IDENTIFICATION:

It is important that Parker identification appear on the millions of components sold into the market place each year. For this reason, special versions of the Corporate Signature have been designed to accommodate difficult product marking situations. The three key variables which will govern the selection of proper identification techniques are the material on which the marking is to be applied, the surface contour, and identification area size. The order of preference for product marking usage is shown. When possible, the solid Signature should be used down to a minimum of 5/8 inch. For smaller applications, the solid Open Signature, with slightly more open space within the letterforms, should be used. The Linear Signature and the Helvetica Light Parker are approved only for especially difficult marking conditions and hard material surfaces. When the marking surface, contour or area size makes it impractical to use the complete Parker identification, a "P" may be used in order of preference shown. Critical dimensions for product identification only are provided in this section.

