

14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4 Tel.: 416.734.3300 Fax: 416.231.1626

Toll Free: 1.877.682.8772

www.tssa.org

June 22, 2015

CYNTHIA FORMANIUK ALBERTA BOILERS SAFETY ASSOCIATION 9410-20 AVENUE EDMONTON AB T6N 0A4 CA

Service Request Type: BPV-Fitting Registration

Service Request No.: 1654686 Your Reference No.: 2014-10252

Registered to: PARKER HANNIFIN - INSTRUMENTATION PRODUCTS DIVISION

Dear CYNTHIA FORMANIUK,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.:

0C02206.25

Main Design No.:

CATALOG 4135-CV

Expiry Date: 07-Apr-2025

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

Note:

C series check valves per catalogue 4135-CV December 2010, page 2 to page 7 to be registered. Material (body and cap): A276 type 316.

Two manufacturing locations: Parker Hannifin Corporation a) @ 1005 A Cleaner Way, Huntsville, AL 35805 USA

b) @ 2651 AL Hwy 21 North Jacksonville AL 36265 USA

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Norman Ngai, P. Eng. Mechanical Engineer BPV

Norman Ngm.

Tel.: 416-734-3557 Fax: 416-231-6183 Email: nngai@tssa.org

www.tssa.org



TECHNICAL STANDARDS & SAFETY AUTHORITY

14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

per attached

STATUTORY DECLARATION

Registration of Fittings				
Tony Wyszkowski, General Manager				
(Name and Position, e.g. President, Plant Manager, Chief	Engineer)			
of Parker Hannifin, Instrumentation Products Division (with additional manufacturing	ng at 2651 Hwy 21 No	orth, Jacksonville AL)		
(Name of Manufacturer)	**- (0****_0**_0*****_************	and the same of th		
Located at 1005 A Cleaner Way, Huntsville, AL	256-881-2040	256-881-5072		
(Plant Address)	(Telephone No.)	(Fax No.)		
do solemnly declare that the fittings listed hereunder, which are subject to the and Pressure Vessels Regulation, comply with all of the requirements of	Technical Standards	s and Safety Act, Boilers		
(Title of recognized North American Standard)				
which specifies the dimensions, materials of construction, pressure/temperature rating	gs, identification markinç	g the fittings and service;		
or are not covered by the provisions of a recognized North American standard ASME B31,1 as supported by the attached data which pressure/temperature ratings and the basis for such ratings, the marking of the full further declare that the manufacture of these fittings is controlled by a quality system which has been verified by the following authority, Det Norske Veritation: The items covered by this declaration, for which I seek registration, are category Countries application, the following information and/or test data are attached as follows: Catalog 4135-GV, "Check Valves, Filters & Relief Valves", dated December 2010, (drawings, calculations, test reports, etc.)	identifies the dimensior litting for identification a meeting the requireme s	ns, material of construction, and service. ISO 9001:2008 type fittings. In support of		
.1 1 .11	1-	11.1		
Declared before me atHUNHSV; II e in the S +a	10	of Alabama		
the Zoth day of NOVENBER AD 20 14.				
Commissioner for Oaths:				
SHERI COGGAN	[A .			
(Printed name)				
Signature)	(\$ignature of D	eclarer)		
FOR OFFICE USE ONLY To the best of my knowledge and belief, the application meets the requirements of the Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category	Technical Standards and Safety Authority	Boilers and Pressure Vessels Safety Program		
CRN: 0C02206.25	REGIS	STERED		
Registered by: NORMAN NGAI	C.R.N.: 0C 0	2206.25		
Dated:		man Ngc		
NOTE: This registration expires on: APR - 7, 2025	Date: JUN.	22,2015		



Parker Engineering Manual

Parker Hannifin Corporation Instrumentation Connectors Division

Issued 6-25-79	Section IDENTIFICATION
Revised 1-15-98	Standard No. ES-703
Ecn No. ICD97055	Page 1 OF 6
Parker Symbol	
ID-3	

Subject:

PRODUCT LOGO MARKING REQUIREMENTS

GENERAL:

The following information is adapted from Parker's Corporation Communications and Identification Manual.

PRODUCT IDENTIFICATION:

It is important that Parker identification appear on the millions of components sold into the market place each year. For this reason, special versions of the Corporate Signature have been designed to accommodate difficult product marking situations. The three key variables which will govern the selection of proper identification techniques are the material on which the marking is to be applied, the surface contour, and identification area size. The order of preference for product marking usage is shown. When possible, the solid Signature should be used down to a minimum of 5/8 inch. For smaller applications, the solid Open Signature, with slightly more open space within the letterforms, should be used. The Linear Signature and the Helvetica Light Parker are approved only for especially difficult marking conditions and hard material surfaces. When the marking surface, contour or area size makes it impractical to use the complete Parker identification, a "P" may be used in order of preference shown. Critical dimensions for product identification only are provided in this section.



Parker Engineering Manual

Parker Hannifin Corporation Instrumentation Connectors Division

Issued 6-25-79	Section IDENTIFICATION
1-15-98	Standard No. ES-703
Ecn No. ICD97055	Page 2 OF 6
Parker Symbol	

PRODUCT LOGO MARKING REQUIREMENTS

ID-3

Primary Corporate Signature Minimum Size 5/8"



2 Small Size Corporate Signature Maximum Size 5/8"



3 Linear Corporate Signature



4 Straight Type Identification-Helvetica Light

Parker

5 Small Size "P" Maximum Size 3/16"



6 Linear "P"



Straight Type "P" Identification-Helvetica Light