



14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

July 28, 2015

SUSAN TURNER
PARKER HANNIFIN CANADA INC
4635 DURHAM RD S
GRIMSBY ON L3M 4G4
CA

Service Request Type.: BPV-National MB
Service Request No.: 1613528
Your Reference No.: RL SERIES RELIEF VALVES - RENEW CRN 0C9895.5
Registered to.: PARKER HANNIFIN CANADA INC

Dear SUSAN TURNER,

Please find enclosed the original response from MB, registered under the CRN No.: 0C9895.54.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis
Administrative Assistant_ BPV Engineering
Tel. : 416-734-3423
Fax : 416-231-6183
Email : tfrancis@tssa.org



Inspection and Technical Services Manitoba

500 - 401 York Avenue

Winnipeg Manitoba R3C 0P8

T (204) 945-3373

F (204) 948-2309

www.firecomm.gov.mb.ca/codes_steam_pressure.html

June 25, 2015

TSSA

3300 Bloor St. W, Center Tower, 14th Floor

Toronto, ON

M8X 2X4

Attn: Tanya Francis

REGISTRATION OF VALVES AND FITTINGS

Manufacturer: PARKER HANNIFIN INSTRUMENTATION PRODUCTS DIVISION

The design(s) for the following Valves/Fittings has been received by us and has been examined and accepted for registration in the Province of Manitoba as follows.

DRAWING / CATALOGUE	CRN	FILE
CATALOG: 4135-CV, PGS 40-43	0C9895.54	35238

An invoice covering survey and registration fees is enclosed.

***NOTE:** CRN registered under reciprocal agreement & is conditional based on compliance with the notes set by the original issuing Jurisdiction: TSSA. See attached stamped "this is part of CRN" for scope of registration. This registration expires **March 18, 2025**. This registration was submitted with only one copy of the drawings.*

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

The registration of this design does not relieve the manufacturer, the owner or his agent of the responsibility for the design or construction of a fitting in accordance with the applicable Acts, Codes and Standards. Inspection and Technical Services assumes no responsibility by registering designs, examining plans and/or inspecting equipment or facility.

Yours truly,

Rabie Harb, E.I.T.

Design Surveyor

Office of the Fire Commissioner

Inspection and Technical Services Manitoba

500 - 401 York Avenue

Winnipeg, Manitoba, R3C 0P8

Phone: 204-945-3373

Email: rabie.harb@gov.mb.ca



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below

See attached

STATUTORY DECLARATION Registration of Fittings

I, Tony Wyszowski, General Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Parker Hannifin, Instrumentation Products Division (with additional manufacturing at 2651 Hwy 21 North, Jacksonville AL)

(Name of Manufacturer)

Located at 1005 A Cleaner Way, Huntsville, AL

(Plant Address)

256-881-2040

(Telephone No.)

256-881-5072

(Fax No.)

☐ do solemnly declare that the fittings listed hereunder, which are subject to the *Technical Standards and Safety Act*, Boilers and Pressure Vessels Regulation, comply with all of the requirements of

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☒ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with MSS SP-99 as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2008 which has been verified by the following authority, Det Norske Veritas.

The items covered by this declaration, for which I seek registration, are category C type fittings. In support of this application, the following information and/or test data are attached as follows:

Catalog 4135-CV, "Check Valves Filters and Relief Valves", dated December 201, Scope of Registration Renewal 0C9895.5

(drawings, calculations, test reports, etc.)

Declared before me at Huntsville in the state of Alabama

the 19th day of December AD 2014.

Commissioner for Oaths:

Sheri Cooper
(Printed name)

Sheri Cooper
(Signature)

(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the *Technical Standards and Safety Act*, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category "C".

CRN: 0C9895.54

Registered by: Rahil Hail

Dated: June 25, 2015

NOTE: This registration expires on: March 18, 2025





Parker Engineering Manual
Parker Hannifin Corporation
Instrumentation Connectors Division

Issued 6-25-79	Section IDENTIFICATION
Revised 1-15-98	Standard No. ES-703
Ecn No. ICD97055	Page 2 OF 6

Subject:

PRODUCT LOGO MARKING REQUIREMENTS

Parker Symbol

ID-3

- 1 Primary
Corporate Signature
Minimum Size $\frac{5}{8}$ "



- 2 Small Size
Corporate Signature
Maximum Size $\frac{5}{8}$ "



- 3 Linear
Corporate Signature



- 4 Straight Type
Identification—
Helvetica Light

Parker

- 5 Small Size "P"
Maximum Size $\frac{3}{16}$ "



- 6 Linear "P"



- 7 Straight Type "P"
Identification—
Helvetica Light

P