

To:	TSSA	From:	Janet Townsend
Company:	Parker Hannifin Co.	Phone:	416-747-4291
Pages:	5	Location:	Toronto
Our File:	ANR-3932	Date:	March 23, 2016

Your File: 1797344

Subject: <u>Request for Design Registration</u>

Dear Ms. Francis,

CSA has reviewed the documentation submitted by TSSA on behalf of Parker Hannifin Co. These fittings have been registered by CSA for the Province of Québec. In accordance with an agreement between CSA, the Provinces of Québec and Saskatchewan; this registration is recognized by Quebec and Saskatchewan. These fittings are acceptable for use in these Provinces.

The letters CSA will be applied as a prefix to the CRN indicate which fittings have been registered in this manner. A copy of the stamped Statutory Declaration is attached.

The CRN is CSA-0C10695.56R1.

The cost for this service is \$ 760.00 plus HST.

A copy of the Statutory Declaration with an original stamp affixed will be forwarded to you along with our invoice by regular mail.

Yours truly

jast Toursel

Janet Townsend Account Manager CSA Group janet.townsend@csagroup.org www.csagroup.org

Standard Ba	TECHNICAL STANDARDS		Show fac	simile of manufacturer's lo appear on the fitting, in th	ogo or trademark, as it will he space below
TSSA	14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario	한 일이나 물			VERIFL
TATTY AUTHON	Canada M8X 2X4				- Dark Instrumenta
	ST	ATUTORY	DECLA	RATION	
		Registra	tion of Fitting	zs	
I, _Joseph Lis, \	/eriflo Division Chief Engineer	r nd Position, e.g. President	Plant Managor, Chic	f Engineer)	
er Parker Hann	ifin Veriflo Division	na rosmon, e.g. rresident	, Plant Manager, Unie	r Engineer)	
	· · · · · · · · · · · · · · · · · · ·	(Name of Ma	nufacturer)		
Located at 2	50 Canal Blvd, Richmond, CA	94804		510-235-9590	510-232-7396
	(Plant Addre	ess)	w.w.	(Telephone No.)	(Fax No.)
do solem and Press	nly declare that the fittings liste sure Vessels Regulation, com	ed hereunder, which ply with all of the re	are subject to the quirements of	Technical Standard	ls and Safety Act , Boi
which spe	cifies the dimensions, materials o	(Title of recognized North of construction, pressur	American Standard) e/temperature ratir	ngs, identification markin	g the fittings and service
Veriflo sp	covered by the provisions of a pecifications	as supported by the at	tached data which	identifies the dimensio	ns, material of construct
pressure/t	emperature ratings and the bas	sis for such ratings, th	he marking of the	fitting for identification	and service
	emperature ratings and the ba			-	
	emperature ratings and the ba	ittings is controlled by	a quality system	meeting the requireme	
I further declare t	emperature ratings and the bas that the manufacture of these fi which has been verified by th I by this declaration, for which I se	ittings is controlled by le following authority, <u>[</u> sek registration, are cat	v a quality system Det Norske Verita egory <u>C</u>	meeting the requireme	ents of ISO9001
I further declare t	emperature ratings and the bas that the manufacture of these fi which has been verified by th I by this declaration, for which I se e following information and/or test	ittings is controlled by le following authority, <u></u> sek registration, are cat data are attached as f	v a quality system Det Norske Verita egory <u>C</u> ollows:	meeting the requirements (DNV)	ents of ISO9001
I further declare t	emperature ratings and the bas that the manufacture of these fi which has been verified by th I by this declaration, for which I se	ittings is controlled by le following authority, <u></u> sek registration, are cat data are attached as f	v a quality system Det Norske Verita egory <u>C</u> ollows: og; Current ISO9	meeting the requirements (DNV)	ents of ISO9001
I further declare to The items covered this application, the CRN Renewal	emperature ratings and the bas that the manufacture of these fi which has been verified by th I by this declaration, for which I se e following information and/or test	ittings is controlled by le following authority, <u>c</u> eek registration, are cat data are attached as fi report; Current catale (drawings, calculation)	v a quality system Det Norske Verita egory <u>C</u> ollows: og; Current ISO9 s, test reports, etc.)	meeting the requirements (DNV)	ents of ISO9001 _ type fittings. In suppor
I further declare to The items covered this application, the CRN Renewal	emperature ratings and the base that the manufacture of these fi which has been verified by th I by this declaration, for which I see e following information and/or test - ABP1S - Includes: Original r	ittings is controlled by le following authority, <u>c</u> eek registration, are cat data are attached as fi report; Current catale (drawings, calculation)	v a quality system Det Norske Verita egory <u>C</u> ollows: og; Current ISO9 s, test reports, etc.) in the <u>5</u> 7 4	meeting the requirements (DNV)	ents of ISO9001 _ type fittings. In suppor
I further declare to The items covered this application, the CRN Renewal	emperature ratings and the base that the manufacture of these fi which has been verified by th I by this declaration, for which I se to following information and/or test - ABP1S - Includes: Original r	ittings is controlled by le following authority, <u>c</u> eek registration, are cat data are attached as fi report; Current catale (drawings, calculation)	v a quality system Det Norske Verita egory <u>C</u> ollows: og; Current ISO9 s, test reports, etc.) in the <u>5</u> 7 4	meeting the requirements (DNV)	ents of ISO9001 _ type fittings. In suppor
I further declare to the items covered this application, the CRN Renewal Declared before the	emperature ratings and the base that the manufacture of these fi which has been verified by th I by this declaration, for which I se to following information and/or test - ABP1S - Includes: Original r	ittings is controlled by le following authority, <u>c</u> eek registration, are cat data are attached as fi report; Current catale (drawings, calculation)	v a quality system Det Norske Verita egory <u>C</u> ollows: og; Current ISO9 s, test reports, etc.) in the <u>5</u> 7 4	meeting the requirements (DNV)	ents of ISO9001 _ type fittings. In suppor
I further declare to the items covered this application, the CRN Renewal Declared before the	emperature ratings and the base that the manufacture of these fi which has been verified by th I by this declaration, for which I se to following information and/or test - ABP1S - Includes: Original r	ittings is controlled by le following authority, <u>c</u> eek registration, are cat data are attached as fi report; Current catale (drawings, calculation)	v a quality system Det Norske Verita egory <u>C</u> ollows: og; Current ISO9 s, test reports, etc.) in the <u>5</u> 7 4	meeting the requirements (DNV)	ents of ISO9001 _ type fittings. In suppor
I further declare to the items covered this application, the CRN Renewal Declared before the	emperature ratings and the base that the manufacture of these fi which has been verified by th I by this declaration, for which I se to following information and/or test - ABP1S - Includes: Original r - ABP1S - Includes: Original r - a me atday of for Oaths:	ittings is controlled by le following authority, <u>c</u> eek registration, are cat data are attached as fi report; Current catale (drawings, calculation)	v a quality system Det Norske Verita egory <u>C</u> ollows: og; Current ISO9 s, test reports, etc.) in the <u>5</u> 7 4	meeting the requirements (DNV)	of <u>Guifacwin</u>
I further declare f	emperature ratings and the base that the manufacture of these fi which has been verified by th I by this declaration, for which I se the following information and/or test - ABP1S - Includes: Original r - ABP1S - Includes: Original r - ame atday of for Oaths: (Printed name) (Signature)	ittings is controlled by the following authority, <u>L</u> bek registration, are cat is data are attached as for report; Current catale (drawings, calculation) AD 20 FOR OFFICE	v a quality system Det Norske Verita egory <u>C</u> ollows: og; Current ISO9 s, <i>test reports, etc.</i>) in the <u>5</u> 74 	meeting the requirements (DNV) 001 Certificate	ents of ISO9001 type fittings. In suppor of <u>Guiffarm</u>
I further declare to The items covered this application, the CRN Renewal Declared before the Commissioner to the best of my	emperature ratings and the base that the manufacture of these fi which has been verified by the d by this declaration, for which I see the following information and/or test - ABP1S - Includes: Original r - ABP1S - Includes: Original r e me atday of for Oaths: (Printed name) (Signature) knowledge and belief, the applied	ittings is controlled by the following authority, <u></u> bek registration, are cat a data are attached as for report; Current catale (<i>drawings, calculation</i>) AD 20 FOR OFFICE cation meets the requi	a quality system Det Norske Verita egory <u>C</u> ollows: og; Current ISO9 s, test reports, etc.) in the <u>S</u> 7 / 	meeting the requirements (DNV) 001 Certificate	of <u>Guifacuin</u>
I further declare to the items covered this application, the CRN Renewal Declared before the Commissioner to the best of my Technical Standa	emperature ratings and the base that the manufacture of these fi which has been verified by th I by this declaration, for which I se the following information and/or test - ABP1S - Includes: Original r - ABP1S - Includes: Original r - ame atday of for Oaths: (Printed name) (Signature)	ittings is controlled by le following authority, <u></u> bek registration, are cat data are attached as fi report; Current catale (drawings, calculation) AD 20 FOR OFFICE cation meets the requi ad Pressure Vessels F	a quality system Det Norske Verita egory <u>C</u> ollows: og; Current ISO9 s, test reports, etc.) in the <u>S</u> 7 / 	meeting the requirements (DNV) 001 Certificate	ents of ISO9001
I further declare to the items covered this application, the CRN Renewal Declared before the Commissioner to the best of my Technical Standa	emperature ratings and the base that the manufacture of these fi which has been verified by the d by this declaration, for which I see e following information and/or test - ABP1S - Includes: Original r - ABP1S - Includes: Original r - day of for Oaths: (Printed name) (Signature) knowledge and belief, the applic ards and Safety Act, Boilers and	ittings is controlled by the following authority, <u></u> bek registration, are cat is data are attached as for report; Current catale (drawings, calculation) AD 20 AD 20 FOR OFFICE cation meets the require and Pressure Vessels For in in Category	a quality system Det Norske Verita egory <u>C</u> ollows: og; Current ISO9 s, test reports, etc.) in the <u>S</u> 7 / USE ONLY irements of the Regulation, and <u>C</u> .	meeting the requirements (DNV) 001 Certificate 772 (Signature of D (Signature of D REGISTERED C.R.N.C.SA-OC	ents of ISO9001
I further declare f	emperature ratings and the base that the manufacture of these fi which has been verified by th I by this declaration, for which I se e following information and/or test - ABP1S - Includes: Original r e me atday of day of for Oaths: (<i>Printed name</i>) (<i>Signature</i>) knowledge and belief, the applic ards and Safety Act, Boilers an 1 and is accepted for registration	ittings is controlled by the following authority, <u></u> bek registration, are cat is data are attached as for report; Current catalutions (drawings, calculations) AD 20 AD 20 FOR OFFICE cation meets the require and Pressure Vessels For in in Category <u></u> SP 5.56 R j	a quality system Det Norske Verita egory <u>C</u> ollows: og; Current ISO9 s, test reports, etc.) in the <u>S</u> 7 / USE ONLY irements of the Regulation, and <u>C</u> .	meeting the requirements (DNV) 001 Certificate 772 (Signature of D (G) REGISTERED	ents of ISO9001

PLEASE SEE ATTACHED CA ACKNOWLEDGMENT



CALIFORNIA ALL-PURPOSE ACKNOWLEDGMENT

Cecylia Garbacz, a Commissioner, etc., City of Toronto, for the Technical Standards & Safety Authority. Expires June 17, 2017

CIVIL CODE § 1189

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California County of Contra Co On November 272015	
Date /	Tall Here Insert Name and Title of the Officer
	Name(s) of Signer(s)

who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/ber/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws

of the State of California that the foregoing paragraph is true and correct. T. PRIETO WITNESS my hand and official seal. COMM # 2116417 CONTRA COSTA COUNTY OTARY PUBLIC-CALIFORNIA MY COMMISSION EXPIRES Signature JUNE 20, 2019 Signature of Notary Public

Place Notary Seal Above


of Allochical Descussion

OPTIONAL -

Though this section is optional, completing this information can deter alteration of the document or fraudulent reattachment of this form to an unintended document.

Description of Attached Document			
Title or Type of Document:	Document Date:		
mber of Pages:Signer(s) Other Than Named Above:			
Capacity(ies) Claimed by Signer(s)			
Signer's Name:	Signer's Name:		
Corporate Officer – Title(s):	Corporate Officer — Title(s):		
Partner – Limited General	Partner – 🗆 Limited 🗋 General		
Individual Attorney in Factorial	Individual Attorney in Fact		
Trustee Guardian or Conservator	Trustee Guardian or Conservator		
	□ Other:		
Signer Is Representing:	Signer Is Representing:		

©2014 National Notary Association • www.NationalNotary.org • 1-800-US NOTARY (1-800-876-6827) Item #5907



DNV BUSINESS ASSURANCE

MANAGEMENT SYSTEM CERTIFICATE

Certificate No. 87665-2010-AQ-USA-ANAB

This is to certify that

Parker Hannifin Corporation Veriflo Division

at

250 Canal Boulevard, Richmond, CA 94804 USA

Additional Location:

Site Name	Site	Address	Site City	Site State	Site Main Activities
Parker Hannifin Corporation -Veriflo Division	7075	East Southpoint Road	Tucson	AZ 85756	Quality, Sales, Purchasing, Molding, Machining, Welding

has been found to conform to the Management System Standard:

ISO 9001:2008

This Certificate is valid for the following product or service ranges:

Design And Manufacture Of Precision Valves And Regulators, And Components For The Control And Delivery Of Liquids And Gases Used In The Semiconductor, Instrumentation, Process, Analytical And Chemical Applications.

Initial Certification date: December 07, 2010

This Certificate is valid until: October 29, 2016

The audit has been performed under the supervision of

> William Bode Lead Auditor



Place and date:

Houston, Texas, August 08, 2013

for the Accredited Unit: DNV CERTIFICATION B.V., THE NETHERLANDS

John Stefan *V* Management Representative

Lack of fulfillment of conditions as set out in the Certification Agreement may render this Certificate invalid.

Saskatchewan

Besicatchewa Municipal Government Printettiin Survices 330 - 1855 Victorin Avenue Region, Sastutobeway 34P 3V7

787-4509

April 23, 1998

Re: Fittings Registration

The Province of Saskatchewan will be participating with Quebec, Manitoba and the Canadian Standards Association (CSA) in a pllot project for the registration of fittings. We will recognize registrations done by CSA and accept such fittings for use in Saskatchewan.

The letters CSA will be applied as a prefix to the CRN to indicate which fittings have been registered in this manner. I would appreciate if you could inform your clients of this additional marking requirement.

You may also inform your clients that fittings registered by CSA are accepted for use in Saskatchewan.

Your truly N. Surtege, P. Eng. Executive Director