NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME	E: PARKER HANNIFIN IPDE		
MANUFACTURERS ADDR	RESS: RIVERSIDE ROAD, BAR	NSTAPLE, DEVON, UK EX31 1NP	
PLANT LOCATIONS:	AS ABOVE		
CATEGORY OF	FITTINGS TO BE REGISTERED	D. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including of B Flanges: all flanges C Valves: all line valves	ouplings, tees, elbows, Ys, plugs	, unions, pipe caps, or reducers	MSS SP99 ASME B31.1
E Strainers, filters, separat	e connections, and hose assemble lors, and steam traps ding pressure gauges, level gauges	and the second s	ASME B31.3 ASME B16.5 ASME B16.34
G Certified capacity-rated		e as primary over pressure protection on	ASME VIII FED-STD-H28/2B
H Pressure retaining comp	onents that do not fall into one of	f the above categories	
N Nuclear components: CI	ass 1 Class 2 Class 3 C.	(Meeting AECB or ASME requirements)	
SHOW MANUFACTURERS	NAME, TRADEMARK, OR LOG	O AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION FORGED WELDED WROUGHT IX
		7	CAST OTHER DESCRIBE OTHER:
			BODY=FORGED COMPONENTS=WROUGHT BAR
		CATION OF THE ACTUAL ITEMS TO BE RI	1
DECLARATION:	1	P. O. E2	
esponsibility for the quality	(see note 3) employed	and being declare that the information containe	ing the person having full authority and
ny knowledge represents t emperature ratings, and id nanufacture of these fitting or in part and has been ven	ne product for which registratentification markings are in a s is regulated by a Quality Co ified by DOV ં મ્બિપ્રેસિટ્સ	tion is sought. The dimensions, material ccordance with the herein named standa ontrol Program which extends to each place of the same force and efforce and effor	s of construction, pressure ards. I further declare that the ant where fabrication occurs in whole
Signature of Declarer:	V. P. Nets		1 70
Declared before me at	Dide yory Lova	SETHIS	SPACE FOR THE
his & day of	AD MOT	OFF	
Commissioner of Oaths r Notary Public: (sign)	1 Marce	18	10 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	(Affix Official seal to the right)		I'M OB
Thi		ace for Regulatory Authority use dated after ten (10) years from the date o	faccontones
0010040 5	o regionally made be revented	and and left (10) years from the date o	acceptance.
CRN: 0019249.5	/		Newforkirland Labrador
FID#: 2655			Service NL
		Regis	ntered 0619249.50
Notes: 1. All fittings shall be registere	ed in the name of the Manufactur	Date	17/04/21
	ported with two Statutory Declar		eering and Inspection Services

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation

at a maximum interval of five (5) years.

Registered by UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AUT THE BOKER, PRESSURE OF SOIL AND COMPRESSED GAS REGULATIONS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME: F	ARKER HANNIFIN IPDE		
MANUFACTURERS ADDRESS	: RIVERSIDE ROAD, BAR	NSTAPLE, DEVON, UK EX31 1NP	
	ABOVE		
CATEGORY OF FITT	INGS TO BE REGISTERED	D. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, Including coupling Flanges: all flanges C Valves: all line valves D Expansion joints, flexible cone E Strainers, filters, separators, if Measuring devices, including pressure transmitters G Certified capacity-rated pressibiliers, pressure vessels, pip H Pressure retaining components N Nuclear components: Class 1	ngs, tees, elbows, Ys, plugs mections, and hose assemble and steam traps pressure gauges, level gauge sure relief devices acceptable ing and fusible plugs ts that do not fall into one of	, unions, pipe caps, or reducers lies: all types ges, sight glasses, levels, or e as primary over pressure protection on	MSS SP99 ASME B31.1 ASME B31.3 ASME B16.5 ASME B16.34 ASME VIII FED-STD-H28/2B
	-Par	and the second	CAST O OTHER D DESCRIBE OTHER: BODY=FORGED COMPONENTS=WROUGHT BAR
LIST OF SUPPORTING DOCUM	IENTATION AND IDENTIFI	CATION OF THE ACTUAL ITEMS TO BE F	REGISTERED:
PROBLOC-10-CRN-CAL	C REV2		
responsibility for the quality of tmy knowledge represents the plemperature ratings, and identification part and has been verified declaration conscientiously believed and the plemperature of Declarer: Declared before me at this day of Commissioner of Oaths or Notary Public: (sign)	the end product do solem product for which registratication markings are in a regulated by a Quality Color by DNU MANAGE eving it to be true, and known and the product of the product of the right of the right).	anly declare that the information contain tion is sought. The dimensions, material coordance with the herein named stand ontrol Program which extends to each provided the same force and extends to the same force and	lards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath.
71:		ace for Regulatory Authority use	
	gistration/must be revaile	dated after ten (10) years from the date	of acceptance.
CRN: 0C19249.5 FID#: 2655	. /		Newforth fraud Labrador Service NL
Notes: 1. All fittings shall be registered in 2. Each category shall be support forms and one copy of supporting of	ed with two Statutory Declar documentation.	rer. E	Registered 12/9249.50 Date 13/04/21 Engineering and Inspection Services Registered by 1.10
 The declaration shall be made to responsibility for the quality of the 4. Quality control programs shall be at a maximum interval of five (5) year. 	by the person having full aut end product. Se resubmitted for validation	thority and	UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND HE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGIN A TOMB

NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME	: PARKER HANNIFIN IPDE		
MANUFACTURERS ADDR	ESS: RIVERSIDE ROAD, BAF	RNSTAPLE, DEVON, UK EX31 1NP	
PLANT LOCATIONS:	AS ABOVE		
		D. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including co B Flanges: all flanges	ouplings, tees, elbows, Ys, plug-	s, unions, pipe caps, or reducers	MSS SP99
C Valves: all line valves			ASME B31.1 ASME B31.3
E Strainers, filters, separat	connections, and hose assemb	blies: all types	ASME B16.5
F Measuring devices, inclu	ding pressure gauges, level gau	uges, sight glasses, levels, or	ASME B16.34 ASME VIII
pressure transmitters G Certified capacity-rated p	ressure relief devices acceptat	ole as primary over pressure protection on	FED-STD-H28/2B
poliers, pressure vessels	s, piping and fusible plugs		
N Nuclear components: Ci	onents that do not fall into one o	of the above categories], (Meeting AECB or ASME requirements)	
SHOW MANUFACTURERS	NAME, TRADEMARK, OR LO	GO AS IT WILL APPEAR ON THE PRODUC	TYPE OF CONSTRUCTION
		THE ATTEMENT THE TROOPS	FORGED WELDED D WROUGHT DX
			CAST OTHER DESCRIBE OTHER:
			BODY=FORGED COMPONENTS=WROUGHT BAR
	CUMENTATION AND IDENTIF	FICATION OF THE ACTUAL ITEMS TO BE	REGISTERED:
CATALOG 4190-FP	N MONOFLANGE DATED 21/0		
ECLARATION:	1	PA0:	
sponsibility for the quality	of the end product do soler	not declare that the information contain	eing the person having full authority and ned in this form is true and to the best of
y knowledge represents t	he product for which registra	ation is sought. The dimensions materi	als of construction proceurs
mperature ratings, and idi	entification markings are in a	accordance with the herein named stand	dards. I further declare that the
in part and has been ven	tied by man in thousand	Control Program which extends to each	hat nurnoce and I make this selema
claration conscientiously	believing it to be true, and k	knowing that it is of the same force and	effect as if made under oath.
gnature of Declarer:	J. P. Nella		
101	ticle and Jour	00 (1/2	2 2 101
	cle Yange Levi	111	a, 2
is 18 day of		ON USETHIS	
ommissioner of Oaths		111	
ommissioner of Oaths	10 20 Cell	OFF	ICIALS EAL
mmissioner of Oaths	(Affix Official see to the right	OFF	
ommissioner of Oaths Notary Public: (sign)	(Affix Official see to the right	OFF	ICIALSSEA'U
mmissioner of Oaths Notary Public: (sign)	(Affix Official see to the right	O F F.	of acceptance.
mmissioner of Oaths Notary Public: (sign) Thi	(Affix Official see to the right	O F F.	CIALSSEA'U
ommissioner of Oaths Notary Public: (sign) Thi	(Affix Official see to the right	O F F.	of acceptance.
ommissioner of Oaths Notary Public: (sign)	(Affix Official see to the right	pace for Regulatory Authority use idated after ten (10) years from the date	of acceptance. Newformuland Lubrador
mmissioner of Oaths Notary Public: (sign) Thi RN: 0C19249.5	(Affix Official see to the right	pace for Regulatory Authority use idated after ten (10) years from the date	of acceptance. Newformuland Labrador Service NL

 All fittings shall be registered in the name of the Manufacturer.
 Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.

3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Engineering and Inspection Services Registered by .

UNDER THE AUTHORATY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME	PARKER HANNIFIN IPDE		
		NSTAPLE, DEVON, UK EX31 1NP	
PLANT LOCATIONS:	AS ABOVE	NSTAPLE, DEVON, UK EX31 1NP	
		. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including co	uplings, tees, elbows, Ys, plugs,	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
	opinigo, ices, elbows, 15, plugs,	unions, pipe caps, or reducers	MSS SP99 ASME B31.1
C Valves: all line valves D Expansion joints flexible	connections, and hose assembli		ASME B31.3
E Sudmers, filters, separato	rs. and steam trans		ASME B16.5
.F Measuring devices, include pressure transmitters	ling pressure gauges, level gaug	es, sight glasses, levels, or	ASME B16.34
G Certified capacity-rated pr	ressure relief devices acceptable	as primary over pressure protection on	ASME VIII FED-STD-H28/2B
			1 = 0 : 0 : 120:25
N Nuclear components: Cla	nents that do not fall into one of	the above categories (Meeting AECB or ASME requirements)	
SHOW MANUFACTURERS M	AME, TRADEMARK, OR LOGI	O AS IT WILL APPEAR ON THE PRODUC	7
		AS IT WILL AFFEAR ON THE PRODUC	TYPE OF CONSTRUCTION FORGED & WELDED D WROUGHT D
			CAST OTHER DESCRIBE OTHER:
		7	BODY=FORGED
			COMPONENTS=WROUGHT BAR
LIST OF SUPPORTING DOC	UMENTATION AND IDENTIFIC	CATION OF THE ACTUAL ITEMS TO BE R	EGISTERED:
MONOFLANGE 1/2"-2" F	MONOFLANGE DATED 21/03/2 LANGE CONNECTIONS A105,	2007 A182-F51-F53, A182-F316, B564 N04400, I	B564 N10276, A182 F44, A182 F316
DECLARATION:	1	Pa a sa	
responsibility for the quality of my knowledge represents the emperature ratings, and ider manufacture of these fittings or in part and has been verifications.	of the end product do solemne product for which registration intification markings are in accis regulated by a Quality Cored by how was selieving it to be true, and knowledge.	and be a place of the same force and be a place of the same force and be a place of the same force and elements of the same	ards. I further declare that the lant where fabrication occurs in whole
Signature of Declarer:	J. P. Nel		
eclared before me at	ide fad Zova 1	DE THIS	
his 18 h day of	AD Zey	4	SPA.CE FOR THE
commissioner of Oaths	Mexan	OF FI	CLAL SEAL
r Notary Public: (sign)	1 Her.		
	(Affix Official/seal to the right)		
		ce for Regulatory Authority use	
This	registration must be revalida	ted after ten (10) years from the date of	of acceptance.
CRN: 0C19249.5	_ /		Nowforker
FID#: 2655	t		Labrador
10#	_		Service NL
Jotes:		Reg	letered OC 19249.50
Notes: All fittings shall be registered	in the name of the Manufacture	Deta	- The state of the
 Each category shall be support 	orted with two Statutory Declarat	tion	moering and Inspection Septems
orms and one copy of supporting. The declaration shall be made	g documentation. e by the person having full author	Reg	tstered by f. p
esponsibility for the quality of the	e end product.	U	NDER THE AUTHORITY OF THE
Quality control programs shall t a maximum interval of five (5)	I be resubmitted for validation years.	THE	PUBLIC SAFETY ACT AND PUBLIC, PRESSURE VESSEL AND MERESSED GAS REGULATIONS

		ION FORM FOR THE REGISTRATION	ON OF FITTING DESIGNS
NEW BRUNSWICK	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME	: PARKER HANNIFIN IPDE		
MANUFACTURERS ADDR	RESS: RIVERSIDE ROAD, BAR	RNSTAPLE, DEVON, UK EX31 1NP	
PLANT LOCATIONS:	AS ABOVE	The second secon	
CATEGORY OF	FITTINGS TO BE REGISTERE	D. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including co B Flanges: all flanges		s, unions, pipe caps, or reducers	MSS SP99 ASME B31.1
C Valves: all line valves D Expansion joints flexible	connections, and hose assemb	blion: all buss	ASME B31.3
E Strainers, fifters, separat	ors, and steam traps		ASME B16.5
.F Measuring devices, inclu	ding pressure gauges, level gau	iges, sight glasses, levels, or	ASME B16.34
pressure transmitters	atecone socios dellas enconta	ole as primary over pressure protection on	ASME VIII FED-STD-H28/2B
boners, pressure vessels	s. piping and fusible plugs		1 ED-3 10-H20/2B
H Pressure retaining compo	onents that do not fall into one of	of the above categories	
N Nuclear components: Cl	ass 1 Class 2 Class 3	, (Meeting AECB or ASME requirements)	
SHOW MANUFACTURERS	NAME, TRADEMARK, OR LO	GO AS IT WILL APPEAR ON THE PRODUCT	
(41)			FORGED WELDED WROUGHT CX CAST DOTHER D DESCRIBE OTHER:
			BODY=FORGED
		ICATION OF THE ACTUAL ITEMS TO BE R	COMPONENTS=WROUGHT BAR
CATALOG 4190-FP W DESIGN VERIFICATION	ITH THE ADDITION OF 3" RF/F N MONOFLANGE DATED 21/03	RTJ 150# TO 2500# DESIGN CALC (MONO-0 3/2007	CRN-CALC ADD1 REV1)
CATALOG 4190-FP W DESIGN VERIFICATION	ITH THE ADDITION OF 3" RF/F N MONOFLANGE DATED 21/03	RTJ 150# TO 2500# DESIGN CALC (MONO-0 3/2007	CRN-CALC ADD1 REV1)
DESIGN VERIFICATION	N MONOFLANGE DATED 21/03	0	
DESIGN VERIFICATION: DECLARATION: DECLARAT	of the end product do solen the product for which registra entification markings are in a s is regulated by a Quality C fied by DNU MANAGEM believing it to be true, and k	0	ing the person having full authority and in this form is true and to the best of s of construction, pressure ards. I further declare that the ant where fabricant occurs in whole
DESIGN VERIFICATION: DECLARATION: DECLARATI	(see note 3) employed of the end product do solen the product for which registra entification markings are in a sis regulated by a Quality C fied by DNU MANAGEM	by Price and be nnly declare that the information containe attion is sought. The dimensions, material accordance with the herein named stands control Program which extends to each place.	ing the person having full authority and in this form is true and to the best of s of construction, pressure ards. I further declare that the ant where fabricant whole
DESIGN VERIFICATION: DECLARATION: DECLARATION: DECLARATION: DECLARATION: DESIGN VERIFICATION DECLARATION: DESIGN VERIFICATION TO SELECTION DECLARATION: DESIGN VERIFICATION TO SELECTION DECLARATION: D	(see note 3) employed of the end product do solen the product for which registra entification markings are in a sis is regulated by a Quality of fied by DNU MANAGEM believing it to be true, and k	by Precess and be notly declare that the information contained accordance with the herein named stands control Program which extends to each plant system as being suitable for the nowing that it is of the same force and ef	ing the person having full authority and in this form is true and to the best of s of construction, pressure ards. I further declare that the ant where fabricant whole
DESIGN VERIFICATION: DECLARATION: DECLARATION: DESPONSIBILITY for the quality for the quality for the quality for the proper and identify and identify for these fittings and identify for the properties of these fittings in part and has been verification conscientiously ignature of Declarer: DECLARATION:	of the end product do solen the product for which registra entification markings are in as is regulated by a Quality C fied by DNU MANACEM believing it to be true, and k	by Precess and be notly declare that the information contained accordance with the herein named stands control Program which extends to each plant system as being suitable for the nowing that it is of the same force and ef	ing the person having full authority and d in this form is true and to the best of s of construction, pressure ards. I further declare that the ant where fabrication occurs in whole at purpose and I make this solemn fect as if made under oath.
DESIGN VERIFICATION: DECLARATION: DECLARATION: DECLARATION: DESIGN VERIFICATION DECLARATION: DESIGN VERIFICATION DECLARATION: DESIGN VERIFICATION DECLARATION: DESIGN VERIFICATION DECLARATION: DECLARATION: DESIGN VERIFICATION DECLARATION:	(see note 3) employed of the end product do solen the product for which registra entification markings are in a sis is regulated by a Quality of fied by DNU MANAGEM believing it to be true, and k	by Precess and be notly declare that the information contained accordance with the herein named stands control Program which extends to each plant system as being suitable for the nowing that it is of the same force and ef	ing the person having full authority and in this form is true and to the best of s of construction, pressure ards. I further declare that the ant where fabrication occurs in whole at purpose and I make this solemn fect as if made under oath. S P-A C E FOR THE
DESIGN VERIFICATION: DECLARATION: DECLARATION: DESPONSIBILITY for the quality hy knowledge represents the emperature ratings, and idenanufacture of these fittings in part and has been verification conscientiously ignature of Declarer: eclared before me at the eclared before me at the day of commissioner of Oaths	(See note 3) employed of the end product do solen the product for which registra entification markings are in as is regulated by a Quality C fied by DNU MANACEM believing it to be true, and k	and be not declare that the information containers sought. The dimensions, material accordance with the herein named stands control Program which extends to each place of the same force and effective incoming that it is of the same force and effective in	ing the person having full authority and in this form is true and to the best of is of construction, pressure ards. I further declare that the ant where fabrication occurs in whole at purpose and I make this solemn fect as if made under oath. SPACEFORTHE
DESIGN VERIFICATION: DECLARATION: DECLARATION: DESPONSIBILITY for the quality hy knowledge represents the emperature ratings, and idenanufacture of these fittings in part and has been verification conscientiously ignature of Declarer: eclared before me at the eclared before me at the day of commissioner of Oaths	(Affix Official seal to the right)	by Price and be notly declare that the information containeration is sought. The dimensions, material accordance with the herein named stands control Program which extends to each plant system as being suitable for the nowing that it is of the same force and effectively. USETHIS	ing the person having full authority and in this form is true and to the best of s of construction, pressure ards. I further declare that the ant where fabrication occurs in whole at purpose and I make this solemn fect as if made under oath. S P-A C E FOR THE
DECLARATION: DE	(Affinofficial seal to the right)	and be not declare that the information containers sought. The dimensions, material accordance with the herein named stands control Program which extends to each place of the same force and effective incoming that it is of the same force and effective in	ing the person having full authority and d in this form is true and to the best of s of construction, pressure ards. I further declare that the ant where fabrication occurs in whole at purpose and I make this solemn fect as if made under oath. SPACEFORTHE
DECLARATION: DE	(Affinofficial seal to the right)	by Precess and be notly declare that the information container ation is sought. The dimensions, material accordance with the herein named stands to control Program which extends to each plant of the same force and effectively as being suitable for the same force and effectively acceptable of the same force and effetit of the same force acceptable of the same force acceptable of	ing the person having full authority and d in this form is true and to the best of s of construction, pressure ands. I further declare that the ant where fabrication occurs in whole at purpose and I make this solemn fect as if made under oath. SPACE FOR THE CIALSEAL
DECLARATION: DECLARATION: DECLARATION: DECLARATION: DESPONSIBILITY for the quality my knowledge represents the emperature ratings, and identification and has been verification conscientiously ignature of Declarer: Declared before me at the day of ommissioner of Oaths of Notary Public: (sign) This CRN: DECLARATION:	(Affinofficial seal to the right)	by Precess and be notly declare that the information container ation is sought. The dimensions, material accordance with the herein named stands to control Program which extends to each plant of the same force and effectively as being suitable for the same force and effectively acceptable of the same force and effetit of the same force acceptable of the same force acceptable of	ing the person having full authority and d in this form is true and to the best of s of construction, pressure ands. I further declare that the ant where fabrication occurs in whole at purpose and I make this solemn fect as if made under oath. SPACE FOR THE CIALSEAL Gacceptance.
DECLARATION: DECLARATION: DECLARATION: DECLARATION: DESPONSibility for the quality hy knowledge represents the emperature ratings, and identify and has been verified annufacture of these fittings in part and has been verified reclaration conscientiously ignature of Declarer: eclared before me at this day of commissioner of Oaths Notary Public: (sign)	(Affinofficial seal to the right)	by Precess and be notly declare that the information container ation is sought. The dimensions, material accordance with the herein named stands to control Program which extends to each plant of the same force and effectively as being suitable for the same force and effectively acceptable of the same force and effetit of the same force acceptable of the same force acceptable of	ing the person having full authority and in this form is true and to the best of s of construction, pressure ands. I further declare that the ant where fabrication occurs in whole at purpose and I make this solemn fect as if made under oath. SPACEFORTHE CIALSEAL

All fittings shall be registered in the name of the Manufacturer.
 Each category shall be supported with two Statutory Declaration

forms and one copy of supporting documentation.

3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOALER, PRESSURE VESSEL AND CONTRESSED GAS REGULATIONS