NEW BRUNSWICK	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR	
MANUFACTURERS NA	ME: PARKER HANNIFIN IPDE			1
MANUFACTURERS AD	DRESS: RIVERSIDE ROAD, BARNS	TAPLE, DEVON, UK EX31 1NP		
PLANT LOCATIONS:	AS ABOVE			
CATEGORY	F FITTINGS TO BE REGISTERED.	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARO OF CONSTRUCTION	
	couplings, teos, elbows, Ys, plugs, u	nions, pipe caps, or reducers	MSS SP99 ASME B31.1	
B Flanges: all flanges C Valves; all line valves	a		ASME B31.3	
D Expansion joints, flexi	ble connections, and hose assemble	s: all types	ASME B16.5	
E Strainers, filters, sepa	rators, and steam traps	a slabt stanger levels or	ASME B16.34	
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters			ASME VIII FED-STD-H28/2B	
bollers, pressure vass	d pressure relief devices acceptable : els, piping and fusible plugs aponents that do not fall into one of the	as primary over pressure protection on	7 20-070-1120/20	
		Meeting AECB or ASME requirements)		
SHOW MANUFACTURE	RS NAME, TRADEMARK, OR LOGO	AS IT WILL APPEAR ON THE PRODU	CT TYPE OF CONSTRUCTION	
			CAST D OTHER D	À
			BODY=FORGED	i
	Par	((니네	COMPONENTS=WROUGHT BAR	
	STORY OF THE STORY OF THE			
LIST OF SUPPORTING	DOCUMENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEMS TO BE	REGISTERED:	
CATALOG 4190-				
PROBLOC-10-CF	RN-CALC REV2			
DECLARATION:  I JAMES NELSON (1000 NO) employed by FARCET and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by MANAGEMENT STATE as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as it made under oath.				
Signature of Declarer:	J. P. Nel		1 × 10 10	
Declared before me at	Brode Hora seco		S S.P. A.CE FOR THE	
O E E I C TAT S E AL				
- / /X/ X/ - / -				
or Notery Public: (slgn)				
or restory i dome. (organy,	(Affix Official seal to the right)	<del></del> -	Whi e	
	This spa	ce for Regulatory Authority use		
	This registration must be revalid	ated after ten (10) years from the dat	e of acceptance.	
CRN: 0C19249.	5 /			
CRN: OCTO	/			
FID#: 2655	/	/ No	orthwest	_
	•	/.	Territories	
Notes:		/ RE	GISTERED	
1. All fittings shall be reg	istered in the name of the Manufacture supported with two Statutory Dociar	er. UNDER TH	HE AUTHORITY OF	
forms and one copy of su	pporting documentation.	THE BOIL	ER AND PRESSURE I	
3. The declaration shall t	o made by the person having full aut			
responsibility for the qual  4. Quality control program	ns shall be resubmitted for validation	C.R.N. QC	19249.55	
at a maximum interval of		SIGNED	1211/201	
		DATE	on the lail	

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAM	E: PARKER HANNIFIN IPDE		
MANUFACTURERS ADDI	RESS: RIVERSIDE ROAD, BARNST	APLE, DEVON, UK EX31 1NP	
PLANT LOCATIONS:	AS ABOVE		
CATEGORY OF	FITTINGS TO BE REGISTERED.	IRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including o	ouplings, tees, elbows, Ys, plugs, un	lons, pipe caps, or reducers	MSS SP89
B Flanges: all flanges C Valves: all fine valves	·		ASME B31.1
	connections, and hose assemblies:	all types	ASME B31.3 ASME B16.5
E Strainers, filters, separa	lors, end sleam traps	300000000000000000000000000000000000000	ASME B16.34
prossure transmitters	ding prossure gauges, level gauges,		ASME VIII
G Certified capacity-rated	pressure relief devices acceptable es s, piping and fusible piugs	primary over prossure protection on	FED-STO-H28/2B
H Pressure retaining comp	conents that do not fall into one of the	above categories	1
		eeting AECB or ASME requirements)	
HOW MANUFACTURERS	NAME, TRADEMARK, OR LOGO	AS IT WILL APPEAR ON THE PRODUCT	FORGED WELDED WROUGHT CX
			GAST D OTHER D
		7.3	BODY=FORGED
		(4.	COMPONENTS=WROUGHT BAR
IST OF SUPPORTING D	CUMENTATION AND IDENTIFICA	TION OF THE ACTUAL ITEMS TO BE R	ECISTEDES:
CATALOG 4190-FP	A STATE OF	HONOF THE ACTOR THE MS TO BE K	EGISTERED:
nufacture of these fitting n part and has been ve	is is regulated by a Quality Control of the control	ordance with the herein named stands rol Program which extends to each post of the same force and elements it is of the same force and elements.	lant where fabrication occurs in whole hat purpose and I make this solemn
	Mide Yape Levon	USETHIS	SPATE POR THE
B LE day of	1 2017		~. ~ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	1 2 2	1 1 1 15	CIESEAW
mmissioner of Oaths Notary Public: (sign)	D V/ Cero	+ 80	4
	(Affix Official seal to the right)		WO KAN TO TO
Tì	This space	o for Regulatory Authority use ed after ten (10) years from the date of	
		25 TAS	
RN: 0C19249.5	<del>-</del> /		
D#: 2655	_ /		
			TA CONTRACTOR
oles:		1	forthwest Territories
	red in the name of the Manufacturer. pported with two Statutory Declaration		EGISTERED \
rms and one copy of suppo	rting documentation.	UNDERT	HE AUTHORITY OF
The declaration shall be n sponsibility for the quality of	nade by the person having full author	THEBOIL	ER AND PRESSURE
Quality control programs s	shall be resubmitted for validation		ESSEL ACT.
a maximum interval of five	(5) years.	\ c.a.n. Q	C19249.55
		SIGNED	2300
		DATE	Or (21/ 10/7

NEW BRUNSWICK	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NA	ME: PARKER HANNIFIN IPDE		
	DRESS: RIVERSIDE ROAD, BARNS	TABLE DEVON LIK EY21 1NB	
PLANT LOCATIONS:	AS ABOVE	TAPLE, DEVON, OR EAST INF	
	F FITTINGS TO BE REGISTERED.	CIPCLE ONE CATEGORY ONLY	YITLE OF THE STANDARD OF CONSTRUCTION
	couplings, tees, elbows, Ys, plugs, un		MSS SP99
B Flanges: all flanges	<u>-</u> -		ASME B31.1
C Valves: all line valves  D Expension joints, flexit	LI blo connections, and hose assemblies	s: all types	ASME B31.3 ASME B16.5
E Strainors, filters, sepai	ratore, end steam traps		ASME B16.34
pressure transmitters	cluding prossure gauges, level gauges	s, Signt glasses, levels, or	ASME VIII
bollers, pressure vess	d pressure relief devices acceptable a els, piping and fusible plugs apponents that do not fall into one of the	s primary over pressure protoction on	FED-STO-H28/2B
1 35 1 5	20	Meeting AECB or ASME requirements)	
		AS IT WILL APPEAR ON THE PRODUC	TYPE OF CONSTRUCTION
	The state of the s		FORGED WELDED WARDUGHT CX
1		The state of the s	DESCRIBE OTHER: BODY=FORGED
1		( L I a	COMPONENTS=WROUGHT BAR
LIST OF SUPPORTING	JOSOMENTATION AND IDENTIFICA	ATION OF THE ACTUAL ITEMS TO BE F	reora tenen:
		.182-F51-F53, A182-F316, B564 N04400,	
DECLARATION:	(eee male 3) employed by	PARLER and h	eing the person having full authority and
my knowledge represent lemperature ratings, end manufacture of these fittl or in part and has been v	s the product for which registratio Identification markings are in acc ings is regulated by a Quality Con rerified by DNU ત્યવ્યવસ્થાઓ	y declare that the information contain in is sought. The dimensions, materia cordance with the herein named stand strol Program which extends to each p	ned in this form is true and to the best of als of construction, pressure dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn
Signature of Declarer:	V. P. Mel		e la company of the c
Declared before me at	toward A Von 1	SETHES	S SPACE FOR THE
- 4	Jac 1 = 2 and		20 B - 1202의 - 10는 120일은 문화 1일은 일본 1일 전 12 - 120 - 120일은 문화 120 -
This 15h day of	AD CEY		I C LA L S E AL
Commissioner of Oaths or Notary Public: (sign) _	(1) XI YASEU T	9	1= - 15
or Notary Public. (sign) _	(Affix Official/seal to the right)		14 m 6 8
		e for Regulatory Authority uso	
1		ted after ten (10) years from the date	of acceptance.
CRN: 0C19249.5	<u> </u>		
FID#: 2655	· .	/ "	lorihwest
		/	Territories
Notes:			GISTERED
1. All fillings shall be regis	tered in the name of the Manufacture	UNDER T	HE AUTHORITY OF
forms and one copy of supp		THE BOIL	ER AND PRESSURE
3. The declaration shall be	made by the person having full author	adhinad ) V	ESSELACT. I
responsibility for the quality 4. Quality control programs	of the end product. Is shall be resubmitted for validation	\ C.R.N. <u>△</u>	C19749.51
at a maximum interval of five		SIGNED	
		DATE	8/N/ 24/1/91)

NEW BRUNSWICK	NOVA SCOTIA YUKON	NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAI	ME: PARKER HANNIFIN IPDE		
MANUFACTURERS ADI	DRESS: RIVERSIDE ROAD, BARNS	TAPLE, DEVON, UK EX31 1NP	
PLANT LOCATIONS:	AS ABOVE		
CATEGORY O	F FITTINGS TO BE REGISTERED.	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
	couplings, tees, elbows, Ye, plugs, u		MSS SP89
B Flanges: all flanges_			ASME B31.1 ASME B31.3
C Valves: all line valves	ble connections, and hose assemblic	e: all Moen	ASME B16.5
E Strainers, filters, sopa	rators, and steam traps		ASME B16.34
F Measuring devices, in pressure transmitters	cluding pressure gauges, level gauge	s, eight glasses, levols, or	ASME VIII
G Certified capacity-rate	d pressure relief devices acceptable	as primary over pressure protection on	FED-STD-H28/2B
bollers, pressure vess	sols, piping and fualble plugs reponents that do not fall into one of the	no above categories	
N Nuclear components:	Class 1 D Class 2 D Class 3 D.	Meeting AECB or ASME requirements)	
HOW MANUFACTURE	RS NAME, TRADEMARK, OR LOGO	AS IT WILL APPEAR ON THE PRODU	TYPE OF CONSTRUCTION
			CAST OTHER O
			BODY=FORGED
		[(니네	COMPONENTS=WROUGHT BAR
IST OF SUPPORTING	DOCUMENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEMS TO BE	REGISTERED:
	WITH THE ADDITION OF 3" PERT	TJ 150# TO 2500# DESIGN CALC (MON	D-CRN-CALC ADD1 REV1)
CATALOG 4180-FP	TION MONOFLANGE DATED 21/03/2	2007	
DESIGN VENITOR	ion mener of med by the design	15.5K	a)
ECLARATION:		^	
JAMES NE	(see note 3) employed b	y PACLER and	being the person having full authority and
responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure			
	did-ulfaction madrings are in as	compans with the berein named SIA	ndaras. I funhar deciare that the
anufacture of these fit	lings is regulated by a Quality Co	ntrol Program which extends to each	plant where fabrication occurs in whole
in part and has been	verified by DNU MANAGEME	as being suitable fo	n plant where fabrication occurs in whole r that purpose and I make this solemn
eclaration conscientlou	isly believing it to be true, and kn	owing that it is of the same force and	enect est made under oath.
gnature of Declarer:	J. P. Neh		71/ - 0
	B.d. Jen Jevar 1	MZ. USETHI	S SPACE FOR THE
eclared before me at		1	FI CIAL SEAT!
his 16 HL day o	AD 29	<del>//-</del> /	
ommissioner of Oaths		6	· U
Notary Public: (sign)			WIN WAY
	(Afficial seal to the right)	aco for Regulatory Authority use	sale.
	This registration must be revalid	lated after ten (10) years from the da	te of ecceptance
	, marca to total		
CRN: 0C19249.	.5/		
2655			Northwest
FID#: 2655	/	/	Territories
	1	1	REGISTERED
Notes:	istered in the name of the Manufactu	rer.   LINDE	ER THE AUTHORITY OF
2. Each category shall be	supported with two Statutory Decia	ration THE	SOILER AND PHESSON 1
orms and one copy of su	pporting documentation.		
<ol> <li>The declaration shall be responsibility for the quality</li> </ol>	to made by the person having full aution of the end product.	) CBN	OC19249.51
4. Quality control program	ms shall be resubmitted for validation	SIGN	FD /
t a maximum interval of		DATE	
		OAIE	
		•	

NEW BRUNSWICK	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR	
MANUFACTURER'S NAME:	PARKER HANNIFIN IPDE			
MANUFACTURERS ADDRE	SS: RIVERSIDE ROAD, BARNST	APLE, DEVON, UK EX31 1NP		
PLANT LOCATIONS:	AS ABOVE			
A Pipe fittings, including could be Flanges: all flanges C Valves: all flanges D Expansion joints, flexible of E Strainers, filters, separator. F Measuring devices, including prossure transmitters C Certified capacity-rated probabilers, pressure vassels, H Pressure retaining component N Nuclear components: Classifications.	umentation and identificat	ons, pipe caps, or reducers oil types sight glasses, levels, or primary over pressure protection on	FORGED & WELDED O WROUGHT IX CAST O OTHER O DESCRIBE OTHER: BODY-FORGED COMPONENTS=WROUGHT BAR	
my knowledge represents the temperature ratings, and ider manufacture of these fittings or in part and has been verific	of the end product do solemnly product for which registration utilication markings are in accollar regulated by a Quality Control by	declare that the information contains is sought. The dimensions, material rdance with the herein named stands	ards, I further declare that the ant where fabrication occurs in whole at turnose and I make this solemn	
Declared before me at This day of Commissioner of Oaths or Notary Public: (sign)	AD A		SPACE FOR THE	
This space for Regulatory Authority use  This registration must be revalidated after ien (10) years from the date of accentance.				
CRN: 0C19249.5  FID#: 2655  Notes: 1. All fittings shall be registered 2. Each category shall be supported from and one copy of supporting and copy of sup	In the name of the Menufacturer.  once with two Stalutory Declaration g documentation. e by the person having full authors e/ond product. I'be resubmitted for validation	REGIS UNDER THE THE BOILER VESS	west 163-00 MINIONE STERED AUTHORITY OF AND PRESSURE SEL ACT.	
		200-407		