

Celebrating 20 years 1995 - 2015

9410 - 20 Ave N.W. Edmonton, Alberta, Canada T6N 0A4 Tel: (780) 437-9100 / Fax: (780) 437-7787

April 07, 2015

Attention: Susan Turner

PARKER HANNIFIN INSTRUMENTATION CANADA

4635 DURHAM ROAD S

GRIMSBY, ON

The design submission, tracking number 2014-10255, originally received on December 09, 2014 was surveyed and accepted for registration as follows:

CRN:

0E02206.2

Accepted on: April 07, 2015

Reg Type:

Addition to Acc. Fitting

Expiry Date: April 07, 2025

Drawing No.: FT SERIES, CATALOG 4135-CV, RENEWAL As Noted

Fitting type: FILTERS

Design registered in the name of : PARKER HANNIFIN

The registration is conditional on your compliance with the following notes:

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

Filters with material specification B283 C37700 shall not be used over 200 degree F for ASME B31.1 application. Filters with material specification B16 C36000 shall not be used over 100 degree F. Onus is on you to ensure the end users are awared of these limitations.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

Sincerely,

GRYNCHUK, MILLA



ADSA the pressure equipment safety authority

STATUTORY DECLARATION Registration of Fittings

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.

see allached

I, Tony Wyszkowski ,	
General Manager	
(company title, e.g. vice president, plant manager, chief engineer) (m	ust be in a position of authority)
of Parker Hannifin Corporation, Instrumentation Proucts Divisi	on
	f manufacturer)
located at 1005 A Cleaner Way, Huntsville, Al, with addt'l	manufacturing at 2651 Al Hwy 21 North, Jacksonville, AL
(plan	t address)
do solemnly declare that the fittings listed hereunder, which as (check one)	re subject to the Safety Codes Act
comply with the requirements of	which specifies the dimensions,
	rth American Standard)
materials of construction, pressure/temperature rating	
	th American standard and are therefore manufactured to
	ported by the attached data which identifies the dimensions,
materials of construction, pressure/temperature rating	s and the basis for such ratings, and the marking of the fittings
for identification.	
I further declare that the manufacture of these fittings is control	olled by a quality control program which has been verified by the
following authority, Det Norske Veritas	as being suitable for the manufacture of these fittings to the
	<u>-</u>
stated standard. The fittings covered by this declaration, for	
In support of this application, the following information, calculated	
Catalog 4135-CV, Check Valves Filters & Relief Valves, Dat	ed December 2010, ISO QA Certificate
Scope of Registration Renewal 0E2206.2	
DECLARED before me at Huntsville in the	state of Alabama
this 20th day of November	2014
(Month) (Ye	ear)
(print) Sheri Coggan	(Signature of Applicant)
(sign) Sheri Cogga	I'
(A Commissioner for Oaths)	
For Office Use Only	and a second and a second second second
To the best of my knowledge and belief, the application meet B51, Clause 4.2, and is accepted for registration in Category	s the requirements of the Safety Codes Act and CSA Standard
Registration Number: 0E02206.2	MELA CAPACION &
Date Registered: APR 0 7 2000	(For the Administrator/Chief Inspector of Alberta) Expiry Date: 2025-04
	s required by the Alberta Safety Codes Act and Regulations in the Boiler Discipline.

0 E 0 2 2 0 6 . 2



Parker Engineering Manual Parker Hannifin Corporation Instrumentation Connectors Division

Issued	Section
6-25-79	IDENTIFICATION
Revised	Standard No.
1-15-98	ES-703
Ecn No.	Page
ICD97055	1 OF 6
Parker Symbol	ID-3

PR	ΔD	4 IC	TI	Δ
PK	())]	111.		٠.

Subject:

PRODUCT LOGO MARKING REQUIREMENTS

ID-3

GENERAL:

The following information is adapted from Parker's Corporation Communications and Identification Manual.

PRODUCT IDENTIFICATION:

It is important that Parker identification appear on the millions of components sold into the market place each year. For this reason, special versions of the Corporate Signature have been designed to accommodate difficult product marking situations. The three key variables which will govern the selection of proper identification techniques are the material on which the marking is to be applied, the surface contour, and identification area size. The order of preference for product marking usage is shown. When possible, the solid Signature should be used down to a minimum of 5/8 inch. For smaller applications, the solid Open Signature, with slightly more open space within the letterforms, should be used. The Linear Signature and the Helvetica Light Parker are approved only for especially difficult marking conditions and hard material surfaces. When the marking surface, contour or area size makes it impractical to use the complete Parker identification, a "P" may be used in order of preference shown. Critical dimensions for product identification only are provided in this section.



Parker Engineering Manual Parker Hannifin Corporation Instrumentation Connectors Division

Issued	Section
6-25-79	IDENTIFICATION
Revised	Standard No.
1-15-98	ES-703
Ecn No.	Page
ICD97055	2 OF 6
Parker Symbol	

Subject:

PRODUCT LOGO MARKING REQUIREMENTS

ID-3

Primary Corporate Signature Minimum Size 5/8"



2 Small Size Corporate Signature Maximum Size 5/8"



3 Linear Corporate Signature



4 Straight Type Identification-Helvetica Light

Parker

5 Small Size "P" Maximum Size 3/16"



6 Linear "P"



7 Straight Type "P" Identification-Helvetica Light

jaint .