

345 Carlingview Drive Toronto, Ontario CANADA M9W 6N9 Tel.: 416.734.3300

Fax.: 416.231.1626 Toll Free: 1.877.682.8772

www.tssa.org

August 13, 2018

PETER PRANGE
PARKER HANNIFIN CANADA INC
4635 DURHAM RD S;P.O. BOX 158
GRIMSBY ON L3M 4G4
CA

Service Request Type.: BPV-National ACI Central

Service Request No.: 2323092

Your Reference No.: ADDENDUM TO CRN 0B15184.5 TO INCLUDE ALL MATERIALS LISTED

Registered to.: PARKER HANNIFIN INSTRUMENTATION PRODUCTS

Dear PETER PRANGE,

Please find enclosed the original response from PEI,NS,NB,NFLD,YK,NWT,NU, registered under the CRN No.: 0B15184.59870YTNADD1.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis
Administrative Assistant\_ BPV Engineering

Tel.: 416-734-3423 Fax: 416-231-6183 Email:tfrancis@tssa.org

NEW BRUNSWICK NUNAVUT

NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: P MANUFACTURERS ADDRESS:	arker Hennifin IPDE		
PLANT LOCATIONS:	Riverside Road, Barnstaple, Devon, UK 265 Alabama Highway 21 North, Jackso	nville Alebama, USA	nulacturing at
CATEGORY OF FITTING	S TO BE REGISTERED. CIRCLE ON	CATEGORY ONLY	T*************************************
A Fipe fittings, including couplings  Flanges: all flanges  C Valves: all fine valves  E Expansion joints, flexible connect  E Strainers, fitters, separators, and  F Measuring devices, including pre-	, (ses, elbows, Ye, plugs, unions, pipe co	ps, or reducers	ASME B31.3 ASME B16.5
G Certified capacity-rated pressure bollers, pressure vessels, piping H Pressure retaining components to	tallef devices associable as arise	or pressure protection on	
HOW MANUFACTURERS NAME	TRADEMARK, OR LOGO AS IT WILL	or ASME requirements)	
	-Parker		TYPE OF CONSTRUCTION FORGED WILDED D WROUGHT D CAST DOTHER D DESCRIBE OTHER BODY = FORGED COMPONENTS = WROUGHT BAR
IST OF SUPPORTING DOCUMEN	TATION AND IDENTIFICATION OF TH	FACTUAL CEMB TO BE DEC	
perature ratings, and Identificat nufacture of these fittings is reg	lon markings are in accordance with ulated by a Quality Control Program DNV Management Systems	at the information contained The dimensions, materials of the herein named standard which extends to each plan	s. I further declare that the t where fabrication occurs in whole
palure of Decisire	and the seal to the right)	USETHIS S	SPACE FOR THE
BUIL	This space for Regulato	ny Authority upp	
This regist	ation must be revalidated after len	(10) years from the date of -	
	mest of totallogico Bitel 1611 (		5 (5.75)
0B15184.5 ADD1		COMMUNITIES, LAN	eted Eledward Island Id & Environment
220		C.R.N013151	The state of the s
es: All fittings shall be registered in the Each category shall be supported w as and one copy of supporting doub	ith two Statutory Declaration mentation.	DATE: June 2:	45C1
The declaration shall be made by the consibility for the quality of the end parties shall be re-	product	INSPECTION SER BOLLER PRESSURI	IVICES SECTION

NEW	BRUNSWICK	
A 181.	1100	

**NOVA SCOTIA** YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

06-22-2018

MANUFACTURERS ADDRESS:	- W. W.
PLANT LOCATIONS: 255 Alshama Highway 24 Math. Indiana illinois ma	inufacturing at
203 Addana Highway 21 North, Jacksonville Alabama, USA	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTIO
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  B Fisnges: all fisnces	ASME B31.3
C Valves: all time valves	ASME B16.5
Expansion joints, flexible connections, and hose assemblies; all types	AGIVIE B 10.5
E Svainers, filters, separators, and ateam trans	1
Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters	1
G Certified capacity-rated pressure reliaf devices acceptable as primary over pressure protection on	
popers, pressure vessels, piping and fusible plups	
Pressure retaining components that do not fall into one of the above categories	1
Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirements)	
HOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
	FORGED & WELDED   WROUGHT
	DESCRIBE OTHER
- Darker	BODY = FORGED
	COMPONENTS = WROUGHT BAR
	COMPONENTS = WROUGHT BAR GISTERED:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REFORM FOR Report, NB CRN 0A6793.5 exists with respect to a portion of this design Catalog 4190 FP-ACC	COMPONENTS = WROUGHT BAR GISTERED:
IST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REFORM FOR Report, NB CRN 0A6793.5 exists with respect to a portion of this design Catalog 4190 FP-ACC	COMPONENTS = WROUGHT BAR GISTERED;
FCB Report, NB CRN 0A6793.5 exists with respect to a portion of this design Catalog 4190 FP-ACC	GISTERED;
FCB Report, NB CRN 0A6793.5 exists with respect to a portion of this design Catalog 4190 FP-ACC  ECLARATION:    Green radio 2) employed by Parker Hannifin IPDE and believed a postlored by Parker Hannifin IPDE and believed the guality of the end product do solernly declare that the later than 150 per later than 150 p	GISTERED:
FCB Report, NB CRN 0A6793.5 exists with respect to a portion of this design Catalog 4190 FP-ACC  ECLARATION:    General School   General Schoo	ng the person having full authority and in this form is true and to the best of construction, pressure
FCB Report, NB CRN 0A6793.5 exists with respect to a portion of this design Catalog 4190 FP-ACC  ECLARATION:    Green note 2) employed by Parker Hannifin IPDE and believe and product do solemnly declare that the Information contained knowledge represents the product for which registration is sought. The dimensions, materials in persure ratings, and identification markings are in accordance with the herein named standary nutracture of these fittings is requisited by a Quality Control Processor which the standary is producted by a Quality Control Processor which the standary is producted by a Quality Control Processor which the standary is producted by a Quality Control Processor which the standary is producted by a Quality Control Processor which the standary is producted by a Quality Control Processor which the standary is producted by a Quality Control Processor which the standary is producted by a Quality Control Processor which the standary is producted by a Quality Control Processor which the standary is producted by a Quality Control Processor which the standary is producted by a Quality Control Processor which are producted by a Quality Control Processor	ng the person having full authority and in this form is true and to the best of construction, pressure rds. I further declare that the
FCB Report, NB CRN 0A6793.5 exists with respect to a portion of this design Catalog 4190 FP-ACC  ECLARATION:    Green note 2) employed by Parker Hannifin IPDE and belien and product do solemnly declare that the Information contained knowledge represents the product for which registration is sought. The dimensions, materials in part and has been verified by DNV Management Systems as being cuttoble for the set that has been verified by DNV Management Systems.	ng the person having full authority and in this form is true and to the best of construction, pressure rds. I further declare that the ant where fabrication occurs in whole
IST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REFORM REPORT, NB CRN 0A6793.5 exists with respect to a portion of this design Catalog 4190 FP-ACC	ng the person having full authority and in this form is true and to the best of of construction, pressure rds. I further declare that the ant where fabrication occurs in whole
FCB Report, NB CRN 0A6793.5 exists with respect to a portion of this design Catalog 4190 FP-ACC  Catalog 4190 FP-ACC    Compared a post   Parker Hannifin IPDE   And believed to the product of the end product do solemnly declare that the Information contained knowledge represents the product for which registration is sought. The dimensions, materials in part and has been verified by DNV Management Systems   As being suitable for the claration conscientiously believing it to be true, and knowing that it is of the same force and efficients are force and efficients.	ng the person having full authority and in this form is true and to the best of of construction, pressure rds. I further declare that the ant where fabrication occurs in whole
FCB Report, NB CRN 0A6793.5 exists with respect to a portion of this design Catalog 4190 FP-ACC    Second   190 FP-ACC	ng the person having full authority and in this form is true and to the best of sof construction, pressure rds. I further declare that the ant where fabrication occurs in whole it purpose and I make this solemn ect as if made under oath.
FCB Report, NB CRN 0A6793.5 exists with respect to a portion of this design Catalog 4190 FP-ACC  Catalog 4190 FP-ACC  Catalog 4190 FP-ACC  Parker Hannifin IPDE and being possibility for the quality of the end product do solemnly declare that the Information container knowledge represents the product for which registration is sought. The dimensions, materials represents realings, and identification markings are in accordance with the herein named stands in part and has been verified by DNV Management Systems as being suitable for the claration conscientiously believing it to be true, and knowing that it is of the same force and efficient before the claration of the catalogue of the same force and efficient before the claration conscientiously believing it to be true, and knowing that it is of the same force and efficient before the claration conscientiously believing it to be true, and knowing that it is of the same force and efficient before the claration conscientiously believing it to be true, and knowing that it is of the same force and efficient before the claration conscientions.	ng the person having full authority and in this form is true and to the best of of construction, pressure rds. I further declare that the ant where fabrication occurs in whole
FCB Report, NB CRN 0A6793.5 exists with respect to a portion of this design Catalog 4190 FP-ACC    Catalog 4190 FP-ACC	ng the person having full authority and in this form is true and to the best of of construction, pressure rds. I further declare that the ant where fabrication occurs in whole of purpose and I make this solemn ect as if made under oath.  SPACE FOR THE
FCB Report, NB CRN 0A6793.5 exists with respect to a portion of this design Catalog 4190 FP-ACC  CLARATION:  (See note 2) employed by Parker Hannifin IPDE and being ponsibility for the quality of the end product do solemnly declare that the Information container knowledge represents the product for which registration is sought. The dimensions, materials reperature ratings, and identification markings are in accordance with the herein named standards and these fittings is regulated by a Quality Control Program which extends to each plan part and has been verified by DNV Management Systems as being suitable for the claration conscientiously believing it to be true, and knowing that it is of the same force and efficiency of the claration product to be clarated before the claration conscientiously believing it to be true, and knowing that it is of the same force and efficiency of the claration conscientiously believing it to be true, and knowing that it is of the same force and efficiency of the claration conscientions.	ng the person having full authority and in this form is true and to the best of sof construction, pressure rds. I further declare that the ant where fabrication occurs in whole it purpose and I make this solemn ect as if made under oath.
FCB Report, NB CRN 0A6793.5 exists with respect to a portion of this design Catalog 4190 FP-ACC  CLARATION:  arcus Ashlord  (see note 3) employed by Parker Hannifin IPDE and believe possibility for the quality of the end product do solemnly declare that the Information container knowledge represents the product for which registration is sought. The dimensions, materials reperature ratings, and identification markings are in accordance with the herein named standard part and has been verified by DNV Management Systems as being suitable for the claration conscientiously believing it to be true, and knowing that it is of the same force and efficient of Declared.  U.S.E.T.H.I.S.  O.F.F.I.	ng the person having full authority and in this form is true and to the best of construction, pressure rds. I further declare that the ant where fabrication occurs in whole it purpose and I make this solemn ect as if made under oath.  SPACE FOR THE

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.

OB15184.5 ADD CRN:

2655 FID#:

- All fittings shall be registered in the name of the Manufacturer.
   Esch category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Part & REGULATIO

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Parker Hannifin IPDE	
MANUFACTURERS ADDRESS: Piverside Pond Permeterle Device LIV EX22 AND with a different	
PLANT LOCATIONS: Riverside Road, Barnstaple, Devon, UK EX32 1NP with additional man 265 Alabama Highway 21 North, Jacksonville Alabama, USA	nufacturing at
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  B Flanges: all flanges  C Valves: all line valves  D Expansion joints, flexible connections, and hose assemblies: all types  E Strainers, filters, separators, and steam traps  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  H Pressure retaining components that do not fall into one of the above categories	ASME B16.5
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirements)  SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REC	TYPE OF CONSTRUCTION  FORGED WELDED WROUGHT DESCRIBE OTHER  BODY = FORGED  COMPONENTS = WROUGHT BAR
FCB Report, NB CRN 0A6793.5 exists with respect to a portion of this design	SISTERED:
Catalog 4190 FP-ACC	
DECLARATION:  I Marcus Ashford (see note 3) employed by Parker Hannifin IPDE and bein	
responsibility for the quality of the end product do solemnly declare that the information contained my knowledge represents the product for which registration is sought. The dimensions, materials temperature ratings, and identification markings are in accordance with the herein named standard manufacture of these fittings is regulated by a Quality Control Program which extends to each plar or in part and has been verified by DNV Management Systems as being suitable for that declaration conscientiously believing it to be true, and knowing that it is of the same force and effect of the same	of construction, pressure ds. I further declare that the int where fabrication occurs in whole purpose and I make this solemn ct as if made under oath.  SPACE FOR THE CLAL SEAL Nouveaut
This space for Regulatory Authority use DEPT OF	PUBLIC SAFETY
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  4. Quality control programs shall be resubmitted for validation  DATE	OB 15184.57 Add 1  No. Current or 1  No. Current
at a maximum interval of five (5) years.	Rs PVs

NEW BRUNSWICK		ION FORM FOR THE REGISTRATIC	
NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Parker Hannifin IPDE		
MANUFACTURERS ADDRES	SS: Riverside Road, Barnst	aple, Devon, UK EX32 1NP with additional m	Spulacturino et
PLANT LOCATIONS:	265 Alabama Highway	21 North, Jacksonville Alabama, USA	arter action and the
CATEGORY OF FIT	TINGS TO BE REGISTERE	D. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTIO
A Pipe fittings, including coup	lings, tees, elbows, Ys, plug	s, unions, pipa caps, or reducers	ASME B31.3
B Flanges; ell flanges   C Valves: all line valves			ASME B16.5
D Expansion joints, flexible co E Strainers, filters, separators	onnections, and hose assemb	olles: all types	
F Measuring devices, includin	g pressure gauges, level gau	ges, sight glasses, levels, or	
pressure transmitters		le as primary over pressure protection on	1
bollers, pressure vessels, p	iping and fusible plugs		
H Pressure retaining compone			
Nuclear components: Class	1 Class 2 Class 3	, (Meeting AECB or ASME requirements)	
HOW MANUFACTURERS MA	ME. IKADEMARK, OR LO	GO AS IT WILL APPEAR ON THE PRODUCT	V. C. D. C. D. C.
			FORCED & WELDED D WROUGHT D CAST D OTHER D DESCRIBE OTHER:
		[《니네	BODY = FORGED
		ICATION OF THE ACTUAL ITEMS TO BE R	COMPONENTS = WROUGHT BAR
ECLARATION:			
Aarcus Ashford	(see note 3) employed	by Parker Hannifin IPDE and be many declare that the Information contains	ing the person having full authority an
y knowledge represents the mpereture retings, and iden anufacture of these fittings is in part and has been verifie	tification markings are in a s regulated by a Quality C d by DNV Managem	eccordance with the herein named stands eccordance with the herein named stands control Program which extends to each plent Systems as being suitable for the same force and effective that it is of	s of construction, pressure ards. I further declare that the ant where fabrication occurs in whole
中	Affin Official seal to the right	pace for Regulatory Authority use	
14.75	egistration must be reval	dated after ten (10) years from the date of	of acceptance.
RN. 0B15184.5 A	DD1	Newfoundland	
2655		Labrador	
D#:		Service NL	
		Registered 0B1518	4.50 ADD 1

- Notes:

  1. All fittings shall be registered in the name of the Manufacturer.

  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.

  3. The declaration shall be made by the person having full authority and
- responsibility for the quality of the end product.

  4. Quality control programs shall be resubmitted for validation
- at a maximum interval of five (5) years.

Date ZG JUNE 2013

Engineering and Inspection Services

Registered by Sthad

UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS

NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME	Parker Hannifin IPDE		
MANUFACTURERS ADDR	ESS: Riverside Road Barnst	taple, Devon, UK EX32 1NP with additional ma	
PLANT LOCATIONS:	265 Alabama Highway	21 North, Jacksonville Alabama, USA	nurecturing at
CATEGORY OF	FITTINGS TO BE REGISTERE	D. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including co		s, unions, pipe caps, or reducers	ASME B31.3
B Flanges: all flanges			ASME B16.5
Expansion joints, flexible	connections, and hose assemi	blies: all types	7.0.12 8 70.0
Strainers, filters, separate	ors, and steam traps ding pressure gauges, level gau		
pressure transmitters	Fig. 12		
Certified capacity-rated p	ressure relief devices acceptab	ple as primary over pressure protection on	
boilers, pressure vessels Pressure retaining compo	, piping and fusible plugs ments that do not fall into one c	of the above categories	
		, (Meeting AECB or ASME requirements)	
IOW MANUFACTURERS	NAME, TRADEMARK, OR LO	GO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
			FORGED & WELDED D WROUGHT D
			CAST OTHER DESCRIBE OTHER
		( <b>₹</b> ∟ 1 ±	BODY = FORGED
			COMPONENTS = WROUGHT BAR
IST OF SUPPORTING DOC	CUMENTATION AND IDENTIF	ICATION OF THE ACTUAL ITEMS TO BE RE	GISTERED:
Catalog 4190 FP-	ACC	h respect to a portion of this design	
-	ACC		
CLARATION:			
CLARATION: arcus Ashford consibility for the quality	(see note 3) employed	by Parker Hannifin IPDE and bein	in this form is tous and to the best -
CLARATION: arcus Ashford ponsibility for the quality knowledge represents th	(see note 3) employed of the end product do solen se product for which registre	by Parker Hannifin IPDE and being an	in this form is true and to the best o
CLARATION: arcus Ashford consibility for the quality knowledge represents the	(see note 3) employed of the end product do solen se product for which registre	by Parker Hannifin IPDE and beir nnly declare that the information contained ation is sought. The dimensions, materials accordance with the herein named standards.	in this form is true and to the best or of construction, pressure
CLARATION: arcus Ashford consibility for the quality knowledge represents th perature ratings, and ide aufacture of these fittings	(see note 3) employed of the end product do solen ne product for which registre entification markings are in a s is regulated by a Quality O	by Parker Hannifin IPDE and beir nnly declare that the information contained ation is sought. The dimensions, materials accordance with the herein named standar control Program which extends to each pla	in this form is true and to the best or of construction, pressure ds. I further declare that the nt where fabrication occurs in whole
CLARATION:  arcus Ashford  consibility for the quality knowledge represents the perature ratings, and ide hufacture of these fittings in part and has been verifications.	(see note 3) employed of the end product do solen se product for which registre entification markings are in a s is regulated by a Quality C fied by DNV Managem	by Parker Hannifin IPDE and beir mily declare that the information contained ation is sought. The dimensions, materials accordance with the herein named standar control Program which extends to each pla ent Systems as being suitable for the	in this form is true and to the best or of construction, pressure ds. I further declare that the nt where fabrication occurs in whole to purpose and I make this solome.
CLARATION:  arcus Ashford  ponsibility for the quality knowledge represents the perature ratings, and identification of these fittings in part and has been verillaration conscientiously	(600 note 3) employed of the end product do solen he product for which registra entification markings are in a sis regulated by a Quality Co fied by DNV Managem believing it to be true, and k	by Parker Hannifin IPDE and beir nnly declare that the information contained ation is sought. The dimensions, materials accordance with the herein named standar control Program which extends to each pla	in this form is true and to the best or of construction, pressure ds. I further declare that the nt where fabrication occurs in whole to purpose and I make this solome.
CLARATION:  arcus Ashford  consibility for the quality  knowledge represents the  perature ratings, and ide  aufacture of these fittings  part and has been verification conscientiously	(600 note 3) employed of the end product do solen he product for which registra entification markings are in a sis regulated by a Quality Co fied by DNV Managem believing it to be true, and k	by Parker Hannifin IPDE and beir mily declare that the information contained ation is sought. The dimensions, materials accordance with the herein named standar control Program which extends to each pla ent Systems as being suitable for the	in this form is true and to the best or of construction, pressure ds. I further declare that the nt where fabrication occurs in whole to purpose and I make this colons.
CLARATION: arcus Ashford broonsibility for the quality knowledge represents the perature ratings, and ide aufacture of these fittings a part and has been veni laration conscientiously mature of Declared	(600 note 3) employed of the end product do solen he product for which registra entification markings are in a sis regulated by a Quality Co fied by DNV Managem believing it to be true, and k	by Parker Hannifin IPDE and beir nnly declare that the information contained ation is sought. The dimensions, materials accordance with the herein named standar control Program which extends to each plaent Systems as being suitable for the knowing that it is of the same force and effects	in this form is true and to the best or of construction, pressure ds. I further declare that the nt where fabrication occurs in whole to purpose and I make this colons.
CLARATION: arcus Ashford consibility for the quality knowledge represents th perature ratings, and ide aufacture of these fittings a part and has been veril laration conscientiously nature of Declare	(6000 note 3) employed of the end product do solen the product for which registra entification markings are in a sis regulated by a Quality Officed by DNV Managem believing it to be true, and k	py Parker Hannifin IPDE and beir mily declare that the information contained ation is sought. The dimensions, materials accordance with the herein named standar control Program which extends to each placent Systems as being suitable for the knowing that it is of the same force and effective to the same force and effective that it is of the same force and effective th	in this form is true and to the best or of construction, pressure ds. I further declare that the nt where fabrication occurs in whole t purpose and I make this solemn act as if made under oath.
CLARATION: arcus Ashford consibility for the quality knowledge represents the perature ratings, and ide nufacture of these fittings in part and has been verification conscientiously nature of Declaret lared before the construction of A	(see note 3) employed of the end product do solen se product for which registre entification markings are in a sis regulated by a Quality Clied by DNV Managembelieving it to be true, and keep the state of the sister of the sis	py Parker Hannifin IPDE and beir mily declare that the information contained ation is sought. The dimensions, materials accordance with the herein named standar control Program which extends to each placent Systems as being suitable for the knowing that it is of the same force and effective to the same force and effective that it is of the same force and effective th	in this form is true and to the best of construction, pressure ds. I further declare that the nt where fabrication occurs in whole to purpose and I make this solemnect as if made under oath.  SPACE FOR THE
CLARATION: arcus Ashford consibility for the quality knowledge represents th perature ratings, and ide aufacture of these fittings a part and has been verification conscientiously mature of Declaret lared before	(see note 3) employed of the end product do solen the product for which registrate this is regulated by a Quality Clied by DNV Managembelieving it to be true, and known and the product of the product o	by Parker Hannifin IPDE and being an and being an	in this form is true and to the best of construction, pressure ds. I further declare that the nt where fabrication occurs in whole to purpose and I make this solemnect as if made under oath.  SPACE FOR THE
CLARATION: arcus Ashford consibility for the quality knowledge represents th perature ratings, and ide nufacture of these fittings n part and has been verification conscientiously nature of Declaret lared before me	(see note 3) employed of the end product do solen se product for which registrate this is regulated by a Quality of the believing it to be true, and known and the second	Parker Hannifin IPDE and beir mnly declare that the information contained ation is sought. The dimensions, materials accordance with the herein named standar control Program which extends to each pla ent Systems as being suitable for the knowing that it is of the same force and effect of the same force an	in this form is true and to the best or of construction, pressure ds. I further declare that the nt where fabrication occurs in whole t purpose and I make this solemn ect as if made under oath.  SPACE FOR THE
CLARATION: arcus Ashford ponsibility for the quality knowledge represents the perature ratings, and ide nufacture of these fittings in part and has been verification conscientiously laration conscientiously laration to be perature of the perature of the part and has been verification conscientiously laration to be perature of the pe	(see note 3) employed of the end product do solen the product for which registrate this is regulated by a Quality of the believing it to be true, and known and the solen the right this special seal to the right the solen the s	parker Hannifin IPDE and beir many declare that the information contained ation is sought. The dimensions, materials accordance with the herein named standar control Program which extends to each placent Systems as being suitable for the knowing that it is of the same force and effect of the same force an	in this form is true and to the best or of construction, pressure ds. I further declare that the nt where fabrication occurs in whole to purpose and I make this solemn ect as if made under oath.  SPACE FOR THE CIAL SEAL
CLARATION: arcus Ashford ponsibility for the quality knowledge represents the perature ratings, and ide nufacture of these fittings in part and has been verification conscientiously laration conscientiously laration to be perature of the perature of the part and has been verification conscientiously laration to be perature of the pe	(see note 3) employed of the end product do solen the product for which registrate this is regulated by a Quality Chied by DNV Managem believing it to be true, and known and the control of the control	Parker Hannifin IPDE and beir mnly declare that the information contained ation is sought. The dimensions, materials accordance with the herein named standar control Program which extends to each pla ent Systems as being suitable for the knowing that it is of the same force and effect of the same force an	of construction, pressure ds. I further declare that the nt where fabrication occurs in whole t purpose and I make this solemn ect as if made under oath.  SPACE FOR THE CIAL SEAL

FID#:

All fittings shall be registered in the name of the Manufacturer.
 Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.

3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for validation

at a maximum interval of five (5) years.

2655

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Parker Hannilin IPDE		
MANUFACTURERS ADDRESS	Riverside Road, Barnstaple, C	Devon, UK EX32 1NP with additional man	nulacturing at
PLANT LOCATIONS:	265 Alabama Highway 21 Nor	th, Jacksonville Alabema, USA	
CATEGORY OF FITT	INGS TO BE REGISTERED. CI	RCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
B Flangos: all flanges C Valves: all fine velves D Expansion joints, flexible coni E Strainers, filters, separators, a F Messuring devices, including pressure transmitters G Certified capacity-rated press bollers, pressure vessels, pip H Pressure retaining component	pressure gauges, level gauges, s ure relief devices acceptable as p ing and fusible plugs te that de not fall into one of the a	all types light glasses, levels, or onnory over pressure protection on above categories	ASME B31.3 ASME B16.5
		eting AECB or ASME requirements)	WALLS AND
SHOW MANUFACTURERS NAM	Park (	LT	FORGED & WELDED   WROUGHT O CAST   OTHER   DESCRIBE OTHER:  BODY = FORGED   COMPONENTS = WROUGHT BAR
LIST OF SUPPORTING DOCUM	ENTATION AND IDENTIFICATI	ON OF THE ACTUAL ITEMS TO BE RE	GISTERED:
ny knowledge represents the permetature ratings, and identifications	the end product do solemnly d product for which registration is Reation markings are in accor	Parker Hannifin IPDE and being declare that the Information contained a sought. The dimensions, materials dance with the herein named standard Program which extends to each pla	of construction, pressure
r in part and has been verified eclaration conscientiously beli	by DNV Management S	systems as being suitable for that it is of the same force and effective	1 purpose and I make this solemn
Ignature of Declared Constitution of Declared Defore The Edward Defore The Edward Constitution of Declared Constitution o	AD 16.8		SPACE FOR THE CIAL SEAL
	This space f	for Regulatory Authority und	
CRN: 0B15184.5 AD FID#: 2655 Notes: 1. All fittings shall be registered in 2. Each category shall be support	the name of the Manufacturer.	REG UNDER THE THE BOILER VESS	AUTHORITY OF AND PRESSURE SEL ACT.
orms and one copy of supporting b. The declaration shall be made a sponsibility for the quality of the country control programs shall be maximum interval of five (5) years.	documentation. by the person having full authorit end product. be resubmitted for validation		not the

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON		EDWARD ISLAND WEST TERRITORIES	NEWFOUNDLAND AND LABRA	DOR
MANUFACTURERS NAME:	Parker Hannifin IPDE				
MANUFACTURERS ADDRESS:	Pineride Pond Rome	tania Dayan IIV	EX32 1NP with additional m		
PLANT LOCATIONS:	265 Alabama Highway	21 North, Jackson	onville Alabama, USA	anulacturing at	
CATEGORY OF FITTH	GS TO BE REGISTERE	D. CIRCLE ON	E CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTI	RINTER
A Pipe fittings, including coupling	s, tees, elbows, Ys, plug	rs, unions, pipe c	aps, or reducers	ASME B31.3	DOUB
Flanges: all flanges Valves: all line valves				ASME B16.5	
Expansion joints, flexible conn	ections, and hose assem	blies: all types		7,0.0	
Strainers, filters, seperators, as Measuring devices, including p	nd steam traps ressure gauges, level gai	unes sight alass	es levels or		
pressure transmitters					
G Certified capacity-rated pressure boilers, pressure vessels, pipir	g and fusible plugs				
Pressure retaining components					
Nuclear components: Class 1	Class 2 Class 3 C	, (Meeting AEC	B or ASME requirements)		
HOW MANUFACTURERS NAME	, IRADEMARK, OR LO	GO AS IT WILL	APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION FORGED D WELDED D WROUGHT	_
				CAST DOTHER D	D
		7		BODY = FORGED	
		CONTRACTOR OF STREET		COMPONENTS = WROUGHT I	BAR
T OF SUPPORTING DOCUME	NTATION AND IDENTIF	CATION OF TH	E ACTUAL ITEMS TO BE R	EGISTERED:	
CLARATION: arcus Ashford	(see note 3) employed	by Parker H	lannifin IPDE and be	ing the person having full authori	
perature ratings, and identification and the perature of these fittings is reported by a ration conscientiously believed the perature of Declare 1	ation markings are in a guiated by a Quality C y DNV Managem	accordance wit Control Program ent Systems	the dimensions, material in the herein named stands in which extends to each plass being suitable for the softhe same force and ef	ards. I further declare that the ant where fabrication occurs in wat purpose and I make this solem fect as if made under oath.  SPACE FOR THE	hole in
	1000	8.	OFFI	CIAL SEAL	
VOIS	Official seal to the right	nace for Requiet	ry Authoris use		
This regi	stration must be revali	dated after ten	(10) years from the date of	MINAVIIT	
OP15184 5 ADD	1				
			Nunavut p	Boilers and	
#:/			INUITAVUL F	Pressure Vessels Act	
			REGI	STERED	
S:		9	0017	Acceptate to the Second	
Il fittings shaft be registered in the schools of the supported			CRN 013 151	84. SN Add1	
s and one copy of supporting do he declaration shall be made by	cumentation.	1	Date June	90, 2018	
ensibility for the quality of the en	d product.		Signed	Three X'	
tuality control programs shall be maximum interval of five (5) year		n	1700	Inspector	
			Gilei	rispector	
			Territorial R	gistration Fee	