

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **PARKER HANNIFIN MANUFACTURING FRANCE SAS**
MANUFACTURERS ADDRESS: **74 rue de Paris - CS 46911 - 35704 RENNES CEDEX 7**
PLANT LOCATIONS:

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☐ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B 31.1
Non boiler external
Piping and ASME B31.3

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION

FORGED ☐ WELDED ☐ WROUGHT ☐
CAST ☐ OTHER ☒
DESCRIBE OTHER: ☒

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Ø 16.5, Ø25, Ø40 TRANSAIR range
-Fitting's drawings
-Proof test report
- ISO 9001 certificate
- Range présentation

DECLARATION:

I, Anthony LE ROUX (see note 3) employed by PARKER HANNIFIN and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AFAG as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at [Signature]

This day of AD

Commissioner of Oaths
or Notary Public: (sign) [Signature]

(Affix Official seal to the right)

La signature de François BRAULT
Apposée ci-dessus, en tant que notaire
Après lecture
U.S.E THIS SORTA C E
05 RR 436695
4 Avril 2005
OFFICIAL SE
le le Préfet d'Ille et d'Aine
Sans aucune restriction
Ni des effets du présent document



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.
DEPT OF PUBLIC SAFETY
BOILER & PRESSURE VESSEL ACT

CRN: 0A15761.5

FID#: 2867

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

REGISTRATION ONLY

CRN 0A15761.57

EXAMINER: [Signature]
for
CHIEF BOILER INSPECTOR

DATE: May 10/2013

☐ BLPs ☐ PVs

☒ FITTINGS ☐ COMPONENTS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **PARKER HANNIFIN MANUFACTURING FRANCE SAS**
MANUFACTURERS ADDRESS: **74 rue de Paris - CS 46911 - 35704 RENNES CEDEX 7**
PLANT LOCATIONS:

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- ☐ B Flanges: all flanges
- ☐ C Valves: all line valves
- ☐ D Expansion joints, flexible connections, and hose assemblies: all types
- ☐ E Strainers, filters, separators, and steam traps
- ☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- ☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs
- ☐ H Pressure retaining components that do not fall into one of the above categories
- ☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B 31.1
Non boiler external
Piping and ASME B31.3

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION

FORGED ☐ WELDED ☐ WROUGHT ☐
CAST ☐ OTHER ☒
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

- Ø 16.5, Ø 25, Ø 40 TRANSAIR range
- Fitting's drawings
- Proof test report
- ISO 9001 certificate
- Range présentation

DECLARATION:

I, Anthony LEROUY (see note 3) employed by PARKER HANNIFIN and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AFAG as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at

This day of AD

Commissioner of Oaths
or Notary Public: (sign)

(Affix Official seal to the right)

Signature de François BRAULT
Apposé ci-dessous, et contre ci-dessous
Après lecture
R 05 RR 436695
4 Avril 2005
Par le Prefet d'Ille et Vilaine
Sans aucune certification du contenu
Ni des effets du présent document




This space for Regulatory Authority use RENNES 22000 FRANCE le 9 10/2012
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A15761.5

FID#: 2867

Notes:


1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



C.R.N. 0A15761.58

Dwg. as described

Signed Yvonne Perry



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **PARKER HANNIFIN MANUFACTURING FRANCE SAS**
MANUFACTURERS ADDRESS: **74 rue de Paris - CS 46911 - 35704 RENNES CEDEX 7**
PLANT LOCATIONS:



CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☐ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

**ASME B 31.1
Non boiler external
Piping and ASME B31.3**

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

TYPE OF CONSTRUCTION


FORGED ☐ WELDED ☐ WROUGHT ☐
CAST ☐ OTHER ☒
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Ø 16.5, Ø25, Ø40 TRANSAIR range
- Fitting's drawings
- Proof test report
- ISO 9001 certificate
- Range présentation

DECLARATION:

I, **Anthony LE ROUX** (see note 3) employed by **PARKER HANNIFIN** and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by **AFAO** as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 
Declared before me at _____
This _____ day of _____ AD _____
Commissioner of Oaths
or Notary Public: (sign) _____

USE THIS STAMPA
05 KR 436695
4 Avril 2005
le Prefet d'Ille et Vilaine
Sans aucune certification du contenu
Ni des effets du présent document.




This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: **0A15761.5**
FID#: **2867**

ACCEPTED
PROVINCE OF PRINCE EDWARD ISLAND
ENVIRONMENT, LABOUR & JUSTICE

C.R.N. **0A15761.59**

DATE: **MAY 10/13**


INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **PARKER HANNIFIN MANUFACTURING FRANCE SAS**
MANUFACTURERS ADDRESS: **74 rue de Paris - CS 46911 - 35704 RENNES CEDEX 7**
PLANT LOCATIONS:

- CATEGORY OF FITTINGS TO BE REGISTERED CIRCLE ONE CATEGORY ONLY
- ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 - ☐ B Flanges: all flanges
 - ☐ C Valves: all line valves
 - ☐ D Expansion joints, flexible connections, and hose assemblies: all types
 - ☐ E Strainers, filters, separators, and steam traps
 - ☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 - ☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 - ☐ H Pressure retaining components that do not fall into one of the above categories
 - ☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B 31.1
Non boiler external
Piping and ASME B31.3

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
FORGED ☐ WELDED ☐ WROUGHT ☐
CAST ☐ OTHER ☒
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

- Ø 16.5, Ø 25, Ø 40 TRANSAIR range
- Fitting's drawings
- Proof test report
- ISO 9001 certificate
- Range présentation

DECLARATION:

I, Anthony LE ROUX (see note 2) employed by PARKER HANNIFIN and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AFAG as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at

This day of AD

Commissioner of Oaths
or Notary Public: (sign)

La signature de François BRAULT
Apposé ci-dessous et contre le contenu
Après lecture

USETH DES BORTA C
N° 05 RR 436695

4 Avril 2005 OFFICIA

Par le Préfet d'Ille et Vilaine

Sous réserve certification du contenu

Ni des effets du présent document



(Affix Official seal to the right)

This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: QA15761.5

FID#: 2867

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

GOVERNMENT OF
NEWFOUNDLAND
AND LABRADOR
Department of
Government Services

Registered QA15761.50
Date 14 MAY 2013

GOVERNMENT SERVICES CENTRE
Engineering and Inspection Services

Registered by [Signature]
UNDER THE AUTHORITY OF THE
PUBLIC SAFETY ACT AND
THE BOILER, PRESSURE VESSEL AND
COMPRESSED GAS REGULATIONS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURER'S NAME:

PARKER HANNIFIN MANUFACTURING FRANCE SAS

MANUFACTURER'S ADDRESS:

74 rue de Paris - CS 46911 - 35704 RENNES CEDEX 7

PLANT LOCATIONS:

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☐ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐. (Meeting ASME or ASMC requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B 31.1
Non boiler external
Piping and ASME B31.3

SHOW MANUFACTURER'S NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
 FORGED ☐ WELDED ☐ WROUGHT ☐
 CAST ☐ OTHER ☒
 DESCRIBE OTHER: X

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

- Ø 16.5, Ø 25, Ø 40 TRANSAIR range
 - Fitting's drawings
 - Proof test report
 - ISO 9001 certificate
 - Range présentation

DECLARATION:

I, Anthony LE BOUX (see note 3) employed by PARKER HANNIFIN and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AFAG as being suitable for that purpose and I make this declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at [Signature]

This 05 day of AD

Commissioner of Oaths
or Notary Public: (sign) [Signature]

Apposé ci-dessous l'original de la signature de FRANÇOIS BRAULT
 Apposé ci-dessous l'original de la signature de USETH IVESBORIA
 05 KR 436695
 4 Avril 2005
 le Préfet d'Ille et Vilaine
 Sans aucune certification du contenu
 NI des effets du présent document



This registration must be revalidated after ten (10) years. This space for Regulatory Authority use. ATTENTION: 2013-10-19-10-2012

CRN: 0A15761.5

FID#: 2867

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



NUNAVUT
Boilers and
Pressure Vessels Act

REGISTERED

CRN 0A15761.5N

Date May 21 2013

Signed [Signature]
Chief Inspector

Territorial Registration Fee

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **PARKER HANNIFIN MANUFACTURING FRANCE SAS**
MANUFACTURERS ADDRESS: **74 rue de Paris - CS 46911 - 35704 RENNES CEDEX 7**
PLANT LOCATIONS:

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☒ A) Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B) Flanges: all flanges
☐ C) Valves: all line valves
☐ D) Expansion joints, flexible connections, and hose assemblies: all types
☐ E) Strainers, filters, separators, and steam traps
☐ F) Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G) Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H) Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B 31.1
Non boiler external
Piping and ASME B31.3

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION

FORGED ☐ WELDED ☐ WROUGHT ☐
CAST ☐ OTHER ☒
DESCRIBE OTHER

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

- Ø 16.5, Ø25, Ø40 TRANSAIR range**
- Fitting's drawings
- Proof test report
- ISO 9001 certificate
- Range présentation

DECLARATION:

I, **Anthony LE ROUX** (see note 3) employed by **PARKER HANNIFIN** and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by **AFAC** as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: _____

Declared before me at _____

This _____ day of _____ AD _____

Commissioner of Oaths
or Notary Public: (sign) _____

La signature de **PAROIS BRADY**
Apposé ci-joint le sceau de la fonction
Adressé à **USE THIS REPORT CARD**
05 HR 436605
4 Avril 2005
Le Préfet d'Ille et Vilaine
N° des effets du présent document



(Affix Official seal to the right)

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: **0A15761.5**

FID#: **2867**

Notes:

1. All fittings shall be registered in the name of the Manufacturer
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS



NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME:	PARKER HANNIFIN MANUFACTURING FRANCE SAS
MANUFACTURERS ADDRESS:	74 rue de Paris - CS 46911 - 35704 RENNES CEDEX 7
PLANT LOCATIONS:	

<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input checked="" type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="radio"/> B Flanges: all flanges</p> <p><input type="radio"/> C Valves: all line valves</p> <p><input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="radio"/> E Strainers, filters, separators, and steam traps</p> <p><input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B 31.1 Non boiler external Piping and ASME B31.3</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div style="display: flex; justify-content: space-around;">   </div>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER:</p>

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Ø 16.5, Ø 25, Ø 40 TRANSAIR range

- Fitting's drawings
- Proof test report
- ISO 9001 certificate
- Range présentation

DECLARATION:

I, Anthony LE ROUX (see note 3) employed by PARKER HANNIFIN and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AFAG as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at

This day of AD

Commissioner of Oaths
or Notary Public: (sign)

Apposée ci-dessus, ci-contre, ci-dessous
Après lecture
U.S.E.T.H. PRINCE-EDWARD ISLAND
N° 05 RR 436695
4 Avril 2005
OFFICIAL
Par le Préfet d'Ille et Vilaine
Sans aucune certification du contenu
Ni des effets du présent document.



(Affix Official seal to the right)

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of appearance

CRN: 0A15761.5

FID#: 2867

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Northwest Territories

REGISTERED

UNDER THE AUTHORITY OF
THE BOILER AND PRESSURE
VESSEL ACT.

C.R.N. 0A15761.5T

SIGNED [Signature]

DATE July 10/2013



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: PARKER HANNIFIN MANUFACTURING FRANCE SAS	
MANUFACTURERS ADDRESS: 74 rue de Paris - CS 46911 - 35704 RENNES CEDEX 7	
PLANT LOCATIONS:	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B 31.1 Non boiler external Piping and ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT <div style="display: flex; justify-content: space-around;">   </div>	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Ø 63 TRANSAIR range - Fitting's drawings - Proof test report - ISO 9001 certificate - Range présentation	

DECLARATION:

I, Anthony LE ROUX (see note 3) employed by PARKER HANNIFIN and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AFAC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at NOUVEAU-BRUNSWICK

This 4 day of April AD 2005

Commissioner of Oaths
or Notary Public: (sign) [Signature]

Le notaire public certifie véritable
La signature de François BRAULT
Apposée ci-dessus, le 4 Avril 2005
Après présentation de la déclaration
NOS RR436695
Délivré le 4 Avril 2005
Par Le Préfet d'Île et de la Gaspésie
Sans aucune certification du notaire
Ni des effets du présent document



(Affix Official seal to the right)

This space for Regulatory Authority use only. Date 9/10/2012

This registration must be revalidated after ten (10) years from the date of registration.

CRN: 0A15761.5

FID#: 2867

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

BOILER & PRESSURE VESSEL ACT

REGISTRATION ONLY

CRN 0A15761.57

EXAMINER: [Signature]
for

CHIEF BOILER INSPECTOR

DATE: May 10/2013



☐ BLRs ☐ PVs

☒ FITTINGS ☐ COMPONENTS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUTNOVA SCOTIA
YUKONPRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: PARKER HANNIFIN MANUFACTURING FRANCE SAS	
MANUFACTURERS ADDRESS: 74 rue de Paris - CS 46911 - 35704 RENNES CEDEX 7	
PLANT LOCATIONS:	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY. <input checked="" type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input type="radio"/> C Valves: all line valves <input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	
TITLE OF THE STANDARD OF CONSTRUCTION ASME B 31.1 Non boiler external Piping and ASME B31.3	
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT  	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Ø 63 TRANSAIR range -Fitting's drawings -Proof test report - ISO 9001 certificate - Range présentation	

DECLARATION:

I, Anthony LE ROUX (see note 1) employed by PARKER HANNIFIN and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by APAO as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature] La signature de François BRAULT

Declared before me at APAO Apposé ci-dessus, et certifié véridique

This 04 day of AD Après présentation de USE THIS SP

Commissioner of Oaths or Notary Public: (sign) 4 Avril 2005 OFFICIA

Par Le Préfet d'Ille et Vilaine

Sans aucune certification du contenu

(Affix Official seal to the right of the effects of the present document.)



This space for Regulatory Authority use **RENNES 35 FRANCE 9/10/2012**



This registration must be revalidated after ten (10) years from the date of acceptance

CRN: 0A15761.5

FID#: 2867

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN: 0A15761.58Dwg. as describedSigned Yvonne Perry

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME:

PARKER HANNIFIN MANUFACTURING FRANCE SAS

MANUFACTURERS ADDRESS:

74 rue de Paris - CS 46911 - 35704 RENNES CEDEX 7

PLANT LOCATIONS:

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☐ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B 31.1
Non boiler external
Piping and ASME B31.3

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION

FORGED ☐ WELDED ☐ WROUGHT ☐
CAST ☐ OTHER ☒
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Ø 63 TRANSAIR range

- Fitting's drawings
- Proof test report
- ISO 9001 certificate
- Range présentation

DECLARATION:

I, Anthony LE ROUX (see note 3) employed by PARKER HANNIFIN and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AFAP as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Declared before me at

This day of

AD

Commissioner of Oaths
or Notary Public: (sign)

La signature de François BRAULT

Apposée ci-dessus, le 4 Avril 2005

Après présentation de l'original de la déclaration

MOS RR436695

4 Avril 2005

Par Le Préfet d'Ille et Vilaine

Sans aucune certification du contenu

ni des effets du présent document.

(Affix Official seal to the right)

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A15761.5

FID#: 2867

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

ACCEPTED
PROVINCE OF PRINCE EDWARD ISLAND
ENVIRONMENT, LABOUR & JUSTICE

C.R.N. 0A15761.59

DATE: MAY 10/13

INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: PARKER HANNIFIN MANUFACTURING FRANCE SAS	
MANUFACTURERS ADDRESS: 74 rue de Paris - CS 46911 - 35704 RENNES CEDEX 7	
PLANT LOCATIONS:	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY <input checked="" type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input type="radio"/> C Valves: all line valves <input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B 31.1 Non boiler external Piping and ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
 	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Ø 63 TRANSAIR range -Fitting's drawings -Proof test report - ISO 9001 certificate - Range présentation	

DECLARATION:

I, Anthony LE ROUX (see note 3) employed by PARKER HANNIFIN and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AFAG as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at RENNES

This 4 day of April AD 2005

Commissioner of Oaths
or Notary Public: (sign) Par Le Préfet d'Ille et Vilaine

(Affix Official seal to the right of the signature of the Declarer)

This space for Regulatory Authority use


This registration must be revalidated after ten (10) years from the date of acceptance

CRN: 0A15761.5

FID#: 2867

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

GOVERNMENT OF Newfoundland and Labrador Department of Government Services Registered <u>0A15761.50</u> Date <u>14 May 2013</u> Registered by <u>[Signature]</u> UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS	
--	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME:

PARKER HANNIFIN MANUFACTURING FRANCE SAS

MANUFACTURERS ADDRESS:

74 rue de Paris - CS 46911 - 35704 RENNES CEDEX 7

PLANT LOCATIONS:

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☐ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

LIST OF THE STANDARDS OF CONSTRUCTION

ASME B 31.1
Non boiler external
Piping and ASME B31.3

SHOW MANUFACTURER NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION

FORGED ☐ WELDED ☐ WROUGHT ☐
 CAST ☐ OTHER ☒
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

- Ø 63 TRANSAIR range
 -Fitting's drawings
 -Proof test report
 -ISO 9001 certificate
 - Range présentation

DECLARATION:

I, Anthony LE ROUX (see note 3) employed by PARKER HANNIFIN and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by APAP as being suitable for that purpose and I make the solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Declared before me at

This _____ day of _____ AD

Commissioner of Oaths or Notary Public: (sign)

Apposée ci-dessous
 Après présentation
 N° 4436695
 4 Avril 2005
 Par Le Préfet d'Ille et Vilaine
 Sans aucune certification ou contenu



(Affix Official seal to the right of the effects du présent document.)

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from date of acceptance.

CRN: 0A15761.5

FID#: 2867

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



NUNAVUT

Boilers and
Pressure Vessels Act

REGISTERED

CRN 0A15761.5 N

Date May 31, 2013

Signed [Signature]
Chief Inspector

Territorial Registration Fee

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME:

PARKER HANNIFIN MANUFACTURING FRANCE SAS

MANUFACTURERS ADDRESS:

74 rue de Paris - CS 46911 - 35704 RENNES CEDEX 7

PLANT LOCATIONS:

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☐ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐. (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B 31.1
Non boiler external
Piping and ASME B31.3

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
 FORGED ☐ WELDED ☐ WROUGHT ☐
 CAST ☐ OTHER ☒
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

- Ø 63 TRANSAIR range
 - Fitting's drawings
 - Proof test report
 - ISO 9001 certificate
 - Range présentation

DECLARATION:

I, Anthony LE ROUX (see note 3) employed by PARKER HANNIFIN and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AFAC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at [Signature]

This day of AD

Commissioner of Oaths
or Notary Public: (sign) [Signature]

La signature de François BRAULT

Apposée ci-dessus

Après présentation

N°4 PR436695

Déclaré

4 Avril 2005

Par Le Préfet d'Île et de la Vierge

Sans aucune certitude d'authenticité

(Affix Official seal to the right of the effects du présent document.

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A15761.5

FID#: 2867

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



NEWFOUNDLAND AND LABRADOR

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A15761.5
 FID#: 2867

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Northwest Territories
 REGISTERED
 UNDER THE AUTHORITY OF
 THE BOILER AND PRESSURE
 VESSEL ACT.
 C.R.N. 0A15761.5T
 SIGNED [Signature]
 DATE 04/10/2013

9
 158