UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturare Nam	e: Parker Hannifin Manufactu		
Manufacturers Addr	BSS' 1 nie André el Yvonne i	Meynler - 35089 RENNES CEDEX	
Plant Locations: renn	08	NOTION - BOOCO RETARES CEDEX	
Pipe fittings, including Fianges: all flanges C Valves: all line valves D Expansion joints, flexib E 6trainers, filters, separe F Messuring devices, inci transmitters G Certified capacity-rated bollers, pressure vessel H Pressure retaining com	couplings, tees, elbows, Ys, le connections, and hose as: ators, and steam traps luding pressure gauges, leve pressure relief devices acce, s, piping and fusible plugs ponents that do not fall into co	of gauges, sight glasses, levels, or presi ptable as primary over pressure protect one of the above categories	tion on
N Nuclear components:	Class 1 L Class 2 L Class	3 D, (Meeting CNSC or ASME requi	rements)
Show manufacturers	TRANSAIR	go as it will appear on the produ	Forged
Ø 2" TRANSAIR range : - fitting drawings - proof test reports - ISO 9001 certificate - range presentation		cation of the actual items to be re	
etings, and identification mattings is regulated by a Querified by the pleving it to be true, and kilgnature of Declarer:	usity of the end product of the product for which reginer/dings are in accordance ality Control Program when the product is so the secondary that it is of the secondary in the secondary is the secondary in thes	with the herein named standards lich extends to each plant where tang suitable for that purpose and I made und the force and effect as if made und the lice of the	WHILLE W.
	Affix Official seal to the right	D .	The section of the se
	711		SOOG RENNES
	This registration must be n	s space for Regulatory Authority use. evalidated after ten (10) years from the	date of accentance.
RN: 0A15761.5	ADD1		
D#: 15817			E OF PRINCE EDWARD ISLAND IITIES, LAND & ENVIRONMENT
tes:		COMMUN	TITLES, DAILY OF BILLINGININEIAL
All Fittings shall be registered Each Category shall be supported and one copy of supporting do The Declaration shall be made responsibility for the quality of Quality Control programs shall	by the person having full autho	ority and DATE:	CAIST(I S 9 ADD) PRESSURE VESSEL-BRANCH 15 Rev.2
RN EXPIRES JA	w.21,2023-Dib		

New Brunswick

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick Nunavut	Nova Scotla Yukon	Prince Edward Island Northwest Territories	Newfound	and and Labrador
Manufacturers Nan	ne; Parker Hannifin Manufact	uring France SAS	and the second s	
Manufacturers Add	ress: 1 rue André et Yvonne	Meynler - 35069 RENNES CEDEX		
Plant Locations: ren				Contract to the contract of
Flanges: all flanges C Valves: all flanges D Expansion joints, fled E Strainers, filters, sepa F Measuring devices, in transmitters G Certified capacity-rates boilers, pressure yeas	p couplings, tees, elbows, Ye, ble connections, and hose as rators, and ateam traps cluding pressure gauges, levi	al gauges, eight glasses, levels, or eptable as primary over pressure p	ASME B piping) 8	Title of the Standard of Construction 31.1 1 (non-boiler external ASME B31.3
N Nuclear components:	Class 1 Class 2 Clas	8 3 🔲 , (Meeting CNSC or ASME	requirements)	
Show Manufacturers	Name, Trademark, or Lo	go as it will appear on the p		Type of Construction
	TRANSAIR	· · · · · · · · · · · · · · · · · · ·	Forged Cast o Describe	Other o
List of supporting do	cumentation and identifi	cation of the actual items to	No explored and the second	
Ø 2" TRANSAIR range - fitting drawings - proof test reports - ISO 9001 certificate - range presentation				
ratings, and identification fittings is regulated by a C verified by after	merkings are in accordant tuality Control Program when as be knowing that it is of the s	nich extends to each plant whe ing suitable for that purpose as	dards. I further declare to the defication occurs in the and I make this solemn de a under oath	ruction, pressure temperature hat the manufacture of these whole or in part and has been claration conscientiously
Signature of Declarer:			Se Tan	Now
Commissioner of Oaths	Nevenber AD_	RENNES (FRA	Use this space to the	Concle Seel
Or Notary Public: (sign)			X	
	(Affix Official seel to the righ	it) Is space for Regulatory Authority L	5000 REN	NES
CRN: 0A15761.5	This registration must be ADD1	revalidated after ten (10) years from NC		
FID#: 15817		OIL NO	MA SOUTIA	
Notas:	_	Date_1	11 26/19 V	
1. All Fittings shall be registere	ed in the name of the Manufactur	er, C.R.N. OA	15761.58ADDI	
2. Each Category shall be sup	ported with two Statutory Deciare		described	1
and one copy of supporting 3. The Declaration shall be ma	de by the person having full auth	2	onre Perry	
responsibility for the quality 4. Quality Control programs sh	of the end product. all be resubmitted for validation.	<u> </u>	Parl ONS	Sect 1.0 - Fittings Rev.2
11/2016		41	Part	"A - LIMINGA MBA'S
(KN FKIKE)]	Au. 21,2023-Pil			

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador Nunavut Yukon Northwest Territories Manufacturers Name: Parker Hannifin Manufacturing France SAS Manufacturers Address: 1 rue André et Yvonne Meynier - 35069 RENNES CEDEX Plant Locations: rennes Category of Fittings to be registered. Circle one Category only Title of the Standard of Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Construction Flanges: all flanges ASME B31.1 1 (non-boiler external Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types piping) & ASME B31.3 E Strainers, filters, separators, and steam traps Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as it will appear on the product Type of Construction Forged Welded D Wrought D TRANSAIR Cast D Other D Describe other: List of supporting documentation and identification of the actual items to be registered: Ø 2" TRANSAIR range : - fitting drawings - proof test reports ISO 9001 certificate - range presentation **Declaration:** (see note 3) employed by Parker Hannifin | Chantal BECKENSTEINER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been as being suitable for that purpose and I make this solemn declaration conscientiously verified by afeq believing it to be true, and knowing that it is of the same force and effect as if made under oath. Signature of Declarer: RENNESPERANCE Declared before me at day of November AD 2018 Commissioner of Oaths Me LATRILLE Or Notary Public: (sign) (Affix Official seal to the right) This space for Regulatory Authority us This registration must be revalidated after ten (0) years from the date CRN: 0A15761.5 ADD1 FID#: 15817 Notes: All Fittings shall be registered in the name of the Manufacturer. 1. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. Sect 1.0 - Fittings Rev.2 BLRs ☐ PVa RN EXPIRES JAN. 21, 2023-DIL

FITTINGS

☐ NUCLEAR COMPONENTS

2.

3.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

Manufacturers Name: Patter Hennlin Menufacturing France SAS Menufacturers Address: 1 ne André et Yorone Meynler - 30069 RENNES CEDEX Plant Locations: mores Catasory of Fittinas to be recipitared. Circle one Category only Elegacian including couplings, tess, elicove, Ye, pluge, unions, pipe cape, or indusers C Veives all heaves C Veives all heaves D Expension joints, finations and idean trape Elegacian including components reside devices acceptable as primary over pressure profession on boilors, pressure vessels, piping and finatise jugs In Pressure relating components that do not fail into one of the above categories N Nuclear components: Clear 1 Clear 2 Clears 3 Clear in your pressure profession on boilors, pressure vessels, piping and fastise jugs N Nuclear components: Clear 1 Clear 2 Clear into one of the above categories N Nuclear components: Clear 1 Clear 2 Clear it will appear on the product TRANSAIR Transair Transair Transair (see nos 3) employed by Parker Hannifin and being the person having full authority of the end product of solemnity declare that the information contained in this form is true to the best promises of the person person in the person having full authority of the report of the person having full authority of the report of the person having full authority of the person having	New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Address: 1 no Andre of Lycone Meynler - \$5069 RENNES CEDEX				
Plant Locations: remse Extended Fittings to be registered. Circle one Category only Extended Fittings, including couplings, tees, allowes, Ys, plugs, unions, pipe caps, or reducers Fittings a finances O Walves, all the walves all the walves and finances. Extended Fittings including couplings, tees, allowes, Ys, plugs, unions, pipe caps, or reducers Fittings finances. Extended Fittings and the second fitting to the registered of the second fitting to the same force and effect as if made under oath. It is of supporting documentation and identification of the actual Rems to be registered: Extended Fitting fitting to the end product do colemnly declare that the information contained in this form is true to the bear year of proporting documentation and identification in a sought. The dimensions, for the second fitting fit is formed by knowledge represents the product for which registration is sought. The dimensions, for the second fitting for the quality of the end product do colemnly declare that the information contained in this form is true to the bear year of the product of the second fitting for the quality of the end product do colemnly declare that the information contained in this form is true to the bear year of the product of the second fitting for the quality of the end product do solemnly declare that the information contained in this form is true to the bear year of the product of the product of construction. Program which extends to each plant where febrication contained in this form is true to the bear good for the product of the propose and I make this solemn declaration conscientiously inges is regulated by a Quality Control Program which extends to each plant where febrication contained in this form is true to the bear good formation. Extended by also to be true, and knowing that it is of the same force and effect as if made under oath. Fitting for the quality of the end product. In this registered b	Manufacturers Nar	ne: Parker Hannifin Menufactu	rring France SAS	
Estagory of Fittings to be replatered. Circle one Category only Post fittings, including couplings, test, allows, Ys, plugs, unlong, pipe caps, or reducers C Velves: all fittings:	Plant Locations: red	nes	Meynler - 35069 RENNES CEDEX	
The Purpose all flangues D. Expension joints, flatchise connections, and hose assemblies: all types E. Strainers, flangues D. Expension joints, flatchise connections, and hose assemblies: all types E. Strainers, flangues, separators, and steam frage G. Cardified depatchy-rated pressure related views acceptable as primary over pressure protection on bodies, pressure vessels, plining and fashed largues H. Pressure retaining components: Clear I. Cleas 2 I. Clear 3 I. (Meeting CNSC or ASME requirements) Show Manufacturers Name. Trademark, or Logo as it will appear on the product TRANSAIR TRANSAIR TRANSAIR range: Ritting drawings Juryof the service reports. SO 9001 certificate range presents the product for which registeration is sought. The dimensions, metistales of construction, pressure temperatures, and dentification markings are in accordance with the herein named standards. Internationals and despensibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best lings, and identification markings are in accordance with the herein named standards. Internationals of construction, pressure temporals ingos is regulated by a Quality Control Program which extends to each plant where febroiston occurrs in whole or in part and has being is regulated by a Quality Control Program which extends to each plant where febroiston occurrs in which occurrs in which extends to each plant where febroiston occurrs in which occurrs in which extends to each plant where febroiston occurrs in which extends to each plant where febroiston occurrs in which extends to each plant where febroiston occurrs in which extends to each plant where febroiston occurrs in which extends to each plant where febroiston occurrs in which extends to each plant where febroiston occurrs in which extends to each plant where febroiston occurrs in which extends in the same force and effect as if made under oath. This registration must be revalidated after ten (10) years from the oate	Categon	of Fittings to be register	red. Circle one Category only	
D. Cycles of line valves D. Expansion plants, fleatible connections, and hose assemblies: all types E. Strainers, flinters, separators, and steam traps D. Expansion plants, fleatible connections, and hose assemblies: all types E. Strainers, fifters, separators, and steam traps G. Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, pilong and fusible pulge. H. Prassure relating components that do not fall into one of the above categories N. Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logio as it will appear on the product TRANSAIR TRANSAIR rangs: ### ATTENDATE TRANSAIR rangs ### ATTENDATE TRANSAIR rangs ### Or responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best lings, and identification markings are in accordance with the herein na health and marked the clear to the health of the present the product for which replication to each plant marked before the present the product for which replication is occupit. The dimensions, materials of construction, pressure temptings is regulated by a Quality Control Program which extends to each plant marked this collection occurs is whole or in part and has be inguised by a Quality Control Program which extends to each plant marked this collection conscientiously greature of Declarer: Claims of D	(Pripe mings, including	Title of the Standard of		
E Strainent filters, teachers, and steam traps F Measuring devices, Including pressure gauges, level gauges, sight glasses, levels, or pressure framemitters C cartified capacity-traited pressure gauges, level gauges, sight glasses, levels, or pressure framemitters C cartified capacity-traited pressure gauges, level gauges, sight glasses, levels, or pressure framemitters C cartified capacity-traited pressure gauges, level gauges, sight glasses, levels, or pressure framemitters N Nuclear components: Class 1	C Valves: all line valves	ı		ASME B31.1 1 (non-holler external
F. Measuring devices, including pressure gouges, level gauges, sight glasses, levels, or pressure transmitters G. Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vessels, plaing and habits plugs H. Pressure retaining components that do not fall into one of the above catagories N. Nuclear components Class 1. Class 2. D. (lass 3. D. (lass) C. (Nething CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as it will appear on the product TRANSAIR TR	D Expansion joints, flex	ible connections, and hose ass	semblies: all types	piping) & ASME B31.3
G careflied capacity-rated pressure relief devices acceptable as primary over pressure protection on boldes, pressure vessels, piping and fasible plugs Pressure relief devices search and a stable plugs Pressure relief mining components bett do not fall into one of the above catagories N Nuclear components: Class 1 Class 2 Class 3 Cl. (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as it will appear on the product TRANSAIR Trademark, or Logo as it will appear on the product TRANSAIR ange: It is of supporting documentation and identification of the actual items to be registered: 2 **TRANSAIR range: If thing drawings - proof lest reports - ISO 9001 certificate - range presentation and being the person having full author to range presentation and being the person having full author to range presentation and being the person having full author to range presentation or the control of the actual items to be registered. Cart and identification markings are in accordance with the herein named standards. If further declare that the manufacture of the right of the country of the country of the person having full author to range presents the product for which registration is exought. The dimensions, materials of construction, pressure temper infined by size. It is being a subject to be true, and knowing that it is of the same force and effect as if made under cath. In the declare that the manufacture of the right of the purpose and I make its isolener declaration conscientiously pressure from the date of acceptage. RELIEF STANCE (Affic Official seel to the right) This appear on the pressure pressure the pressure that the information occurs in whole or in part and has be included a first ten (10) years from the date of acceptage. Registered Lief Affice All Hopping Rev. 2 NOVER THE AUTHORY THE PUBLIC SET AUTHORY THE Public Center of the person heriting and isoporability for the quality of the end product. UNDER THE AUTHORY THE Public Center of the product of the product of the	F Measuring devices, in	irators, and steam traps icluding pressure gauges, leve	gauges sight glasses Imple or process	
M Pressure retaining components that do not fall all not one of the above catagorises N Nuclear components: Class 1	Hansmillers			
N Pricesure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 Class 2 Class 3 Clas	bollers pressure vess	I pressure relief devices accep	ptable as primary over pressure protection on	
N Nuclear components: Class 1 Class 2 Class 3 Class 3 (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as it will appear on the product TRANSAIR TRANSAIR TRANSAIR TRANSAIR TRANSAIR appear on the product TRANSAIR TRANSAIR range: Other Describe other: TRANSAIR range: Other Describe other: Other Describe other: Other Describe other: Other Describe other: This product of selection of the actual items to be registered: Other Describe other: Other Describe other: Other Describe other: Other Describe other: Other Describe other Describe other: Transair and being the person having full author of the actual items to be registered: Other Describe other: Other Describe Other Describe	H Pressure retaining cor	nponents that do not fall into o	one of the above categories	
TRANSAIR Transair Type of Construction TRANSAIR Transair Type of Construction TRANSAIR Transair Type of Construction Describe other a Wought Describe other Describe other a Wought Describe other Des				
TRANSAIR TRANSAIR TRANSAIR TRANSAIR TRANSAIR TRANSAIR range: fitting drawings -proof lest reports -iso 9001 certificate -range presentation Thantal BECKENSTEINER descriptions of the end product do solemnly declare that the information contained in this form is true to the beat of the product of the working series accordance with the herein named standards. I further declaration, pressure temperatings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has being the true, and knowing that it is of the same force and effect as if made under oath. This registration must be revalidated after ten (10) years from the date of acceptance of the control of the contr	Show Manufacturers	Name, Trademark, or Loc	on as it will appear on the product	and the same of th
List of supporting documentation and identification of the actual items to be registered: 2 2* TRANSAIR range: fitting drawings proof lest reports 15SO 9001 certificate range presentation cectaration: Chantal BECKENSTEINER (see note 3) employed by Parker Hannifin and being the person having full authority drappossibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best tings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of the standards of the construction, pressure tempers tings is regulated by a Quality Control Program which extends to each plant where febrication occurs in whole or in part and has being suitable for that purpose and I make this solent indication occurs in whole or in part and has being suitable to be true, and knowing that it is of the same force and effect as if made under oath. Instance of Declarer: clared before me at the same force and effect as if made under oath. We LATRILLE (Affix Official seel to the right) This registration must be revalidated after ten (10) years from the date of acceptance. All Fittings shall be registered in the name of the Manufacturer. Each Celloppory shall be supported with hos Statutory Declaration forms and one copy of supporting documentation. The Declaretion shall be made by the person having full authority and responsibility for the quality of the end product. UNDER THE AUTHORITY OF THE PUBLIC SAFETA 6.75 Weighs Rev.2.			as as it will appear oil the product	
Describe other: List of supporting documentation and identification of the actual items to be registered:		TRANSAIR		Cast D Other o
Parker Hannfilm and being the person having full authority services that the Information contained in this form is true to the bearings and dentification markings are in accordance with the herein named standards. In the occurrent whole or in part and has being strength and responsibility for the quality of the end product do solemnly declare that the Information contained in this form is true to the bearings, and identification markings are in accordance with the herein named standards. In their declare that the manufacture of the first objects are supported by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has being suitable for that purpose and I make this solemn declaration conscientiously ansture of Declarer: clared before me at a day of Nevenhear AD 200 Use this space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. (Affix Official seal to the right) This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. (Affix Official seal to the right) This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. (Affix Official seal to the right) This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. (Affix Official seal to the right) The Beclaration shall be neglectered in the name of the Manufacturer. Each Calegory shall be supported with two Statutory Declaration froms and one copy of supporting documentation. The Declaration shall be resultmitted for validation. The Declaration shall be resultmitted for validation. 11/2016 1				Describe other:
Parker Hannfilm and being the person having full authority services that the Information contained in this form is true to the bearings and dentification markings are in accordance with the herein named standards. In the occurrent whole or in part and has being strength and responsibility for the quality of the end product do solemnly declare that the Information contained in this form is true to the bearings, and identification markings are in accordance with the herein named standards. In their declare that the manufacture of the first objects are supported by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has being suitable for that purpose and I make this solemn declaration conscientiously ansture of Declarer: clared before me at a day of Nevenhear AD 200 Use this space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. (Affix Official seal to the right) This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. (Affix Official seal to the right) This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. (Affix Official seal to the right) This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. (Affix Official seal to the right) The Beclaration shall be neglectered in the name of the Manufacturer. Each Calegory shall be supported with two Statutory Declaration froms and one copy of supporting documentation. The Declaration shall be resultmitted for validation. The Declaration shall be resultmitted for validation. 11/2016 1				
Parker Hannfilm and being the person having full authority services that the Information contained in this form is true to the bearings and dentification markings are in accordance with the herein named standards. In the occurrent whole or in part and has being strength and responsibility for the quality of the end product do solemnly declare that the Information contained in this form is true to the bearings, and identification markings are in accordance with the herein named standards. In their declare that the manufacture of the first objects are supported by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has being suitable for that purpose and I make this solemn declaration conscientiously ansture of Declarer: clared before me at a day of Nevenhear AD 200 Use this space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. (Affix Official seal to the right) This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. (Affix Official seal to the right) This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. (Affix Official seal to the right) This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. (Affix Official seal to the right) The Beclaration shall be neglectered in the name of the Manufacturer. Each Calegory shall be supported with two Statutory Declaration froms and one copy of supporting documentation. The Declaration shall be resultmitted for validation. The Declaration shall be resultmitted for validation. 11/2016 1	List of supporting doc	cumentation and Identific	ation of the actual items to be registe	red:
ectaration: and being the person having full authors of responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best fings, and identification markings are in accordance with the herein named standards. Inturer declare that the manufacture of the finds of the same force and effect as if made under out. Part	6 2" IRANSAIR range:		The state of the s	104.
ectaration: Chambal BECKENSTEINER (see note 3) employed by Parker Hannifin and being the person having full authority of responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the bestings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of things is regulated by a Quality Control Program which extends to each plant where fabrication occurs whole or in part and has being suitable for that purpose and I make this solemn declaration conscientiously institute of Declarer: Clared before me at the product of the same force and effect as if made under oath. We LATRILLE (Affix Official seel to the right) This registration must be revalidated after ten (10) years from the date of acceptance. All Fittings shall be registrated in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. Part 11/2016 11/2016 Part 15/2016 Part 15/2016 And 15/2016 And 25/2016				
ectaration: Chantal BECKENSTEINER (see note 3) employed by Parker Hannifin and being the person having full authority and responsibility for the quality of the end product do solemnity declare that the information contained in this form is true to the bestings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of the herein named standards. I further declare that the manufacture of the product for which registration is sought. The dimensions, materials of construction, pressure temperatings is regulated by a Quality Control Program which extends to each plant where febrication course is whole or in part and has be seen plant where febrication course in whole or in part and has be seen plant where febrication course in whole or in part and has be seen plant where febrication course in whole or in part and has be seen plant where febrication declaration conscientiously institute of Declarer: clared before me at RENNES FRANCE (Affix Official seel to the right) This registration must be revalidated after ten (10) years from the date of acceptance. All Fillings sent the registration must be revalidated after ten (10) years from the date of acceptance. All Fillings sent the present which is stantory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. 11/2016 11/2016 11/2016 11/2016 11/2016				
ectaration: Charlal BECKENSTEINER (see note 3) employed by Parker Hannifin and being the person having full authority for the quality of the end product do solemnity declare that the information contained in this form is true to the bestings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of the fings is regulated by a Quality Control Program which extends to each plant where febrication occurs in whole or in part and has being suitable for that purpose and I make this solemn declaration consclentiously innature of Declarer: clared before me at See May of November AD 2018 We LATRILLE (Affix Official seel to the right) This space for Regulatory Authority use The registration must be revalidated after ten (10) years from the data of acceptance of the Wood Infiguration of the declaration consclention of the Manufacture: Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. Part 11/2016 UNDER THE AUTHORITY of THE Public SAFEDA 601 Whops Rev. 2 THE BOULER PRESSET AL AUTHORITY of THE Public SAFEDA 601 Whops Rev. 2 The Declaration programs shall be resubmitted for validation.				
Chemial BECKENSTEINER (see note 3) employed by Parker Hannifin and being the person having full authority of dresses and product do solemnly declare that the information contained in this form is true to the best product for which registration is sought. The dimensions, materials of construction, pressure temperatings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of the first special step of country program which extends to each plant where febrication occurs in whole or in part and has being suitable for that purpose and I make this solemn declaration conscientiously in the part of Declarer: Clared before me at the first special step of the same force and effect as if made under oath. Melatrille This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. All Fittings shall be registered in the name of the Manufacturer. Each Cetegory shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation.	- range presentation			
Chemial BECKENSTEINER (see note 3) employed by Parker Hannifin and being the person having full authority of dresses and product do solemnly declare that the information contained in this form is true to the best product for which registration is sought. The dimensions, materials of construction, pressure temperatings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of the first special step of country program which extends to each plant where febrication occurs in whole or in part and has being suitable for that purpose and I make this solemn declaration conscientiously in the part of Declarer: Clared before me at the first special step of the same force and effect as if made under oath. Melatrille This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. All Fittings shall be registered in the name of the Manufacturer. Each Cetegory shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation.				
Use tris space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. Use tris space for Regulatory Authority use This space for Regulatory Authority use This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. Service NL Registered OA 1576150 Apx) Date	tings is regulated by a Q arified by ateq alleving it to be true, and	uality Control Program whi as bein knowing that it is of the sai	ich extends to each plant where fabricating suitable for that purpose and I make the me force and effect as if made under oat	on occurs in whole or in part and has been his solern declaration conscientiously the
Me LATRILLE (Affix Official seel to the right) This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. RN: DA15761.5 ADD1 D#: 15817 Service NL Registered DA1576/50 ADD UNDER THE AUTHORITY OF THE PUBLIC SAFEBY AGD AND UNDER THE AUTHORITY OF THE PUBLIC SAFEBY AGD AND THE BOILER PRESCRIPE WE have a served.	is 6 th day of_	November AD 7	Use tris.s	Pene to the Office Sol
(Affix Official seal to the right) This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. RN: DA15761.5 ADD1 D#: 15817 Service NL Registered DA1576150 ADD Ali Fritings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. The Bollier Prescript in the purpose Rev. 2 UNDER THE AUTHORITY OF THE PUBLIC SAFERY AGY THE PUBLIC SAF	ommissioner of Uaths	· · · · · · · · · · · · · · · · · · ·	=	VANUAL DESCRIPTION OF THE PROPERTY OF THE PROP
This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. RN: DA15761.5 ADD1 D#: 15817 Service NL Registered DA15761.5 ADD1 All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. The BOILER PRESCRIPT is thomas Rev. 2 THE BOILER PRESCRIPT is thomas Rev. 2	Notary Public: (sign)	Nº LA I KILLE	X	XZXXXX
This registration must be revalidated after ten (10) years from the date of acceptance. RN: DA15761.5 ADD1 D#: 15817 Service NL Ali Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. UNDER THE AUTHORITY OF THE PUBLIC SAFEDI AGY AND THE BOILER PRESCRIPE AGY AND THE BOILER PRES		(Affix Official seal to the right		500
RN: DA15/61.5 ADD1 D#: 15817 Service NL Registered DA15/61.50 ADD All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. New Journal and Labrador Service NL Registered DA1576150 ADD Engineering and Inspection Services Registered by UNDER THE AUTHORITY OF THE PUBLIC SAFED AGD THE BOILER PRESCRIPE IN THE BOILER		This registration and the	space for Regulatory Authority use.	
D#: 15817 as: All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. Latitador Service NL Registered OA 1576150 Arm Engineering and Inspection Services Registered by UNDER THE AUTHORITY OF THE PUBLIC SAFELY 4677 Arm Public SAFELY 4677	PN: 0415761 5	A TI TI 1	availdated after ten (10) years from the date o	
as: All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and reaponsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. Service NL Registered D/ 1576/50 App. Engineering and lospection Services Registered by UNDER THE AUTHORITY OF THE PUBLIC SAFED AGO THE BOILER PRESCRIPE IN THE		_hDD1	\$6.0	Labrador
All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. Registered DA 1576150 App. Engineering and Inspection Services Registered by UNDER THE AUTHORITY OF THE PUBLIC SAFEDI AGY AND THE BOILER PRESCRIPE AGY AND THE BOILER PRES	D#: 15817			
Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. Date 900709 Engineering and inspection Services Registered by UNDER THE AUTHORITY OF THE PUBLIC SAFEDI 467 Authority of THE PUBLIC SAFEDI 467 Authority of THE SOILER PRESCRIPE of the one service of the service of th	tes:		R	
Engineering and Inspection Services Engineering and Inspection Services Engineering and Inspection Services Registered by UNDER THE AUTHORITY OF THE PUBLIC SAFEDI AGY THE 11/2016 Engineering and Inspection Services Registered by UNDER THE AUTHORITY OF THE PUBLIC SAFEDI AGY THE THE BOILER PRESCRIPE OF THE B			. De	
The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. UNDER THE AUTHORITY OF THE PUBLIC SAFETA 467 A Horizon Rev. 2 THE BOILER PRESCRIPT AND THE SOILER PRESCRIPT AN	Each Category shall be supp and one copy of supporting of	orted with two Statutory Declarations	on forms	1071
Quality Control programs shall be resubmitted for validation. UNDER THE AUTHORITY OF THE PUBLIC SAFETA 467 AND Rev. 2 THE BOILER PRESCRIPT OF THE BO	The Declaration shall be made	ie by the person having full author		
THE BOILER, PRESSURE VESSEL AGE AND A REV. 2				UNDER THE AUTHORITY AND IN
TOWNS IN DESCRIPTION OF THE POPULATION	11/2016		HI.	E BOILER PRESSURE THE PRESSURE REV.2
RN EXPIRES JAN. 21, 2023 - D. 6 COMPRESSED GAS REGULATIONS	RN EXPIRES T	11.01 2m2 D.I.	C	OMPRESSED GAS REGIL ATIONS