



Inspection and Technical Services Manitoba
500 - 401 York Avenue
Winnipeg Manitoba R3C 0P8
T (204) 945-3373
F (204) 948-2309
www.firecomm.gov.mb.ca/codes_steam_pressure.html

June 11, 2013

TSSA
3300 Bloor St. W, Center Tower, 14th Floor
Toronto, ON
M8X 2X4

Attn: Tanya Francis

REGISTRATION OF VALVES AND FITTINGS

Manufacturer: Parker Hannifin Manufacturing France SAS

The design(s) for the following Valves/Fittings has been received by us and has been examined and accepted for registration in the Province of Manitoba as follows.

DRAWING / CATALOGUE	CRN	FILE
CAT/T0026/UK	0A15761.54	32617

An invoice covering survey and registration fees is enclosed.

NOTE: This CRN includes Transair products diameters 16.5 mm, 25mm, 40mm and 63mm only. This registration expires January 21, 2023.

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

The registration of this design does not relieve the manufacturer, the owner or his agent of the responsibility for the design or construction of a fitting in accordance with the applicable Acts, Codes and Standards. Inspection and Technical Services assumes no responsibility by registering designs, examining plans and/or inspecting equipment or facility.

Yours truly,

Ryan DeLury, C.E.T.
Senior Design Surveyor, Inspection and Technical Services



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, François BRAULT, General Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of PARKER HANNIFIN MANUFACTURING FRANCE SAS

(Name of Manufacturer)

Located at 74, rue de Paris - CS 46911

(Plant Address)

+33 2 99 25 55 00

(Telephone No.)

+33 2 99 25 56 95

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME B31.3 & ASME B31.1 non boiler external piping

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with
as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001

which has been verified by the following authority, AFAQ

The items covered by this declaration, for which I seek registration, are category A type fittings. In support of this application, the following information and/or test data are attached as follows:

Ø 16.5, 25 & 40 mm TRANSAIR range according to test report made by accredited organization, drawings and calculation

(drawings, calculations, test reports, etc.)

Declared before me at

the

Commissioner for Other



Le notaire soussigné certifie véritable

La signature de François BRAULT of

Apposée ci-dessus, ci-contre, ci-dessous

Après vérification de l'AD 20, de la CN et du PASSEPORT

N° 05 RR 436695

Le 4 Avril 2005

Par le Préfet d'Ille et Vilaine

Sans aucun effet de la présente

Ni des effets du présent document.

Fait à RENNES(35) FRANCE le 9/10/2013 (Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the
Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and
CSA Standard B51 and is accepted for registration in Category A.

CRN: 0A15761.54

Registered by: Ryan Df

Dated: May 30, 2013

NOTE: This registration expires on JAN 21, 2023



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, François BRAULT, General Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of PARKER HANNIFIN MANUFACTURING FRANCE SAS

(Name of Manufacturer)

Located at 74, rue de Paris - CS 46911

(Plant Address)

+33 2 99 25 55 00

(Telephone No.)

+33 2 99 25 56 95

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME B31.3 & ASME B31.1 non boiler external piping

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with
as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001

which has been verified by the following authority, AFAQ

The items covered by this declaration, for which I seek registration, are category A type fittings. In support of this application, the following information and/or test data are attached as follows:

Ø 63 mm TRANSAIR range according to test report made by accredited organization, drawings and calculation

(drawings, calculations, test reports, etc.)

Declared before me at

the

Commissioner for

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Signature

Le notaire soussigné certifie véritable
La signature de François BRAULT
Apposée ci-dessus, ci-contre, ci-dessous
Après AD 20
N° 05 RR 436695
Délivré le 4 Avril 2005
Par le Préfet d'Ille et Vilaine
Sans aucune certification du contenu
Ni des effets du présent document.

Fait à RENNES (35) FRANCE le 09/10/2013

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the
Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and
CSA Standard B51 and is accepted for registration in Category A.

CRN: 0A15761.54

Registered by: Ryan D...

Dated: May 30, 2013

NOTE: This registration expires on JAN 21, 2023



Inspection and Technical Services Manitoba
500 - 401 York Avenue
Winnipeg Manitoba R3C 0P8
T (204) 945-3373
F (204) 948-2309
www.firecomm.gov.mb.ca/codes_steam_pressure.html

June 11, 2013

TSSA
3300 Bloor St. W, Center Tower, 14th Floor
Toronto, ON
M8X 2X4

Attn: Tanya Francis

REGISTRATION OF VALVES AND FITTINGS

Manufacturer: Parker Hannifin Manufacturing France SAS

The design(s) for the following Valves/Fittings has been received by us and has been examined and accepted for registration in the Province of Manitoba as follows.

DRAWING / CATALOGUE	CRN	FILE
CAT/T0026/UK	0H15761.54	32619

An invoice covering survey and registration fees is enclosed.

NOTE: This CRN includes Transair products diameters 16.5 mm, 25mm, 40mm and 63mm only. This registration expires January 21, 2023.

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

The registration of this design does not relieve the manufacturer, the owner or his agent of the responsibility for the design or construction of a fitting in accordance with the applicable Acts, Codes and Standards. Inspection and Technical Services assumes no responsibility by registering designs, examining plans and/or inspecting equipment or facility.

Yours truly,

Ryan DeLary, C.E.T.
Senior Design Surveyor, Inspection and Technical Services



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, François BRAULT, General Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of PARKER HANNIFIN MANUFACTURING FRANCE SAS

(Name of Manufacturer)

Located at 74, rue de Paris - CS 46911

(Plant Address)

+33 2 99 25 55 00

(Telephone No.)

+33 2 99 25 56 95

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME B31.3 & ASME B31.1 non boiler external piping

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with
as supported by the attached data which identifies the dimensions, material of construction,
pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001

which has been verified by the following authority, AFAQ

The items covered by this declaration, for which I seek registration, are category H type fittings. In support of
this application, the following information and/or test data are attached as follows:

Ø 63 mm TRANSAIR range according to test report made by accredited organization, drawings and calculation

(drawings, calculations, test reports, etc.)

Declared before me at

the

Commissioner for

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

the

Le notaire soussigné certifie véritable

La signature de François BRAULT

Apposée ci-dessus, ci-contre, ci-dessous

Après constatation de la C.I.P. (C.I.P. PASSEPORT

N° 05 RR 436695

Délivré le 4 Avril 2005

Par le Préfet d'Ille et Vilaine

Sans aucune certification du contenu

Ni des effets du présent document.

Fait à RENNES (35) FRANCE, le 9/10/2012

(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the
Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and
CSA Standard B51 and is accepted for registration in Category H

CRN: 0115761.54

Registered by: Ryan J. [Signature]

Dated: MAY 30, 2013

NOTE: This registration expires on JAN 21, 2023



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, François BRAULT, General Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of PARKER HANNIFIN MANUFACTURING FRANCE SAS

(Name of Manufacturer)

Located at 74, rue de Paris - CS 46911

(Plant Address)

+33 2 99 25 55 00

(Telephone No.)

+33 2 99 25 56 95

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME B31.3 & ASME B31.1 non boiler external piping

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with
as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001

which has been verified by the following authority, AFAQ

The items covered by this declaration, for which I seek registration, are category H type fittings. In support of this application, the following information and/or test data are attached as follows:


Ø 16.5, 25 & 40 mm TRANSAIR range according to test report made by accredited organization, drawings and calculation

(drawings, calculations, test reports, etc.)

Declared before me at

the

Commissioner for Oaths



(Signature)

Le notaire soussigné certifie véritable
La signature de in the François BRAULT of

Apposée ci-dessus, ci-contre, ci-dessous

ArAD-20 présentation de la Carte d'IDENTIFICATION

N° 05 RR 436695

De 4 Avril 2005

Par Le Préfet d'Ille et Vilaine

Sans aucune contrepartie

Ni des effets du présent document.

FAIT A RENNES (35) FRANCE le 9/10/2012

(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the
Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and
CSA Standard B51 and is accepted for registration in Category H.

CRN:

0H157d.54

Registered by:

Ryad

Dated:

MAY 30, 2013

NOTE: This registration expires on JAN 21, 2023



Inspection and Technical Services Manitoba
500 - 401 York Avenue
Winnipeg Manitoba R3C 0P8
T (204) 945-3373
F (204) 948-2309
www.firecomm.gov.mb.ca/codes_steam_pressure.html

June 11, 2013

TSSA
3300 Bloor St. W, Center Tower, 14th Floor
Toronto, ON
M8X 2X4

Attn: Tanya Francis

REGISTRATION OF VALVES AND FITTINGS

Manufacturer: Parker Hannifin Manufacturing France SAS

The design(s) for the following Valves/Fittings has been received by us and has been examined and accepted for registration in the Province of Manitoba as follows.

DRAWING / CATALOGUE	CRN	FILE
CAT/T0026/UK	0C15761.54	32618

An invoice covering survey and registration fees is enclosed.

***NOTE:** This CRN includes Transair products diameters 16.5 mm, 25mm, 40mm and 63mm only. This registration expires January 21, 2023.*

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

The registration of this design does not relieve the manufacturer, the owner or his agent of the responsibility for the design or construction of a fitting in accordance with the applicable Acts, Codes and Standards. Inspection and Technical Services assumes no responsibility by registering designs, examining plans and/or inspecting equipment or facility.

Yours truly,

Ryan DeLury, C.E.T.
Senior Design Surveyor, Inspection and Technical Services



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, François BRAULT, General Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of PARKER HANNIFIN MANUFACTURING FRANCE SAS

(Name of Manufacturer)

Located at 74, rue de Paris - CS 46911

(Plant Address)

+33 2 99 25 55 00

(Telephone No.)

+33 2 99 25 56 95

(Fax No.)



do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME B31.3 & ASME B31.1 non boiler external piping

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;



or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with
as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.


I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001

which has been verified by the following authority, AFAQ

The items covered by this declaration, for which I seek registration, are category C type fittings. In support of this application, the following information and/or test data are attached as follows:

Ø 63 mm TRANSAIR range according to test report made by accredited organization, drawings and calculation

(drawings, calculations, test reports, etc.)



Le notaire soussigné certifie véritable
La signature de François BRAULT

Apposée ci-dessus, ci-contre, ci-dessous

Après présentation de la CNI ou PASSPORT

N° 05 RR 436695

Délivré le 4 Avril 2005

Par le Préfet d'Ille et Vilaine

Sans aucune certification du contenu

Ni des effets du présent document.

Fait à RENNES (35) FRANCE, le 9/10/2012

(Signature)

(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the
Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and
CSA Standard B51 and is accepted for registration in Category C.

CRN:

0615761.54

Registered by:

[Signature]

Dated:

MAY 30, 2013

NOTE: This registration expires on JAN 21, 2013



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, François BRAULT, General Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of PARKER HANNIFIN MANUFACTURING FRANCE SAS

(Name of Manufacturer)

Located at 74, rue de Paris - CS 46911

(Plant Address)

+33 2 99 25 55 00

(Telephone No.)

+33 2 99 25 56 95

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME B31.3 & ASME B31.1 non boiler external piping

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with
as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.


I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001

which has been verified by the following authority, AFAQ

The items covered by this declaration, for which I seek registration, are category C type fittings. In support of this application, the following information and/or test data are attached as follows:

Ø 16.5, 25 & 40 mm TRANSAIR range according to test report made by accredited organization, drawings and calculation

(drawings, calculations, test reports, etc.)



Le notaire soussigné certifie véritable

La signature de François BRAULT of

Apposée ci-dessus, ci-contre, ci-dessous

Après présentation de la CNI ou PASSEPORT

N° 05 RR 436695

Déclaré le 4 Avril 2005

Par le Préfet d'Ille et Vilaine

Sans aucune certification du contenu

Ni des effets du présent document.

Fait à RENNES (35) FRANCE le 9/10/2012 (Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C.

CRN: 0015761.54

Registered by: Ryan

Dated: May 30, 2013

NOTE: This registration expires on JAN 21, 2023