



14th Floor, Centre Tower  
3300 Bloor Street West  
Toronto, Ontario  
Canada M8X 2X4  
Tel.: 416.734.3300  
Fax: 416.231.1626  
Toll Free: 1.877.682.8772

[www.tssa.org](http://www.tssa.org)

July 03, 2013

ANTHONY LE ROUX  
PARKER HANNIFIN FRANCE  
74 RUE DE PARIS;CS 46911  
RENNES FRANCE 35704  
FR

Service Request Type.: BPV-National CSA  
Service Request No.: 1063516  
Your Reference No.:  
Registered to.: PARKER HANNIFIN FRANCE

Dear ANTHONY LE ROUX,

Please find enclosed the original response from QC,SK, registered under the CRN No.: CSA-0C15761.56.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.  
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis  
Administrative Assistant\_ BPV Engineering  
Tel : 416-734-3423  
Fax : 416-231-6183  
Email : [tfrancis@tssa.org](mailto:tfrancis@tssa.org)



TECHNICAL STANDARDS &  
SAFETY AUTHORITY  
14th Floor, Centre Tower  
3300 Bloor Street West  
Toronto, Ontario  
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will  
appear on the fitting, in the space below



## STATUTORY DECLARATION Registration of Fittings

I, François BRAULT, General Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of PARKER HANNIFIN MANUFACTURING FRANCE SAS

(Name of Manufacturer)

Located at 74, rue de Paris - CS 46911

(Plant Address)

+33 2 99 25 55 00

(Telephone No.)

+33 2 99 25 56 95

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of  
ASME B31.3 & ASME B31.1 non boiler external piping

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001  
which has been verified by the following authority, AFAQ

The items covered by this declaration, for which I seek registration, are category C type fittings. In support of this application, the following information and/or test data are attached as follows:


Ø 63 mm TRANSAIR range according to test report made by accredited organization, drawings and calculation

(drawings, calculations, test reports, etc.)

Declared before me at

the

Commissioner for Oaths



(Signature)

Le notaire soussigné certifie véritable  
La signature de François BRAULT in the \_\_\_\_\_ of \_\_\_\_\_

Apposée ci-dessus, ci-contre, ci-dessous  
Après présentation de la CNI ou PASSPORT  
AD 20

N° 05 RR 436695

Délivré le 4 Avril 2005

Par le Préfet d'Ille et Vilaine

Sans aucune certification du contenu

Ni des effets du présent document.

Fait à RENNES (35) FRANCE, le 9/10/2012

(Signature of Declarer)

### FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C

CRN:

CSA - OC 15761.56

Registered by:

B. SANDHU

Dated:

APRIL 16, 2013

NOTE: This registration expires on

JAN 21 2023



REGISTERED

C.R.N.: CSA-OC15761.56

Signed: Bekramjit Sandhu

Date: 16 April 2013

178 Rexdale Blvd., Toronto, ON M9W 1R3





TECHNICAL STANDARDS &  
SAFETY AUTHORITY  
14th Floor, Centre Tower  
3300 Bloor Street West  
Toronto, Ontario  
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will  
appear on the fitting, in the space below



## STATUTORY DECLARATION

### Registration of Fittings

I, François BRAULT, General Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of PARKER HANNIFIN MANUFACTURING FRANCE SAS

(Name of Manufacturer)

Located at 74, rue de Paris - CS 46911

(Plant Address)

+33 2 99 25 55 00

(Telephone No.)

+33 2 99 25 56 95

(Fax No.)



do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of  
ASME B31.3 & ASME B31.1 non boiler external piping

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;



or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with  
as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001

which has been verified by the following authority, AFAQ

The items covered by this declaration, for which I seek registration, are category C type fittings. In support of this application, the following information and/or test data are attached as follows:


Ø 16.5, 25 & 40 mm TRANSAIR range according to test report made by accredited organization, drawings and calculation

(drawings, calculations, test reports, etc.)

Declared before MR L. Notaire Associé

the Day of

Commissioners for Oaths



(Signature)

Le notaire soussigné certifie véritable

La signature de François BRAULT in the

of

Apposée ci-dessus, ci-contre, ci-dessous

Après présentation de la CNIL ou PASSEPORT

N° 05 RR 436695

Délivré le 4 Avril 2005

Par le Préfet d'Ille et Vilaine

Sans aucune certification du contenu

Ni des effets du présent document.

Fait à RENNES (35) FRANCE le

(Signature of Declarer)

### FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C

CRN:

CSA - OC 15761.56

Registered by:

B. SANDHU


Dated:

APRIL 16, 2013

NOTE: This registration expires on

JAN. 21. 2023

PV 09553 (06/04)





**Inspection and Technical Services Manitoba**  
500 - 401 York Avenue  
Winnipeg Manitoba R3C 0P8  
T (204) 945-3373  
F (204) 948-2309  
[www.firecomm.gov.mb.ca/codes\\_steam\\_pressure.html](http://www.firecomm.gov.mb.ca/codes_steam_pressure.html)

June 11, 2013

TSSA  
3300 Bloor St. W, Center Tower, 14<sup>th</sup> Floor  
Toronto, ON  
M8X 2X4

Attn: Tanya Francis

#### **REGISTRATION OF VALVES AND FITTINGS**

**Manufacturer:** Parker Hannifin Manufacturing France SAS

The design(s) for the following Valves/Fittings has been received by us and has been examined and accepted for registration in the Province of Manitoba as follows.

<b>DRAWING / CATALOGUE</b>	<b>CRN</b>	<b>FILE</b>
CAT/T0026/UK	0C15761.54	32618

**An invoice covering survey and registration fees is enclosed.**

***NOTE:** This CRN includes Transair products diameters 16.5 mm, 25mm, 40mm and 63mm only. This registration expires January 21, 2023.*

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

The registration of this design does not relieve the manufacturer, the owner or his agent of the responsibility for the design or construction of a fitting in accordance with the applicable Acts, Codes and Standards. Inspection and Technical Services assumes no responsibility by registering designs, examining plans and/or inspecting equipment or facility.

Yours truly,

Ryan DeLury, C.E.T.  
Senior Design Surveyor, Inspection and Technical Services





TECHNICAL STANDARDS &  
SAFETY AUTHORITY  
14th Floor, Centre Tower  
3300 Bloor Street West  
Toronto, Ontario  
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will  
appear on the fitting, in the space below



## STATUTORY DECLARATION Registration of Fittings

I, François BRAULT, General Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of PARKER HANNIFIN MANUFACTURING FRANCE SAS

(Name of Manufacturer)

Located at 74, rue de Paris - CS 46911

(Plant Address)

+33 2 99 25 55 00

(Telephone No.)

+33 2 99 25 56 95

(Fax No.)

- ☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of  
ASME B31.3 & ASME B31.1 non boiler external piping

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

- ☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with  
as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001  
which has been verified by the following authority, AFAQ

The items covered by this declaration, for which I seek registration, are category C type fittings. In support of  
this application, the following information and/or test data are attached as follows:


Ø 16.5, 25 & 40 mm TRANSAIR range according to test report made by accredited organization, drawings and calculation

(drawings, calculations, test reports, etc.)

Declared before me at

the

Commissioner for Oaths



(Signature)

Le notaire soussigné certifie véritable

La signature de François BRAULT in the

of

Apposée ci-dessus, ci-contre, ci-dessous

Après présentation de la CNI ou PASSEPORT

N° 05 RR 436695

Déclaré le 4 Avril 2005

Par le Préfet d'Ille et Vilaine

Sans aucune certification du contenu

Ni des effets du présent document.

Fait à RENNES (35) FRANCE le

(Signature of Declarer)

### FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the  
**Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and  
CSA Standard B51 and is accepted for registration in Category C.

CRN:

0215761.54

Registered by:

Ryan [Signature]

Dated:

MAY 30, 2013

NOTE: This registration expires on

JAN 21, 2023



TECHNICAL STANDARDS &  
SAFETY AUTHORITY  
14th Floor, Centre Tower  
3300 Bloor Street West  
Toronto, Ontario  
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will  
appear on the fitting, in the space below



## STATUTORY DECLARATION Registration of Fittings

I, François BRAULT, General Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of PARKER HANNIFIN MANUFACTURING FRANCE SAS

(Name of Manufacturer)

Located at 74, rue de Paris - CS 46911

(Plant Address)

+33 2 99 25 55 00

(Telephone No.)

+33 2 99 25 56 95

(Fax No.)



do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of  
ASME B31.3 & ASME B31.1 non boiler external piping

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;



or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with  
as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001  
which has been verified by the following authority, AFAQ

The items covered by this declaration, for which I seek registration, are category C type fittings. In support of  
this application, the following information and/or test data are attached as follows:


Ø 63 mm TRANSAIR range according to test report made by accredited organization, drawings and calculation

(drawings, calculations, test reports, etc.)

Declared before me

the

Commissioner for Oaths



(Signature)

Le notaire soussigné certifie véritable  
La signature de François BRAULT in the

Apposée ci-dessus, ci-contre, ci-dessous

Après présentation de la CNI ou PASSEPORT

N° 05 RR 436695

Délivré le 4 Avril 2005

Par le Préfet d'Ile et Vilaine

Sans aucune certification du contenu

Ni des effets du présent document.

Fait à RENNES (35) FRANCE, le 9/10/2012

(Signature of Declarer)

### FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the  
**Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and  
CSA Standard B51 and is accepted for registration in Category C.

CRN:

0C15761.54

Registered by:

[Signature]

Dated:

MAY 30, 2013

NOTE: This registration expires on JAN 21, 2013