

# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Corporation, Instrumentation Products Division	
Manufacturers Address: 1905 A Cleaner Way, Huntsville, Alabama, USA, 35895	
Plant Locations: 2651 Alabama Highway 21 North, Jacksonville, Alabama, USA 36205	
<b>Category of Fittings to be registered. Circle one Category only</b> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	<b>Title of the Standard of Construction</b> MSS SP-99, Instrument Valves
<b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b> <div style="text-align: center; font-size: 2em; font-weight: bold;">P</div>	<b>Type of Construction</b> Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:
<b>List of supporting documentation and identification of the actual items to be registered:</b> Scope of Registration with Attachments for the <del>PV Series Plug Valves</del> and the V, VQ, NP6, and <del>GN6</del> Series Needle Valves; Renewal of CRN 0C6261.5	

## Declaration:

I, Craig Beckwith, Division General Manager (see note 3) employed by Parker Hannifin, IPD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DNV-GL as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Huntsville, Alabama, USA


This 3<sup>rd</sup> day of June AD 2020

Commissioner of Oaths

Or Notary Public: (sign) 

(Affix Official seal to the right)

Use this space for the Official Seal

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: 0C6261.5 Rev2 FID#: 2003 Revision is CRN renewal (No record of this CRN prior). Note: V NP6 series needle valves. VQ series Toggle valves.	<b>ACCEPTED</b> PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT C.R.N. 0C6261.59 Rev2 DATE: Feb 19 2021  INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH
1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. MSS SP-99 supp. by stress analysis/calculations CRN expires Dec.21, 2030 - DG	Form 1.0 - Fittings Rev.2 11/2018



# **UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Corporation, Instrumentation Products Division	
Manufacturers Address: 1005 A Cleaner Way, Huntsville, Alabama, USA, 35805	
Plant Locations: 2651 Alabama Highway 21 North, Jacksonville, Alabama, USA 36265	
<b>Category of Fittings to be registered. Circle one Category only</b> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	<b>Title of the Standard of Construction</b> MSS SP-99, Instrument Valves
<b>Show Manufacturers Name, Trademark or Logo as it will appear on the product</b> <div align="center" style="font-size: 2em; font-weight: bold;">P</div>	<b>Type of Construction</b> Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:
<b>List of supporting documentation and identification of the actual items to be registered:</b> Scope of Registration with Attachments for the <del>PV Series Plug Valves</del> and the V, VQ, NP6, and <del>GN6</del> Series Needle Valves; Renewal of CRN 0C6261.5	

## **Declaration:**

I, Craig Beckwith, Division General Manager (see note 3) employed by Parker Hannifin, IPD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DNV-GL as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Huntsville, Alabama, USA


This 3<sup>rd</sup> day of June AD 2020

Use this space for the Official Seal

Commissioner of Oaths

Or Notary Public: (sign) 

(Affix Official seal to the right)

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.	Newfoundland Labrador Service NL Registered <u>0C6261.50 Rev. 2</u> Date <u>21/02/22</u> Engineering and Inspection Services Registered by <u></u> UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSOR REGISTRATION
CRN: <u>0C6261.5 Rev2</u> FID#: <u>2003</u> Revision is CRN renewal (No record of this CRN prior). Note: <u>V NP6 series needle valves. VQ series Toggle valves.</u> 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. MSS SP-99 supp. by stress analysis/calculations CRN expires Dec.21, 2030 - DG	



# **UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Corporation, Instrumentation Products Division	
Manufacturers Address: 1005 A Cleaner Way, Huntsville, Alabama, USA, 35805	
Plant Locations: 2851 Alabama Highway 21 North, Jacksonville, Alabama, USA 38265	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><input checked="" type="radio"/> C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p>MSS SP-99, Instrument Valves</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center"><b>P</b></p>	<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>Scope of Registration with Attachments for the PV Series Plug Valves and the V, VQ, NP6, and SNG Series Needle Valves; Renewal of CRN 0C6261.5</p>	

## **Declaration:**

I Craig Beckwith, Division General Manager (see note 3) employed by Parker Hannifin, IPD and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DIV-GL as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Huntsville, Alabama, USA



This 3<sup>rd</sup> day of June AD 2020

Commissioner of Oaths

Or Notary Public: (sign) 

(Affix Official seal to the right)

Use this space for the Official Seal

<p>CRN: <u>0C6261.5 Rev2</u></p> <p>FID#: <u>2003</u></p> <p>Revision is CRN renewal (No record of this CRN prior).</p> <p>1. All Fittings shall be registered in the name of the Manufacturer.</p> <p>2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</p> <p>3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</p> <p>4. Quality Control programs shall be resubmitted for validation.</p> <p>MSS SP-99 supp. by stress analysis/calculations</p> <p>CRN expires Dec.21, 2030 - DG</p>	<p align="center">This space for Regulatory Authority use.</p> <p align="right">This registration must be revalidated after ten (10) years from the date of registration.</p> <p align="center"></p> <p align="center">Northwest Territories</p> <p align="center"><b>REGISTERED</b></p> <p align="center"><b>UNDER THE AUTHORITY OF</b></p> <p align="center"><b>THE BOILER AND PRESSURE</b></p> <p align="center"><b>VESSEL ACT.</b></p> <p align="center">C.R.N. <u>0C6261.5T Rev2</u></p> <p align="center">SIGNED <u></u></p> <p align="center">DATE <u>Feb 22, 2020</u></p> <p align="right">65.00</p> <p align="right">Best 1.0 - Fittings Rev.2 11/2016</p>
--	---