


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Manufacturing France SAS	
Manufacturers Address: 1 Rue Andre et Yvonne Meynier, Rennes, France, 35069	
Plant Locations: SAME AS ABOVE	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>- ASME B31.3</p> <p>- ASME B31.1</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center"></p>	<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- TRANSAIR MODULAR PIPE VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

Declaration:

I OLIVIER NADOU, GENERAL MANAGER (see note 3) employed by Parker Hannifin Manufacturing France SAS and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 AFNOR as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]


Declared before me at Annemasse

This 5 day of December AD 2022

Commissioner of Oaths

Or Notary Public: (sign) Thierry ANDRIER

(Affix Official seal to the right)



for the Official Seal

<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p>	
<p>CRN: <u>0C15761.5 Rev.3</u></p> <p>FID#: <u>15817</u></p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>Scope: CRN renewal. Transair Modular Pipe System. Includes safety lockable double female ball valve; 1 port, 2 port 45deg. wall bracket with 1/2" ball valve - NPT; 3 port wall bracket with ball valve - NPT.</p> <p>4 plant locations included in this registration. 145psi @ 140F.</p>	<p align="center">ACCEPTED</p> <p align="center">PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT</p> <p>C.R.N. <u>0C15761.59 Rev.3</u></p> <p>DATE: <u>March 10 2023</u></p> <p align="center"><u>[Signature]</u> INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH</p>

CRN expires Feb.22nd, 2033 (DGallant)


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Manufacturing France SAS	
Manufacturers Address: 1 Rue Andra et Yvonne Maynier, Rennes, France, 35069	
Plant Locations: SAME AS ABOVE	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>- ASME B31.3</p> <p>- ASME B31.1</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center"></p>	<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- TRANSAIR MODULAR PIPE VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

Declaration:

I OLIVIER NADOU, GENERAL MANAGER (see note 3) employed by Parker Hannifin Manufacturing France SAS and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 AFNOR as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]


Declared before me at Annemasse

This 5 day of December AD 2022

Commissioner of Oaths

Or Notary Public: (sign) Thierry ANDRIER

(Affix Official seal to the right)



Place for the Official Seal

<p>CRN: <u>0C15761.5 Rev.3</u></p> <p>FID#: <u>15817</u></p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>Scope: CRN renewal: Transair Modular Pipe System. Includes safety lockable double female ball valve; 1 port, 2 port 45deg. wall bracket with ball valve - NPT; 3 port wall bracket with ball valve - NPT.</p> <p>4 plant locations included in this registration. 145psi @ 140F</p>	<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p align="center">NOVA SCOTIA</p> <p align="center">Date <u>14 Mar 2023</u></p> <p align="center">C.R.N. <u>0C15761.58 Rev.3</u></p> <p align="center">Dwg. <u>As described</u></p> <p align="center">Signed <u>[Signature]</u></p> <p align="center">Sect 1.0 - Fittings Reg. 1 of 1 Part</p>
--	--

CRN expires Feb.22nd, 2033 (DGallant)


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Manufacturing France SAS	
Manufacturers Address: 1 Rue Andre et Yvonne Meynier, Rennes, France, 35069	
Plant Locations: SAME AS ABOVE	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>- ASME B31.3</p> <p>- ASME B31.1</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div style="text-align: center;">  </div>	<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input checked="" type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- TRANSAIR MODULAR PIPE VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

Declaration:

I OLIVIER NADOU, GENERAL MANAGER (see note 3) employed by Parker Hannifin Manufacturing France SAS and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001: 2015 AFNOR as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: _____


Declared before me at Agassac


This 5 day of September AD 2022

Commissioner of Oaths

Or Notary Public: (sign) Thierry ANDRIER

(Affix Official seal to the right)



<p>This space for Regulatory Authority use.</p> <p style="text-align: center;">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0C15761.5 Rev.3</u></p> <p>FID#: <u>15817</u></p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>Scope: CRN renewal. Transair Modular Pipe System. Includes safety lockable double female ball valve; 1 port, 2 port 45deg. wall bracket with ball valve - NPT; 3 port wall bracket with ball valve - NPT.</p> <p>4 plant locations included in this registration. 145psi @ 140F.</p>	<p style="text-align: center;">DEPT OF JUSTICE PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT</p> <p style="text-align: center;">REGISTRATION ONLY</p> <p>CRN <u>0C15761.57 Rev 3</u></p> <p style="text-align: center;">  CHIEF BOILER INSPECTOR DATE <u>3/10/23</u> </p> <p style="text-align: right;">Sect 1.0 - Fittings Rev.2</p> <div style="display: flex; justify-content: space-around;"> <div> <input type="checkbox"/> BLRs <input type="checkbox"/> FITTINGS </div> <div> <input type="checkbox"/> PVs <input type="checkbox"/> NUCLEAR COMPONENTS </div> </div>
---	--

CRN expires Feb.22nd, 2033 (DGallant)


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Manufacturing France SAS	
Manufacturers Address: 1 Rue Andre et Yvonne Meynier, Rennes, France, 35069	
Plant Locations: SAME AS ABOVE	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><input checked="" type="radio"/> C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>- ASME B31.3</p> <p>- ASME B31.1</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  </div>	
<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>	
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- TRANSAIR MODULAR PIPE VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

Declaration:

I OLIVIER NADOU, GENERAL MANAGER (see note 3) employed by Parker Hannifin Manufacturing France SAS and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 AFNOR as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: _____


Declared before me at Amqui

This 5 day of December AD 2022

Commissioner of Oaths

Or Notary Public: (sign) Thierry ANDRIER

(Affix Official seal to the right)



Register the Official Seal

<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p align="center">Newfoundland Labrador</p>	
<p>CRN: <u>OC15761.5 Rev.3</u></p> <p>FID#: <u>15817</u></p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>Scope: CRN renewal. Transair Modular Pipe System. Includes safety lockable female ball valve; 1 port, 2 port 45deg. wall bracket with ball valve - NPT; 3 port wall bracket with ball valve - NPT.</p> <p>4 plant locations included in this registration. 145psi @ 140F</p>	<p>Registered <u>OC15761.5 Rev.3</u></p> <p>Date <u>March 13, 2023</u></p> <p>Engineering and Inspection Services</p> <p>Registered by <u>[Signature]</u></p> <p align="center">UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS</p> <p align="right">Sect 1.0 - Fittings Rev.2</p>

CRN expires Feb.22nd, 2033 (DGallant)


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Manufacturing France SAS	
Manufacturers Address: 1 Rue Andre et Yvonne Meynier, Rennes, France, 35069	
Plant Locations: SAME AS ABOVE	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>- ASME B31.3</p> <p>- ASME B31.1</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> 	<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- TRANSAIR MODULAR PIPE VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

Declaration:

I OLIVIER NADOU, GENERAL MANAGER (see note 3) employed by Parker Hannifin Manufacturing France SAS and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 AFNOR as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]


Declared before me at Annemasse

This 5 day of December AD 2022


Commissioner of Oaths

Or Notary Public: (sign) Thierry ANDRIER

(Affix Official seal to the right)



Place for the Official Seal

<p>This space for Regulatory Authority use.</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p>	
<p>CRN: <u>0C15761.5 Rev.3</u></p> <p>FID#: <u>15817</u></p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>Scope: CRN renewal. Transair Modular Pipe System. Includes safety lockable double female ball valve; 1 port, 2 port 45deg. wall bracket with 1/2" ball valve - NPT; 3 port wall bracket with ball valve - NPT.</p> <p>4 plant locations included in this registration. 145psi @ 140F.</p>	 <p>GOVERNMENT OF YUKON</p> <p>BY <u>[Signature]</u></p> <p>CRN <u>0C15761.5Y REV.3</u></p> <p>DATE <u>10/03/2023</u></p> <p>Sect 1.0 - Fittings Rev.2</p> <p>BOILERS BRANCH</p>

CRN expires Feb.22nd, 2033 (DGallant)


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Parker Hannifin Manufacturing France SAS</u>	
Manufacturers Address: <u>1 Rue Andre et Yvonne Meynier, Rennes, France, 35069</u>	
Plant Locations: <u>SAME AS ABOVE</u>	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	Title of the Standard of Construction - ASME B31.3 - ASME B31.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:
List of supporting documentation and identification of the actual items to be registered: - TRANSAIR MODULAR PIPE VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS	

Declaration:

I OLIVIER NADOU, GENERAL MANAGER (see note 3) employed by Parker Hannifin Manufacturing France SAS and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 AFNOR as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Annemasse

This 5 day of December AD 2022


Commissioner of Oaths

Or Notary Public: (sign) Thierry ANDRIER

(Affix Official seal to the right)



For the Official Seal

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. CRN: <u>OC15761.5 Rev.3</u> FID#: <u>15817</u> Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Scope: CRN renewal. Transair Modular Pipe System. Includes safety lockable double female ball valve; 1 port, 2 port 45deg. wall bracket with ball valve - NPT; 3 port wall bracket with ball valve - NPT. 4 plant locations included in this registration. 145psi @ 140F	 Northwest Territories REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.R.N. <u>OC15761.5 Rev.3</u> SIGNED <u>[Signature]</u> DATE <u>March 15 2023</u>
--	---

CRN expires Feb.22nd, 2033 (DGallant)

65.00


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Manufacturing France SAS	
Manufacturers Address: 1 Rue Andre et Yvonne Meynier, Rennes, France, 35069	
Plant Locations: SAME AS ABOVE	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>- ASME B31.3</p> <p>- ASME B31.1</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> 	<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- TRANSAIR MODULAR PIPE VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

Declaration:

I OLIVIER NADOU, GENERAL MANAGER (see note 3) employed by Parker Hannifin Manufacturing France SAS and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 AFNOR as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 


Declared before me at Amqui

This 5 day of December AD 2022


Commissioner of Oaths

Or Notary Public: (sign) Thierry ANDRIER

(Affix Official seal to the right)



for the Official Seal

<p>This space for Regulatory Authority use.</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0C15761.5 Rev.3</u></p> <p>FID#: <u>15817</u></p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>Scope: CRN renewal. Transair Modular Pipe System. Includes safety lockable double female ball valve; 1 port, 2 port 45deg. wall bracket with ball valve - NPT; 3 port wall bracket with ball valve - NPT.</p> <p>4 plant locations included in this registration. 145psi @ 140F</p> <p>CRN expires Feb.22nd, 2033 (DGallant)</p>	<p>Boilers and Pressure Vessels Act</p> <p>REGISTERED</p> <p>CRN <u>0C15761.5N Rev 3</u></p> <p>Date <u>2023-03-09</u></p> <p>Signed </p> <p>Chief Inspector</p> <p>Sect 1.0 - Fittings Rev.2</p> <p>Territorial Registration Fee</p>
---	---