


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Manufacturing Ltd	
Manufacturers Address: Riverside Road, Pollington Business Park, Devon, EX311NP, UK.	
Plant Locations: As above with additional manufacturing at: 285 Alabama Hwy 21 North, Jacksonville, AL USA	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>EEMUA 182</p> <p>ASME B31.1</p> <p>ASME B31.3</p> <p>ASME B16.5</p> <p>ASME B16.34</p> <p>ASME VIII</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> 	<p>Type of Construction</p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p> <p>Body=Forged & Components= Wrought Bar</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>Existing CRN Submissions: 0C19249.x;</p> <p>Addendum: CRN 0C19249.x Pro-Bloc 10-20mm Addendum – Rev A;</p> <p>Calcs:</p> <p>CRN - EEMUA 182 MAST calculations 10mm r3</p> <p>CRN - EEMUA 182 MAST calculations 15-20mm r2</p>	

Declaration:

I, James Nelson (see note 3) employed by Parker Hannifin and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Bureau Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: J. P. Nelson

Declared before me at Summit Ridge, Nova Scotia

This 20th day of March AD 2023

Commissioner of Oaths

Or Notary Public: (sign) [Signature]

(Affix Official seal to the right)


Maurice Clark

Solicitor/Notary Public

First Floor, Avery House,

Liberty Road, Roundswell,

Barnstable EX31 3TL



<p>CRN: <u>0C19249.5 Add.1</u></p> <p>FID#: <u>2655</u></p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>Scope: Addendum, Pro-Bloc 'EP Series'. Models ^{11/2016}EPBx, ESPBx & EJPBx replacing existing models PBYx, SPBYx & JPBx. Wall thickness, P&T rating and material per ASME B16.34 requirements.</p> <p>CRN expires March 22nd, 2027 (DGallant)</p>	<p align="center">This space for Regulatory Authority use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance</p> <p align="center">ACCEPTED</p> <p align="center">PROVINCE OF PRINCE EDWARD ISLAND</p> <p align="center">COMMUNITIES, LAND & ENVIRONMENT</p> <p align="center">C.R.N. <u>0C19249.59 Add1</u></p> <p align="center">DATE: <u>March 23, 2023</u></p> <p align="center"><u>[Signature]</u></p> <p align="center">INSPECTION SERVICES SECTION</p> <p align="center">BOILER/PRESSURE VESSEL BRANCH</p> <p align="center">CRN expires March 27th, 2027 (DGallant)</p> <p align="right">Sect 1.0 - Fittings Rev.2</p>
---	---


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Manufacturing Ltd	
Manufacturers Address: Riverside Road, Pottington Business Park, Devon, EX311NP, UK.	
Plant Locations: As above with additional manufacturing at: 285 Alabama Hwy 21 North, Jacksonville, AL, USA	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	Title of the Standard of Construction EEMUA 182 ASME B31.1 ASME B31.3 ASME B16.5 ASME B16.34 ASME VIII
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: Body=Forged & Components= Wrought Bar
List of supporting documentation and identification of the actual items to be registered: Existing CRN Submissions: 0C19249.x; Addendum: CRN 0C19249.x Pro-Bloc 10-20mm Addendum – Rev A; Calcs: CRN - EEMUA 182 MAST calculations 10mm r3 CRN - EEMUA 182 MAST calculations 15-20mm r2	

Declaration:

I, James Nelson (see note 3) employed by Parker Hannifin and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Bureau Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: J. P. Nelson

Declared before me at Stamperley, Nova Scotia

This 20th day of March AD 2023


Commissioner of Oaths

Or Notary Public: (sign)

(Affix Official seal to the right)

Maurice Clark
Solicitor/Notary Public
First Floor, Avery House,
Liberty Road, Roundswell,
Barnstable EX31 3TL



CRN: <u>0C19249.5 Add.1</u> FID#: <u>2655</u> Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Scope: Addendum. Pro-Bloc 'EP Series'. Models 1/2018 EPBx, ESPBx & EJPBx replacing existing models PBYx, SPBYx & JPBx. Wall thickness, P&T rating and material per ASME B16.34 requirements. CRN expires March 22nd, 2027 (DGallant)	<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p>  <p>C.R.N. <u>0C19249.58 Add1</u> Dwg. <u>As described</u> Signed <u>[Signature]</u> CRN expires March 27th, 2027 (DGallant) 1 of 1 Part REGULATIONS</p> <p align="right">Sect 1.0 - Fittings Rev.2</p>
--	--


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Manufacturing Ltd	
Manufacturers Address: Riverside Road, Pottington Business Park, Devon, EX311NP, UK.	
Plant Locations: As above with additional manufacturing at: 265 Alabama Hwy 21 North, Jacksonville, AL USA	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>EEMUA 182</p> <p>ASME B31.1</p> <p>ASME B31.3</p> <p>ASME B16.5</p> <p>ASME B16.34</p> <p>ASME VIII</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> 	<p>Type of Construction</p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input checked="" type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p> <p>Body=Forged & Components= Wrought Bar</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>Existing CRN Submissions: 0C19249.x;</p> <p>Addendum: CRN 0C19249.x Pro-Bloc 10-20mm Addendum – Rev A;</p> <p>Calcs:</p> <p>CRN - EEMUA 182 MAST calculations 10mm r3</p> <p>CRN - EEMUA 182 MAST calculations 15-20mm r2</p>	

Declaration:

I, James Nelson (see note 3) employed by Parker Hannifin and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Bureau Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: J. P. Nelson

Declared before me at St. John's

This 20th day of March AD 2023

Commissioner of Oaths

Or Notary Public: (sign) Maurice Clark

(Affix Official seal to the right)

Maurice Clark

Solicitor/Notary Public

First Floor, Avery House

Liberty Road, Roundwell,

Barnstable, NS

BOILER & PRESSURE VESSEL



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C19249.5 Add.1

FID#: 2655

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

Scope: Addendum. Pro-Bloc 'EP Series'. Models

11/2016 EPBx, ESPBx & EJPBx replacing existing models PBYx, SPBYx & JPBx. Wall thickness, P&T rating and material per ASME B16.34 requirements.

CRN expires March 22nd, 2027 (DGallant)

CRN 0C19249.57 Add 1

CHIEF BOILER INSPECTOR

DATE 3/24/23

CRN expires March 27th, 2027 (DGallant)

☐ BLRs

☐ PVs

Sept 1.0 - Fittings Rev 2

☐ FITTINGS

☐ NUCLEAR COMPONENTS


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Manufacturing Ltd	
Manufacturers Address: Riverside Road, Pottington Business Park, Devon, EX311NP, UK.	
Plant Locations: As above with additional manufacturing at: 285 Alabama Hwy 21 North, Jacksonville, AL, USA	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><u>C Valves: all line valves</u></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>EEMUA 182 ASME B31.1 ASME B31.3 ASME B16.5 ASME B16.34 ASME VIII</p>
Show Manufacturers Name, Trademark, or Logo as it will appear on the product	
	<p align="center">Type of Construction</p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: Body=Forged & Components=Wrought Bar</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>Existing CRN Submissions: 0C19249.x; Addendum: CRN 0C19249.x Pro-Bloc 10-20mm Addendum – Rev A; Calcs: CRN - EEMUA 182 MAST calculations 10mm r3 CRN - EEMUA 182 MAST calculations 15-20mm r2</p>	

Declaration:

I, James Nelson (see note 3) employed by Parker Hannifin and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Bureau Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: J. P. Nelson

Declared before me at Barnstable

This 2nd day of April AD 2023

Commissioner of Oaths

Or Notary Public: (sign) [Signature]

(Affix Official seal to the right)

Maurice Clark

Solicitor/Notary Public

First Floor, Avery House,

Liberty Road, Roundswell,

Barnstable EX31 3TL

Newfoundland and Labrador



CRN: 0C19249.5 Add.1

FID#: 2655

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

Scope: Addendum. Pro-Bloc 'EP Series'. Models EPBx, ESPBx & EJPBx replacing existing models PBYx, SPBYx & JPBx. Wall thickness, P&T rating and material per ASME B16.34 requirements.
CRN expires March 22nd, 2027 (DGallant)

This space for Regulatory Authority use.
This registration must be revalidated after ten (10) years from the date of acceptance.

Registered 0C19249.50
Date April 3, 2023
Engineering and Inspection Services
Registered by [Signature]
UNDER THE AUTHORITY OF THE
PUBLIC SAFETY ACT AND
THE BOILER, PRESSURE VESSEL AND
COMPRESSED GAS REGULATIONS
CRN expires March 27th, 2027 (DGallant)

Sect 1.0 - Fittings Rev.2


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Manufacturing Ltd	
Manufacturers Address: Riverside Road, Pottington Business Park, Devon, EX311NP, UK.	
Plant Locations: As above with additional manufacturing at: 265 Alabama Hwy 21 North, Jacksonville, AL USA	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	Title of the Standard of Construction EEMUA 182 ASME B31.1 ASME B31.3 ASME B16.5 ASME B16.34 ASME VIII
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input checked="" type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: Body=Forged & Components= Wrought Bar
List of supporting documentation and identification of the actual items to be registered: Existing CRN Submissions: 0C19249.x; Addendum: CRN 0C19249.x Pro-Bloc 10-20mm Addendum – Rev A; Calcs: CRN - EEMUA 182 MAST calculations 10mm r3 CRN - EEMUA 182 MAST calculations 15-20mm r2	


Declaration:

I, James Nelson (see note 3) employed by Parker Hannifin and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Bureau Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: J. P. Nelson
 Declared before me at Stambridge 20th day of April AD 2023
 Commissioner of Oaths
 Or Notary Public: (sign) Maurice Clark
Solicitor/Notary Public
First Floor, Avery House,
Liberty Road, Roundswell,
Barnstaple EX31 3TL

(Affix Official seal to the right)



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. CRN: <u>0C19249.5 Add.1</u> FID#: <u>2655</u> Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Scope: Addendum. Pro-Bloc 'EP Series'. Models <u>EPBx, ESPBx & EJPBx</u> replacing existing models <u>PBYx, SPBYx & JPBx</u> . Wall thickness, P&T rating and material per ASME B16.34 requirements. CRN expires March 22nd, 2027 (DGallant)	 CRN expires March 27th, 2027 (DGallant) Sect 1.9 - Fittings Rev.2
---	--


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Manufacturing Ltd	
Manufacturers Address: Riverside Road, Potlington Business Park, Devon, EX31 1NP, UK.	
Plant Locations: As above with additional manufacturing at: 285 Alabama Hwy 21 North, Jacksonville, AL USA	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	Title of the Standard of Construction EEMUA 182 ASME B31.1 ASME B31.3 ASME B16.5 ASME B16.34 ASME VIII
Show Manufacturers Name, Trademark, or Logo as it will appear on the product <div align="center">  </div>	
Type of Construction Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: Body=Forged & Components= Wrought Bar	
List of supporting documentation and identification of the actual items to be registered: Existing CRN Submissions: 0C19249.x; Addendum: CRN 0C19249.x Pro-Bloc 10-20mm Addendum – Rev A; Calcs: CRN - EEMUA 182 MAST calculations 10mm r3 CRN - EEMUA 182 MAST calculations 15-20mm r2	

Declaration:

I, James Nelson (see note 3) employed by Parker Hannifin and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Bureau Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: J. P. Nelson

Declared before me at Barnstaple

This 20th day of April 2023

Commissioner of Oaths

Or Notary Public: (sign) Maurice Clark

Maurice Clark

Solicitor/Notary Public

First Floor, Avery House,

Liberty Road, Roundswell,

Barnstaple EX31 3TL

(Affix Official seal to the right)

CRN: <u>0C19249.5 Add.1</u> FID#: <u>2655</u> Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Scope: Addendum. Pro-Bloc 'EP Series'. Models <u>EPBx, ESPBx & EJPBx</u> replacing existing models <u>PBYx, SPBYx & JPBx</u> . Wall thickness, P&T rating and material per ASME B16.34 requirements. CRN expires March 22nd, 2027 (DGallant)	This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. Northwest Territories REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.R.N. <u>0C19249.5 Add.1</u> CRN expires March 22nd, 2027 (DGallant) DATE <u>March 21 2023</u> Sect 1.0 - Fittings Rev.2
--	--


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Parker Hannifin Manufacturing Ltd	
Manufacturers Address: Riverside Road, Pottington Business Park, Devon, EX311NP, UK	
Plant Locations: As above with additional manufacturing at: 265 Alabama Hwy 21 North, Jacksonville, AL USA	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	Title of the Standard of Construction EEMUA 182 ASME B31.1 ASME B31.3 ASME B16.5 ASME B16.34 ASME VIII
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: Body=Forged & Components= Wrought Bar
List of supporting documentation and identification of the actual items to be registered: Existing CRN Submissions: 0C19249.x; Addendum: CRN 0C19249.x Pro-Bloc 10-20mm Addendum – Rev A; Calcs: CRN - EEMUA 182 MAST calculations 10mm r3 CRN - EEMUA 182 MAST calculations 15-20mm r2	

Declaration:

I, James Nelson (see note 3) employed by Parker Hannifin and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Bureau Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: J. P. Nelson

Declared before me at Stambridge, Ontario

This 20th day of March 2023

Commissioner of Oaths

Or Notary Public: (sign) Maurice Clark

(Affix Official seal to the right)

Maurice Clark
Solicitor/Notary Public
First Floor, Avery House
Liberty Road, Roundswell
Barnstable, EX31 3TL

Pressure

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C19249.5 Add.1

FID#: 2655

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

Scope: Addendum. Pro-Bloc 'EP Series'. Models 11/2015 EPBx, ESPBx & EJPBx replacing existing models PBYx, SPBYx & JPBx. Wall thickness, P&T rating and material per ASME B16.34 requirements.
CRN expires March 22nd, 2027 (DGallant)

REGISTERED

CRN 0C19249.5 N Add 1

Date March 24, 2023

Signed [Signature]
Chief Inspector

CRN expires March 27th, 2027 (DGallant)

Territorial Registration Fee

Sect 1.0 - Fittings Rev 2